

TREE CANOPY REQUIREMENTS TABLE

To be completed by the consultant and placed on the first sheet of the Sediment Control / Stormwater Management plan set for all projects. A fee in lieu of planting will be charged for any required canopy trees that are not planted.

Exempt: Yes No If exempt under Section 55-5 of the Code, please check the applicable exemption category below.

Total Property Area	Total Disturbed Area
_____ square feet	_____ square feet

Shade Trees Required	Shade Trees Proposed to be Planted
_____	_____

Number of Trees Requiring Payment of a Fee in Lieu
(Trees Required – Trees Planted)

_____ Trees

Required Number of Shade Trees

Area (sq. ft.) of the Limits of Disturbance	Number of Shade Trees Required
<u>FROM</u> 1	<u>TO</u> 6,000
6,001	8,000
8,001	12,000
12,001	14,000
14,001	40,000
	3
	6
	9
	12
	15

If the square footage of the limits of disturbance is more than 40,000, then the number of shade trees required must be calculated using the following formula:

$$(\text{Number of Square Feet in Limits of Disturbance} \div 40,000) \times 15$$

EXEMPTION CATEGORIES CHECK AS APPLICABLE

- 55-5(a) any activity that is subject to Article II of Chapter 22A;
- 55-5(b) any commercial logging or timber harvesting operation with an approved exemption from Article II of Chapter 22A;
- 55-5(f) any activity conducted by the County Parks Department;
- 55-5(g) routine or emergency maintenance of an existing stormwater management facility, including an existing access road, if the person performing the

- maintenance has obtained all required permits;
- 55-5(h) any stream restoration project if the person performing the work has obtained all necessary permits;
- 55-5(i) cutting or clearing any tree to comply with applicable provisions of any federal, state, or local law governing safety of dams;
- OTHER: Specify per Section 55-5 of the Code.
