


MEMORANDUM

TO: County Council

FROM:  Michael Faden, Senior Legislative Attorney
Amanda Mihill, Legislative Analyst 

SUBJECT: **Action:** Expedited Bill 40-10, Stormwater Management - Revisions

Transportation, Infrastructure, Energy and Environment Committee recommendation: enact with amendments.

Expedited Bill 40-10, Stormwater Management - Revisions, sponsored by the Council President at the request of the County Executive, was introduced on June 29, 2010. A public hearing was held on July 13 (see written testimony, ©42-77) and Transportation, Infrastructure, Energy and Environment Committee worksessions were held on July 22 and 26.

Bill 40-10 would require management of stormwater runoff through the use of nonstructural best management practices to the maximum extent practicable for new development and redevelopment projects approved by the Department of Permitting Services, and generally bring local stormwater management requirements into compliance with the Maryland Stormwater Management Act of 2007 and the state implementing regulations adopted this year.

Fiscal impact OMB's fiscal impact statement (see ©87-88) estimates that modest fee increases will eventually be necessary to fund certain costs triggered by this Bill.

Committee recommendations

1) Environmental Organization' issues. The Stormwater Partners memorandum, received after the public hearing (see ©89-92), summarizes major issues that environmental organizations have raised. (Also see the letter from Linda Silversmith on ©47.) At the June 22 worksession, Committee members received an overview of Bill 40-10 and heard from stakeholders and Executive staff on several issues related to the Bill, including a few areas of concern. Committee members asked stakeholders to meet to resolve points of disagreement. At that stakeholder meeting, held on July 22, agreement was reached on the following issues:

- **Waiver.** Testimony from environmental organizations focused on the Bill's waiver provisions on ©21, lines 508-516, urging that these provisions be deleted. The waiver authority in the current law, shown on ©21, lines 526-528 and on ©21-22, lines 531-555, appears to be less restrictive than the Bill's language. Nonetheless, environmental groups urged that the waiver provisions be tightened further and consolidated, as well as more explicitly placing the burden of proof on the applicant for a waiver (see Stormwater Partners memo, ©89-90). At the stakeholder meeting, the parties agreed that the language on ©21, lines 508-516 could be deleted. Some environmental representatives argued that waivers should not be granted for the first 1 inch of precipitation. Given that these waivers are sometimes necessary and DPS has rarely granted them, the group consensus was that DPS should continue to have the authority to grant such waivers.
- **Stream quality improvement.** At the June 22 worksession, environmental organizations objected to language that specified that any waiver granted must not "adversely impact stream quality" and instead argued that the goal should be to improve stream quality. At the stakeholder meeting, the parties agreed to revise this language so that each waiver must "reasonably ensure, at a minimum, that the proposed development will not adversely impact stream quality" (©22, lines 556-558).
- **Additional clarifying amendments.** At the stakeholder meeting, the parties approved additional amendments, including clarifying that the alternative stormwater management measures identified in §19-26 will apply to both new development and redevelopment (see ©25, lines 617-618) and that off-site environmental site design could be considered an alternative measure (see ©25, lines 620-621).

At its July 26 worksession, the Committee approved all these amendments.

2) Density limitations. After the June 22 stakeholder meeting, environmental organizations circulated replacement language for the provision in the original Bill that the use of environmental site design in a redevelopment project must not reduce the density allowable under the County Zoning Code and any master or sector plan (©24, lines 610-613). Environmental organizations objected to this language because in some cases density reduction could result in additional stormwater protections and it incorrectly assumed an inherent conflict between density and stormwater goals. The replacement sentence, which the Committee endorsed at a followup worksession on July 26, is shown on ©24-25, lines 613-616. The intent of the replacement language is to clarify the relationship between master and sector plans and the stormwater law so that the policy decisions made in master and sector plans can be implemented.

3) Interagency coordination. While DPS is clearly the lead agency for stormwater reviews, the Planning Board is also directly involved. At the hearing, Councilmember Knapp asked how the two agencies will work together on this issue. The Planning staff's memo to the Board (see ©82-83 in particular) identified some coordination issues which the staff believes involve this Bill as well as the agencies' administrative practices. (The Planning Board did not send its official position in time to be printed in this packet.) The Committee did not recommend any changes in the Bill with respect to the allocation of authority between the agencies.

In addition, Council staff revised the Bill's language to be consistent with Council drafting standards and returned to the current section numbering in Chapter 19 to avoid confusing and unnecessary renumbering.

This packet contains:	<u>Circle #</u>
Expedited Bill 40-10 with Committee amendments	1
Legislative Request Report	38
Memo from County Executive	39
Diane Cameron testimony and letter	42
Linda Silversmith letter	47
Maryland-National Capital Building Industry Ass'n testimony	48
State law 2007 amendments	51
State law followup	58
State implementation guidelines	61
Other BIA materials	70
State grandfather regulation	78
Planning staff memo	80
Fiscal impact statement	87
Stormwater Partners memo	89
Stormwater Partners followup memo	93

F:\LAW\BILLS\1040 Stormwater Management-Revisions\Action Memo.Doc

Expedited Bill No. 40-10
Concerning: Stormwater Management --
Revisions
Revised: 7/26/10 Draft No. 4
Introduced: June 29, 2010
Expires: December 29, 2011
Enacted: _____
Executive: _____
Effective: _____
Sunset Date: None
Ch. _____, Laws of Mont. Co. _____

COUNTY COUNCIL FOR MONTGOMERY COUNTY, MARYLAND

By: Council President at the Request of the County Executive

AN EXPEDITED ACT to:

- (1) require management of stormwater runoff through the use of nonstructural best management practices to the maximum extent practicable for new development and redevelopment projects approved by the Department of Permitting Services;
- (2) bring local stormwater management requirements into compliance with the Maryland Stormwater Management Act of 2007; and
- (3) generally amend County law regarding stormwater management.

By amending

Montgomery County Code
Chapter 19, Erosion, Sediment Control and Storm Water Management
Sections 19-20 through 19-35

By adding

Montgomery County Code
Chapter 19, Erosion, Sediment Control and Storm Water Management
Sections 19-21A[[,]] and 19-22A[[, 19-23A]]

Boldface	<i>Heading or defined term.</i>
<u>Underlining</u>	<i>Added to existing law by original bill.</i>
[Single boldface brackets]	<i>Deleted from existing law by original bill.</i>
<u>Double underlining</u>	<i>Added by amendment.</i>
[[Double boldface brackets]]	<i>Deleted from existing law or the bill by amendment.</i>
* * *	<i>Existing law unaffected by bill.</i>

The County Council for Montgomery County, Maryland approves the following Act:

28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54

* * *

Approval: A documented action by the Department after a review to determine and acknowledge the sufficiency of submitted material to meet the requirements of a specified stage in the County's development review process. Approval does not mean an acknowledgement by the Department that submitted material has been received for review.

* * *

Best management practice: A structural device or nonstructural practice designed to temporarily store or treat stormwater runoff to mitigate flooding, reduce pollution, recharge groundwater, and provide other amenities related to the management of stormwater runoff.

* * *

Channel protection storage volume: The volume used to design structural best management practices to control stream channel erosion.

* * *

Concept plan: The first of 3 required plan approvals that includes the information necessary to allow an initial evaluation of a proposed project.

* * *

Design Manual: The [applicable] 2000 Maryland Stormwater Design Manual, as revised from time to time, which serves as the official guide for stormwater management principles, methods, and practices in Maryland.

* * *

Drainage area: That area[, which is enclosed by a ridge line,] that contributes runoff to a single point, measured in a horizontal plane.

Environmental site design [[or]] (*ESD*): Using small-scale stormwater management practices, nonstructural techniques, and better site planning to mimic natural hydrologic runoff characteristics and minimize the impact of development on

55 water resources. Methods [[for designing]] to design ESD practices are specified in
 56 the Design Manual.

57

* * *

58 *Final project approval:* Approval of the final stormwater management plan
 59 and erosion and sediment control plan required to construct a project's stormwater
 60 management facilities. Final project approval also includes securing bonding or
 61 financing for final development plans if either is required as a prerequisite for
 62 approval.

63 *Final stormwater management design plan:* The last of 3 required plan
 64 approvals that includes the information necessary to allow all approvals and permits
 65 to be issued by the appropriate authority.

66

* * *

67 *Impervious area:* Any surface that prevents or significantly impedes the
 68 infiltration of water into the underlying soil, including any [[structures, buildings,
 69 patios, decks, sidewalks]] structure, building, patio, deck, sidewalk, compacted
 70 gravel, pavement, asphalt, concrete, stone, brick, tile, swimming [[pools]] pool,
 71 [[and]] or artificial turf. Impervious surface also includes [[all areas]] any area used
 72 by or for motor vehicles or heavy commercial equipment, regardless of surface type
 73 or material, including any [[roads]] road, road [[shoulders]] shoulder, [[driveways]]
 74 driveway, [[and]] or parking [[areas]] area.

75 *Infiltration:* The passage or movement of water into the soil surface.

76 *Maximum extent practicable [[or]] (MEP):* Designing stormwater
 77 management systems so that all reasonable opportunities for using environmental site
 78 design planning techniques and treatment practices are exhausted and, only where
 79 absolutely necessary, a structural best management practice is implemented.

80 *Nonstructural maintenance:* Grass cutting; removal of litter and debris, tree
 81 limbs, algae and aquatic plants; tree and shrub trimming and removal; maintenance

82 of fences; aesthetic improvements such as graffiti removal, and any other
 83 [[enhancements]] enhancement in and around a stormwater management facility that
 84 [[are]] is not [[necessarily]] essential [[for ensuring]] to ensure that the facility
 85 continues to function properly.

86 * * *

87 On-site stormwater management: The design and construction of [a facility]
 88 stormwater practices to control [all] stormwater runoff in a development.

89 Overbank flood protection volume: The volume controlled by structural
 90 practices to prevent an increase in the frequency of out of bank flooding generated by
 91 development.

92 * * *

93 Planning Director: The Director of the County Planning Department, or the
 94 Director's designee

95 Planning techniques: A combination of strategies employed early in project
 96 design to reduce the impact from development and to incorporate natural features
 97 into a stormwater management plan.

98 * * *

99 Preliminary project approval: An approval as part of the Department's
 100 preliminary development or planning review process that includes[[,]] at [[a
 101 minimum]] least:

102 (a) the number of planned dwelling units or lots;

103 (b) the proposed project density;

104 (c) the proposed size and location of all land uses for the project;

105 (d) a plan that identifies:

106 (1) the proposed drainage patterns;

107 (2) the location of [[all points]] each point of discharge from the site;

108 and

- 109 (3) the type, location, and size of [[all]] each stormwater
- 110 management [[measures]] measure based on site-specific
- 111 stormwater management requirement computations; and
- 112 (e) any other information required by the Department, including:
 - 113 (1) the proposed alignment, location, and construction type and
 - 114 standard for [[all roads]] any road, access [[ways]] way, and
 - 115 [[areas]] area of vehicular traffic;
 - 116 (2) a demonstration that the methods by which the development will
 - 117 be supplied with water and wastewater service are adequate; and
 - 118 (3) the size, type, and general location of all proposed wastewater
 - 119 and water system infrastructure.

* * *

Redevelopment: Any construction, alteration, or improvement [which] that:

- 122 (a) exceeds or equals 5,000 square feet of land disturbance; and
- 123 (b) is performed on a site where the existing land use is commercial,
- 124 industrial, institutional, or multifamily residential and existing
- 125 imperviousness is greater than 40 percent.

* * *

Site development stormwater management plan: The second of 3 required
128 plan approvals [[that include]] which includes information necessary to allow
129 detailed evaluation of a proposed project.

Stabilization: the prevention of soil movement by any of various vegetative or
131 structural means.

Stormwater: [That precipitation which travels over natural, altered, or
133 impervious surfaces to the nearest stream, channel, conduit, or impoundment and
134 appears in surface waters. Stormwater also includes snow melt] Water that originates
135 from [[a]] precipitation [[event]].

136 *Stormwater management:* The collection, conveyance, storage, treatment, and
 137 control of stormwater [runoff] as needed to reduce accelerated stream channel
 138 erosion, increased flood damages, or water pollution.

139 *Stormwater management facility:* An infiltration device, [vegetative filter,]
 140 filtering device, stormwater pond, stormwater wetland, hydrodynamic structure,
 141 [channel, pipe, weir, orifice, or combination of those measures,] or other [[best
 142 management]] practice designed and constructed to control stormwater [runoff] to
 143 reduce accelerated stream channel erosion and pollution of surface waters. A
 144 stormwater management facility does not include environmental site design practices
 145 or any nonstructural stormwater management system.

146 * * *

147 *Stormwater management system:* Natural areas, environmental site design
 148 practices, stormwater management measures, and any structure through which
 149 stormwater flows, infiltrates, or discharges from a site.

150 *Structural maintenance:* The inspection, construction, reconstruction,
 151 modification, [or] repair, and cleaning of any part of a stormwater management
 152 facility undertaken to assure that the facility remains in the proper working condition
 153 to serve its intended purpose and prevent [structural] failure. Structural maintenance
 154 does not include landscaping, grass cutting, or trash removal.

155 * * *

156 **19-21A. Grandfathering.**

157 (a) The Director may, for good cause shown, grant an administrative
 158 waiver to a development that received a preliminary project approval
 159 before May 4, 2010. Administrative waivers expire as provided under
 160 subsection (b) and may be extended as provided under subsection (c).

161 (b) Expiration of an administrative waiver.

- 162 (1) Except as provided in subsection (c), an administrative waiver
 163 must expire on:
 164 (A) May 4, 2013, if the development does not receive final
 165 project approval before that date; or
 166 (B) May 4, 2017, if the development receives final project
 167 approval before May 4, 2013.
- 168 (2) All construction authorized under an administrative waiver must
 169 be completed by:
 170 (A) May 4, 2017; or
 171 (B) if the waiver is extended under subsection (c), [[by]] the
 172 [[expiration]] date [[of]] the waiver [[extension]] expires.
- 173 (c) Extension of an administrative waiver.
- 174 (1) Except as provided in paragraph (2), an administrative waiver
 175 must not be extended.
- 176 (2) An administrative waiver may only be extended if, by May 4,
 177 2010 the development:
 178 (A) received a preliminary project approval; and
 179 (B) was subject to a development rights and responsibilities
 180 agreement or a tax increment financing approval.
- 181 (3) An administrative waiver extended under paragraph (2) expires
 182 when the development rights and responsibilities agreement[[.]]
 183 or the tax increment financing approval[[, or the annexation
 184 agreement]] expires.

185 **19-22. Watershed management plans.**

- 186 (a) The Department of Environmental Protection, in cooperation with the
 187 Department, the Board, and other appropriate agencies, may develop
 188 watershed management plans to implement stormwater management

189 policies that apply individually to specific watersheds in the County.
 190 Each watershed management plan should:

191 * * *

192 (5) specify the types of [quantitative] stormwater management,
 193 stream restoration and wetlands protection practices to be
 194 implemented;

195 * * *

196 (7) specify where the [Department] Director may grant waivers of
 197 on-site stormwater management controls;

198 * * *

199 **[[19-23]] 19-22A. Stormwater management measures.**

200 (a) An applicant must use the ESD planning techniques and practices and
 201 structural stormwater management measures established in this Article
 202 and the Design Manual, either alone or in combination, in a stormwater
 203 management plan. An applicant must demonstrate that environmental
 204 site design has been implemented to the maximum extent practicable
 205 before [[the use of]] a structural best management practice is
 206 [[considered]] included in [[developing the]] a stormwater management
 207 plan.

208 (b) ESD planning techniques and practices.

209 (1) An applicant must apply the following planning techniques
 210 according to the Design Manual to satisfy the on-site stormwater
 211 management requirements of Section [[19-25]] 19-24:

- 212 (A) preserve and protect natural resources;
- 213 (B) conserve natural drainage patterns;
- 214 (C) minimize impervious area;
- 215 (D) reduce runoff volume;

- 216 (E) use ESD practices to maintain 100% of the average annual
 217 predevelopment groundwater recharge volume for the site;
 218 (F) use green roofs, permeable pavement, reinforced turf, and
 219 other alternative surfaces;
 220 (G) limit soil disturbance, mass grading, and compaction;
 221 (H) cluster development; and
 222 (I) any practice approved by the Administration.
- 223 (2) An applicant must design the following ESD treatment practices
 224 according to the Design Manual to satisfy the on-site stormwater
 225 management requirements of Section [[19-25]] 19-24:
- 226 (A) disconnection of rooftop runoff;
 227 (B) disconnection of nonrooftop runoff;
 228 (C) sheetflow to conservation areas;
 229 (D) rainwater harvesting;
 230 (E) submerged gravel wetlands;
 231 (F) landscape infiltration;
 232 (G) infiltration berms;
 233 (H) dry wells;
 234 (I) micro-bioretenion;
 235 (J) rain gardens;
 236 (K) swales;
 237 (L) enhanced filters; and
 238 (M) any practice approved by the Administration.
- 239 (3) The use of ESD planning techniques and treatment practices
 240 specified in this Section must not conflict with existing State or
 241 County laws.
- 242 (c) Structural stormwater management [[measures]] practices.

- 243 (1) An applicant must design the following structural stormwater
 244 management practices according to the Design Manual to satisfy
 245 the on-site stormwater management requirements of Section [[19-
 246 25]] 19-24:
- 247 (A) stormwater management ponds;
 248 (B) stormwater management wetlands;
 249 (C) stormwater management infiltration;
 250 (D) stormwater management filtering systems; and
 251 (E) stormwater management open channel systems.
- 252 (2) An applicant must consider the performance criteria specified in
 253 the Design Manual with regard to general feasibility, conveyance,
 254 pretreatment, treatment and geometry, environment and
 255 landscaping, and maintenance when selecting structural
 256 stormwater management practices.
- 257 (3) An applicant must select structural stormwater management
 258 practices to accommodate the unique hydrologic or geologic
 259 [[regions]] region of the County where the property to be
 260 developed is located.
- 261 (d) An applicant may use an alternative ESD planning [[techniques and]]
 262 technique or treatment [[practices and]] practice or structural
 263 stormwater management [[measures]] measure for new development
 264 runoff control if [[they meet]] it meets the performance criteria
 265 established in the Design Manual and [[are]] is approved by the
 266 Administration. [[Practices]] Any practice used for a redevelopment
 267 [[projects]] project must be approved by the Department.
- 268 (e) [[For purposes of]] Before modifying the on-site stormwater control
 269 requirements or design criteria, the applicant must submit to the

270 Department an analysis of the impacts of stormwater flows downstream
 271 in the watershed. The analysis must include hydrologic and hydraulic
 272 calculations necessary to determine the impact of hydrograph timing
 273 modifications of the proposed development [[upon]] on a dam,
 274 highway, structure, or natural point of restricted streamflow, established
 275 with the Department's concurrence, downstream [[of]] from the first
 276 downstream tributary whose drainage area equals or exceeds the
 277 contributing area to the project or stormwater management facility.

278 **[[19-23A. Specific design criteria.]]**

279 [[The basic design criteria, methodologies, and construction specifications,
 280 subject to the approval of the Department and the Administration, must be those of
 281 the Design Manual.]]

282 **[19-23] [[19-24]] 19-23. Review and approval of stormwater management plans.**

283 (a) *Concept plan.* Before the Board may approve a preliminary plan of
 284 subdivision, an applicant must submit a stormwater management and
 285 sediment control concept plan to the Department for review and
 286 approval. [If a preliminary plan of subdivision or site plan is not
 287 required, the applicant must submit a stormwater management concept
 288 plan to the Department for review and approval before submitting an
 289 application for a sediment control permit.] [[All plans]] Each plan
 290 submitted for concept approval must provide sufficient information for
 291 the Department to make an initial assessment of the proposed project
 292 and determine whether stormwater [[management]] can be [[provided]]
 293 managed according to this Article and the Design Manual. Each
 294 concept plan is subject to the following conditions and requirements:

295 (1) A natural resources inventory must be reviewed and approved by
 296 the Department or the [[Board]] Planning Director before the

297 applicant submits a concept plan [[as required]] under this
298 Section.

299 [(1)] (2) The plan must indicate how the stormwater management and
300 sediment control criteria will be applied to each proposed
301 development or redevelopment project. The Department may
302 require a plan to analyze the downstream effects of any proposed
303 development or redevelopment project. [The plan must indicate
304 how the development will minimize any interference with or
305 addition to the current flow of water onto adjacent properties.
306 The applicant may include structural and nonstructural
307 stormwater management measures in the plan.] The basic design
308 criteria, [[and]] methodologies, and construction specifications
309 used in developing the plan must be [[consistent with criteria]]
310 specified in the Design Manual and any other criteria established
311 by regulation.

312 (3) The plan must describe how environmental site design practices
313 will be implemented to the maximum extent practicable and
314 [[provide for]] allow use of any structural best management
315 [[practices]] practice only where the applicant [[is able to
316 demonstrate to the Director's satisfaction]] shows that
317 environmental site design or [[other]] another nonstructural best
318 management [[practices are]] practice is not a viable option.

319 (4) The plan must include [[the following]]:
320 (A) a map, at a scale specified by the Department, showing site
321 location, existing natural features, water and other sensitive
322 resources, topography, and natural drainage patterns;

- 323 (B) the anticipated location of [[all]] each proposed impervious
 324 [[areas, buildings, roadways, parking, sidewalks, utilities]]
 325 area, building, roadway, parking, sidewalk, utility, and
 326 other site [[improvements]] improvement;
- 327 (C) the location of the proposed limit of disturbance, erodible
 328 soils, steep slopes, and any [[areas]] area to be protected
 329 during construction;
- 330 (D) preliminary estimates of stormwater management
 331 requirements, the [[selection and]] location of each ESD
 332 [[practices]] practice to be used, and the location of [[all
 333 points]] each point of discharge from the site; and
- 334 (E) any other information the Director requires.

335 [[2)] (5) Any stormwater management plan must be consistent with any
 336 watershed management plan that the Department of
 337 Environmental Protection has approved or any flood management
 338 plan that the [Maryland Department of the Environment]
 339 Administration has approved involving the site of the proposed
 340 development or redevelopment project.

341 [[3)] (6) The Department must refer the concept plan [back] to the
 342 Department of Environmental Protection, the Department of
 343 Transportation, and the Board for comment before approving the
 344 plan [if the Board so requests].

345 [[4) The Department may require incrementally more specific
 346 submittals at each stage of the approval process for a project
 347 which requires site plan or development plan review.]

348 (b) Site development stormwater management plan. Before the Board may
 349 approve a site plan, the applicant must submit a site development

350 stormwater management plan to the Department for review and
351 approval. The applicant may combine the site development stormwater
352 management plans with the concept [[plans]] plan required under
353 subsection (a) if [[acceptable to]] the Director approves. Any site
354 development stormwater management plan submitted for review and
355 approval must include [[the following]]:

- 356 (1) all information provided during the concept plan review
357 [[phase]]:
- 358 (2) final site layout, exact impervious area locations and acreages,
359 proposed topography, a delineated drainage [[areas]] area at [[all
360 points]] each point of discharge from the site, and stormwater
361 volume computations for ESD practices and structural measures;
- 362 (3) a proposed erosion and sediment control plan that contains the
363 construction sequence, any phasing necessary to limit earth
364 disturbances and impacts to natural resources, and an overlay
365 plan showing the [[types]] type and [[locations]] location of each
366 ESD and erosion and sediment control [[practices]] practice to be
367 used;
- 368 (4) a narrative that supports the site development design, describes
369 how ESD will be used to meet the minimum control
370 requirements, and justifies any proposed structural stormwater
371 management measure; and
- 372 (5) any other information the Director requires.

373 (b) (c) *[Design] Final stormwater management design plan.*

- 374 (1) Any person required under this Chapter to obtain a sediment
375 control permit must include a final stormwater management
376 design plan as part of the permit application. The final

377 stormwater management design plan must conform to both the
378 concept plan and site development stormwater management
379 [concept] plan and serve as the basis for all later construction.
380 [All construction specifications must adhere to the requirements
381 in the Design Manual and any applicable regulations.] The
382 applicant must submit a final stormwater management design
383 plan for approval in the form of construction drawings
384 accompanied by a report that includes sufficient information to
385 evaluate the effectiveness of the proposed runoff control design.
386 The applicant must also submit a final erosion and sediment
387 control plan under [[Section 26.17.01.05 of the Maryland Code
388 of]] applicable State Regulations[[, as amended]]. Any plan
389 submitted under this paragraph must meet all [[of the]]
390 requirements of the Design Manual.

391 (2) Any report submitted for final stormwater management design
392 plan approval must include[[, but is not limited to]]:

393 (A) geotechnical investigations, including soil maps, borings,
394 site-specific recommendations, and any additional
395 information necessary for the final stormwater
396 management design;

397 (B) a drainage area map depicting predevelopment and post-
398 development runoff flow path segmentation and land use;

399 (C) hydrologic computations of the applicable ESD and
400 unified sizing criteria according to the Design Manual for
401 [[all points]] each point of discharge from the site;

402 (D) hydraulic and structural computations for [[all]] each ESD
403 [[practices]] practice and structural stormwater
404 management [[measures]] measure to be used; and

405 (E) a narrative that supports the final stormwater management
406 design.

407 (3) Construction drawings submitted for final stormwater
408 management design plan approval must include[[, but are not
409 limited to]]:

410 (A) a vicinity map;

411 (B) existing and proposed topography and any proposed
412 drainage area, including any area necessary to determine
413 downstream analysis for [[the]] each proposed stormwater
414 management [[facilities]] facility;

415 (C) any proposed improvement, including the location of any
416 building or other structure, impervious surface, storm
417 drainage facility, and all grading;

418 (D) the location of any existing and proposed structure;

419 (E) any easement and right-of-way;

420 (F) the delineation, if applicable, of the 100-year floodplain
421 and any on-site [[wetlands]] wetland;

422 (G) structural and construction details, including representative
423 cross sections for [[all components]] each component of
424 the proposed drainage system or systems and stormwater
425 management facilities;

426 (H) all necessary construction specifications;

427 (I) a sequence of construction;

- 428 (J) data for total site area, disturbed area, new impervious
 429 area, and total impervious area;
- 430 (K) a table showing the ESD and unified sizing criteria
 431 volumes required in the Design Manual;
- 432 (L) a table of materials to be used for stormwater management
 433 facility planting;
- 434 (M) [[all]] each soil boring [[logs]] log and [[locations]]
 435 location;
- 436 (N) an inspection and maintenance schedule;
- 437 (O) certification by the [[owner/developer]] applicant that all
 438 stormwater management construction will be [[done]]
 439 completed according to this plan; and
- 440 (P) an as-built certification signature block, to be executed
 441 after project completion.
- 442 (4) The maintenance schedule required under this Section must cover
 443 the life of any structural stormwater management facility or
 444 system of ESD practices and must specify the maintenance to be
 445 completed, the time period for completion, and the responsible
 446 party that will perform the maintenance. The maintenance
 447 schedule must be printed on the approved final stormwater
 448 management plan.
- 449 [(c)] (d) *Plan preparation.* The Director may require the stormwater
 450 management concept, site development stormwater management, and
 451 final stormwater management and design plans to be prepared by a
 452 professional engineer, professional land surveyor, registered architect or
 453 landscape architect licensed in Maryland, or any other individual whose
 454 qualifications are acceptable to the Department. If a stormwater best

455 management practice requires either a dam safety permit from the
 456 [Maryland Department of the Environment] Administration or a small
 457 pond approval from the District, the Director must require the design
 458 plan to be prepared by a professional engineer licensed by the State of
 459 Maryland.

460 (e) Runoff. If a stormwater management plan involves direction of some or
 461 all runoff off [[of the]] site, [[it is]] the [[developer's responsibility to]]
 462 developer must obtain from any adjacent property owner any easement
 463 or other necessary property interest concerning water flow. Approval of
 464 a stormwater management plan does not create or [[affect]] imply any
 465 right to direct runoff onto any adjacent property without that property
 466 owner's permission.

467 **[19-24] [[19-25]] 19-24. On-site requirements; County participation; waivers.**

468 (a) *On-site stormwater management.*

469 (1) A person that receives [a building permit or] a sediment control
 470 permit must provide on-site stormwater management unless the
 471 Director waives this requirement.

472 (2) The Director may waive the on-site stormwater management
 473 requirement if the Director finds that:

474 (A) environmental site design has been implemented to the
 475 maximum extent practicable, and stormwater from the site
 476 is safely conveyed to a Department approved off-site
 477 facility that has been constructed to provide stormwater
 478 management for the site; or

479 (B) on-site stormwater management is not required under
 480 applicable State law.

481 (3) [[The use of]] ESD planning techniques and treatment practices
 482 must be [[exhausted]] used to the maximum extent practicable
 483 under the Design Manual before any structural best management
 484 practice [[may be]] is implemented. A stormwater management
 485 plan for a development project subject to this Article must be
 486 designed using the ESD sizing criteria, recharge volume, water
 487 quality volume, and channel protection storage volume criteria
 488 according to the Design Manual. The MEP standard is met when
 489 channel stability is maintained, predevelopment groundwater
 490 recharge is replicated, nonpoint source pollution is minimized,
 491 and structural stormwater management practices are used only if
 492 [[determined to be]] absolutely necessary.

493 * * *

494 (c) *Waiver.*

495 (1) An applicant seeking a waiver of any on-site stormwater
 496 management requirement must submit a request to the
 497 Department in writing in a form acceptable to the Director. [The
 498 applicant must submit a separate written request for each later
 499 addition, extension, or modification to a development that has
 500 received a waiver.]

501 (2) A request for quantitative stormwater control waivers must
 502 contain sufficient descriptions, drawings, and any other
 503 information that is necessary to [[demonstrate]] show that
 504 environmental site design has been implemented to the maximum
 505 extent practicable. The applicant must submit a separate written
 506 request for each later addition, extension, or modification to a
 507 development that has received a waiver.

508 (3) [[Except as provided in paragraph (4), stormwater management
 509 qualitative control waivers apply only to:

510 (A) an infill development project where environmental site
 511 design is not feasible;

512 (B) a redevelopment project if the applicable requirements of
 513 this Article are satisfied; or

514 (C) a site where [[the Director determines that]] circumstances
 515 exist that prevent the reasonable implementation of
 516 environmental site design.]]

517 [[4]] The Director may grant a stormwater management quantitative
 518 and qualitative control waiver for a phased development project if
 519 a system designed to meet the 2000 State and County regulatory
 520 requirements [[under State and County law]] for multiple phases
 521 was constructed by May 4, 2010. If the 2009 regulatory
 522 requirements cannot be met for any future [[phases]] phase
 523 constructed after May 4, 2010, the applicant must [[demonstrate]]
 524 make all reasonable efforts to incorporate environmental site
 525 design in each future [[phases]] phase.

526 [[2]] [[5]] (4) The Director may grant a waiver if the applicant shows
 527 that existing physical conditions prevent full compliance with any
 528 on-site stormwater management requirement. However, the
 529 applicant must still [[demonstrate]] show that environmental site
 530 design has been implemented to the maximum extent practicable.

531 [[3]] [[6]] (5) If a site is an infill development or redevelopment site,
 532 the Director may waive channel protection requirements[,] if all
 533 reasonable options for implementing environmental site design to
 534 the maximum extent practicable have been exhausted, and:

- 535 (A) the planned development or redevelopment project will not
 536 increase the impervious surface area on the site; or
- 537 (B) runoff from the site will drain through an adequately-sized
 538 existing improved storm drain system before discharging
 539 into a natural stream channel, at a minimum without
 540 adversely affecting the receiving channel, and the
 541 discharge to the storm drain system will not increase
 542 erosion in the receiving waters.
- 543 [(4) The Director may also waive channel protection requirements if:
- 544 (A) an off-site facility was designed and constructed to provide
 545 the necessary runoff controls for the site; and
- 546 (B) the facility's design assures non-erosive conveyance of
 547 runoff from the site to the facility.]
- 548 [(5)] ~~[(7)]~~ (6) The Director [may] must not grant a waiver [only if]
 549 unless:
- 550 (A) the applicant satisfies criteria established by regulation;
 551 and
- 552 (B) the waiver is consistent with an applicable watershed
 553 management plan, if any, prepared by the applicant and
 554 approved by the Department of Environmental Protection.
- 555 [(6)] ~~[(8)]~~ (7) The Director may grant each waiver only on a case-by-
 556 case basis. The Director must consider the cumulative effects of
 557 all waivers granted in a drainage area or watershed. ~~[[The]]~~ Each
 558 waiver must reasonably ensure, at a minimum, that the proposed
 559 development will not adversely impact stream quality.
- 560 [(7)] ~~[(9)]~~ (8) When a waiver is granted, the Director must require the
 561 applicant to:

- 562 (A) provide a monetary contribution;
- 563 (B) grant an easement or dedicate land for the County to
- 564 construct a stormwater management facility; or
- 565 (C) take specific stream or wetland restoration measures.

566 **[19-25] ~~[[19-26]]~~ 19-25. Contributions, dedications, and stream restoration.**

567 * * *

568 (c) *Stream and wetlands restoration measures.* [The] For redevelopment

569 only, the Department may allow an applicant to construct stream or

570 wetland restoration measures instead of [on-site stormwater

571 management controls] monetary contributions or dedications if:

- 572 (1) the Director of Permitting Services and the Director of
- 573 Environmental Protection both find that it is in the County's best
- 574 interest for the applicant to provide stream or wetland restoration
- 575 measures; and
- 576 (2) the estimated cost of the stream or wetland restoration measures
- 577 do not exceed the estimated cost of on-site stormwater
- 578 management controls that the applicant would otherwise be
- 579 required to [construct] provide for new development.

580 **[19-26] ~~[[19-27]]~~ 19-26. Stormwater management design criteria.**

581 (a) [Each applicant must use recharge volume, water quality volume, and

582 channel protection storage volume sizing criteria to design a stormwater

583 management facility for new development as required by the Design

584 Manual and any applicable regulation. Each applicant must also use

585 water quality volume and channel protection storage criteria for any

586 redevelopment project.] [[Unless otherwise indicated, redevelopment is

587 subject to the same requirements that are applicable to new development

588 under this Article.]] Each applicant must use planning techniques,

589 nonstructural practices, and design methods to implement
 590 environmental site design to the [[MEP standard]] maximum extent
 591 practicable. The use of environmental site design must be exhausted
 592 before any structural best management [[practices are]] practice is used.
 593 Each stormwater management [[plans]] plan must be designed using
 594 ESD sizing criteria, recharge volume, water quality volume, and
 595 channel protection storage volume sizing criteria, according to the
 596 Design Manual and any applicable regulation. If the Department finds
 597 that historical flooding problems exist at the site of a new development
 598 or redevelopment project, the Director may require the use of overbank
 599 flood protection volume [and], extreme flood volume criteria, or both.

600 (b) [The Director may reduce the minimum control requirements if the
 601 applicant incorporates nonstructural stormwater management measures
 602 into the site design plans in accordance with the Design Manual and any
 603 applicable regulations.] Unless otherwise indicated, redevelopment is
 604 subject to the same requirements that apply to new development under
 605 this Article. For redevelopment, the applicant may use alternative
 606 stormwater management measures to satisfy the requirements in
 607 subsection (a) if the applicant [[satisfactorily demonstrates to the
 608 Director]] shows that impervious area reduction and environmental site
 609 design have been implemented to the maximum extent practicable.
 610 [[The use of environmental site design [[for]] in a redevelopment
 611 [[projects]] project must not reduce the density [[established]] allowable
 612 under [[the County Zoning Code,]] Chapter 59 and any master [[plans,
 613 and]] or sector [[plans]] plan.]] In any redevelopment project, the
 614 selection and application of environmental site design practices must be

615 consistent with the recommendations, goals, and objectives of any
 616 applicable master or sector plan.

617 (c) Alternative stormwater management measures which may be used for
 618 new development or redevelopment include[[, but are not limited to]]:

619 (1) an on-site structural best management practice;

620 (2) an off-site structural best management practice or off-site
 621 environmental site design to provide water quality treatment; or

622 (3) a combination of impervious area reduction, environmental site
 623 design implementation, and an on-site or off-site structural best
 624 management practice within the limit of disturbance.

625 [(c) The applicant may use alternative structural and nonstructural practices
 626 to satisfy water quality volume requirements if the Director finds that
 627 those practices satisfy the criteria in the Design Manual and any
 628 additional criteria established by regulation. The Department must
 629 approve any alternative practice used for either a new development or
 630 redevelopment project. The Administration must also approve any
 631 alternative practice used for a new development project.]

632 [19-27] [[19-28]] **19-27. Financial security.**

633 (a) *Required.*

634 (1) Before issuing a [building] sediment control permit for a
 635 development which requires a stormwater management [facility]
 636 system, the Director must require the applicant or owner to
 637 furnish a performance or cash bond, irrevocable letter of credit,
 638 certificate of guarantee, or other instrument from a financial
 639 institution or issuing person satisfactory to the Director and the
 640 County Attorney, for construction of the on-site stormwater

641 management [facility] system in an amount equal to the estimated
642 cost of the construction.

643 * * *

644 (3) The bond, letter of credit, certificate of guarantee, or other
645 instrument must be conditioned on the faithful performance of the
646 terms and conditions of an approved stormwater management
647 plan and construction of the [facility] system as provided in that
648 plan and under this Article. The bond, letter of credit, certificate
649 of guarantee, or other instrument must inure to the benefit of the
650 County if the applicant or owner does not comply with the
651 conditions of the bond, letter of credit, certificate of guarantee, or
652 other instrument.

653 (b) *Release.*

654 (1) The Director must not release a bond, letter of credit, certificate
655 of guarantee, or other instrument until the [Department, after a
656 final inspection,] applicant has [found] submitted “as-built” plans
657 and the Department has issued a certification of completion based
658 on the Director’s finding, after having performed a final
659 inspection, that the stormwater management [facility] system
660 complies with the approved plan and this Article.

661 (2) The Department may agree with an applicant regarding the stages
662 of the work to be done on the [facility] system. After completing
663 each stage, the applicant must notify the Department that the
664 applicant is ready for an inspection and, after the Director
665 certifies that the applicant has completed that stage of work under
666 the approved plan and this Article, the Director may reduce the
667 bond, letter of credit, certificate of guarantee, or other instrument

668 pro rata, or may direct the Director of Finance to refund to the
 669 applicant a prorated share of the amount that the applicant
 670 deposited with the County.

671 * * *

672 **[19-28] [[19-29]] 19-28. Inspection and maintenance of stormwater management**
 673 **[facilities] systems.**

674 (a) *Installation inspections.*

675 (1) The [Department] Director, or [an individual] a person designated
 676 by the applicant that is also qualified and approved by the
 677 Department to supervise construction, must inspect each
 678 [stormwater] best management [facility] practice under
 679 construction as needed to certify the [facility's] system's
 680 compliance with approved plans. The inspector must conduct
 681 each inspection as provided in a checklist or in any other manner
 682 that the Department has approved for each type of stormwater
 683 management [facility] system. The inspector must prepare a
 684 written inspection report that includes [[the following
 685 information]]:

- 686 (A) the date and location of the inspection;
- 687 (B) whether construction [complied] complies with the
 688 approved stormwater management plan;
- 689 (C) any variation from approved construction specifications;
 690 and
- 691 (D) any [[violations]] violation of law or regulations that the
 692 inspector observes.

693 (2) The Department must notify the applicant in writing if the
 694 inspector observes any [[violations]] violation of this Article

695 during the inspection. The written notice must describe the
 696 nature of ~~[[the]]~~ each violation and prescribe any corrective
 697 action needed.

698 (3) Construction work on a stormwater management ~~[facility]~~ system
 699 must not proceed until the Department:

700 (A) inspects and approves the work previously completed or
 701 the plans and certifications previously submitted; and

702 (B) furnishes the inspection reports to the applicant after each
 703 inspection.

704 (4) Once construction is complete, the applicant must submit as-built
 705 plan certification to the Department to ensure that ESD planning
 706 techniques, treatment practices, and structural stormwater
 707 management measures and conveyance systems comply with the
 708 specifications ~~[[contained]]~~ in each approved ~~[[plans]]~~ plan. At a
 709 minimum, as-built certification must include a set of drawings
 710 comparing the approved stormwater management plan with what
 711 was constructed. The Director may require additional
 712 information if needed.

713 (5) ~~[[All]]~~ Each as-built ~~[[plans]]~~ plan submitted to the Department
 714 under this subsection must be prepared by a design professional
 715 or other person qualified and approved by the Department.

716 ~~[(b)]~~ *Inspection and maintenance of off-site facilities.* The Department of
 717 Environmental Protection must inspect and approve each off-site
 718 stormwater management facility for acceptance for County
 719 maintenance. After a facility is accepted, the Department of
 720 Environmental Protection must inspect each underground facility at
 721 least once each year and each above-ground facility at least once every

722 3 years, and must maintain each accepted facility in good working
723 condition.]

724 [(c)] (b) [*Inspection and maintenance*] Maintenance of new [on-site facilities]
725 stormwater management systems.

726 (1) Before issuing a [building] sediment control permit to develop
727 any property that requires [an on-site stormwater management
728 facility] implementation of best management practices, the
729 Department must require the property owner to execute an
730 easement and an inspection and maintenance agreement that is
731 binding on [[all]] [later] [[subsequent owners]] each later owner
732 of the land to be served by any private stormwater management
733 system.

734 (2) The easement [and agreement] must give the County a perpetual
735 right of access to the [facility] stormwater management system at
736 all reasonable times[[,]] to inspect, operate, monitor, install,
737 construct, reconstruct, modify, maintain, clean, or repair any part
738 of the stormwater management [facility] system within the area
739 covered by the easement as needed to assure that the [facility]
740 system remains in proper working condition under approved
741 design and environmental standards. The inspection and
742 maintenance agreement must require the owner to be responsible
743 for all maintenance of any completed ESD treatment system and
744 nonstructural maintenance of [the] any on-site stormwater
745 management facility if the development consists of residential
746 property or associated nonresidential property. Otherwise, the
747 inspection and maintenance agreement must require the owner to
748 be responsible for all maintenance of the [facility] entire on-site

749 stormwater management system, including [structural
 750 maintenance] maintaining in good condition, and promptly
 751 repairing and restoring, [[all]] each ESD [[practices]] practice,
 752 grade [[surfaces, walls, drains, dams]] surface, wall, drain, dam
 753 and [[structures]] structure, vegetation, erosion and sediment
 754 control [[measures]] measure, and any other protective [[devices
 755 in perpetuity]] device forever.

756 * * *

- 757 (5) [The Department of Environmental Protection must inspect each
 758 County- maintained underground facility at least once every year
 759 and each County-maintained above-ground facility at least once
 760 every 3 years.] Any repair or restoration and maintenance
 761 performed under this Section must [[be in accordance]] comply
 762 with each previously approved or newly submitted [[plans]] plan
 763 and any reasonable corrective measure specified by the Director
 764 of Environmental Protection.

765 [(d)] (c) [*Inspection and maintenance*] Maintenance of existing [on-site]
 766 stormwater management facilities.

- 767 (1) The owner of [an on-site] a stormwater management facility that
 768 is not subject to subsection [(c)] (b) must perform all structural
 769 maintenance needed to keep the facility in [property] proper
 770 working condition. The owner of a residential property or
 771 associated nonresidential property, or a homeowners' association
 772 [which] that includes the residential property, may execute a
 773 stormwater management easement granting the County a
 774 perpetual right of access to inspect, operate, monitor, install,
 775 construct, reconstruct, modify, maintain, clean, or repair any part

776 of the stormwater management facility within the easement as
 777 needed to assure that the facility remains in proper working
 778 condition under approved design standards.

779 (2) If the owner of a stormwater management facility grants a
 780 stormwater management easement to the County, the owner must
 781 make any structural repairs needed to place the facility in proper
 782 working condition, as determined by the Department of
 783 Environmental Protection, before the County enters into an
 784 inspection and maintenance agreement with the owner that
 785 obligates the County to assume responsibility for structural
 786 maintenance of the facility. After the owner and the County have
 787 agreed that the County will assume responsibility for structural
 788 maintenance of the facility, the owner must record in the County
 789 land records the easement and any other ~~[[agreements]]~~
 790 agreement executed in conjunction with the easement that ~~[[are~~
 791 binding on]] binds any later ~~[[owners]]~~ owner of the land. The
 792 owner must deliver a certified copy of each recorded document to
 793 the Department of Environmental Protection.

794 (3) After the Department of Environmental Protection receives a
 795 certified copy of the easement and agreements, the County must
 796 structurally maintain and inspect the facility as provided in
 797 subsection [c] (b).

798 [(e) Abandonment instead of repair.]

799 (d) Maintenance inspections.

800 (1) The Department of Environmental Protection must ~~[[inspect each]]~~
 801 ensure preventive maintenance ~~[[through inspection of]]~~ by
 802 inspecting all stormwater management ~~[[facility to see what~~

803 repairs, if any, are needed to restore the facility to proper working
 804 condition. If the Director of Environmental Protection finds that
 805 the stormwater management facility is no longer needed to
 806 control stormwater runoff or that the benefits of a repaired
 807 stormwater management facility are not justified by the cost of
 808 repair, the owner of the stormwater management facility must
 809 abandon the use of the facility for stormwater functions as the
 810 Director of Environmental Protection orders. Any order issued
 811 under this subsection must not restrict the facility from being
 812 used for recreational or other purposes not related to stormwater
 813 control.] systems. The inspection must occur during the first year
 814 of operation and then at least once every 3 years.

815 (2) [[Inspection reports must be maintained by the]] The Department
 816 of Environmental Protection must maintain an inspection report
 817 for [[all]] each stormwater management [[systems and]] system.
 818 Each report must include [[the following]]:

819 (A) the date of inspection;

820 (B) name of inspector;

821 (C) the condition of each:

822 (i) vegetation or filter [[media]] medium;

823 (ii) [[fences]] fence or other safety [[devices]] device;

824 (iii) [[spillways, valves]] spillway, valve, or other
 825 control [[structures]] structure;

826 (iv) [[embankments, slopes]] embankment, slope, and
 827 safety [[benches]] bench;

828 (v) reservoir or treatment [[areas]] area;

- 829 (vi) inlet and outlet ~~[[channels]]~~ channel or ~~[[structures]]~~
 830 structure;
- 831 (vii) underground drainage;
- 832 (viii) sediment and debris accumulation in storage and
 833 forebay areas;
- 834 (ix) ~~[[any]]~~ nonstructural ~~[[practices]]~~ practice to the
 835 extent practicable; and
- 836 (x) ~~[[any]]~~ other item that could affect the proper
 837 function of the stormwater management system; and

838 (D) description of any needed maintenance.

839 (3) The owner of any privately maintained stormwater management
 840 system must correct ~~[[the deficiencies]]~~ each deficiency
 841 discovered during the inspection within the time period specified
 842 in any written notice issued by the Director of Environmental
 843 Protection.

844 (e) Abandonment instead of repair. If the Director of Environmental
 845 Protection finds that the stormwater management facility is no longer
 846 needed to control stormwater runoff or that the benefits of a repaired
 847 stormwater management facility are not justified by the cost of repair,
 848 the owner of the stormwater management facility must abandon the use
 849 of the facility for stormwater functions as the Director of Environmental
 850 Protection orders. Any order issued under this subsection must not
 851 restrict the facility from being used for any recreational or other
 852 [[purposes]] purpose not related to stormwater control.

853 (f) Nonstructural maintenance of [on-site] stormwater management
 854 facilities. The owner of [an on-site] a stormwater management facility
 855 must [provide landscaping and] perform [any other] routine inspection

856 and nonstructural maintenance that impacts the effectiveness of routine
 857 structural maintenance, performed either privately or publicly. Among
 858 other actions, the owner must:

- 859 (1) prevent the accumulation of solid waste on the property and the
 860 generalized growth of weeds or plants in violation of Section 58-
 861 3;
- 862 (2) clear any woody vegetation, including trees and brush along with
 863 their root systems, within 25 feet of the facility's control structure
 864 and within 15 feet of an upstream or downstream dam
 865 embankment; and
- 866 (3) abate any other condition on the property that the Department of
 867 Environmental Protection reasonably finds may adversely affect
 868 the facility's proper functioning.

869 * * *

870 (h) Stop work orders.

- 871 (1) If a maintenance inspection reveals that the maintenance, repair,
 872 or restoration of a stormwater management facility is being
 873 performed in a manner that is hazardous, creates a nuisance, or
 874 endangers human life or the property of others, or is otherwise
 875 being performed in an unauthorized manner, the Director of
 876 Environmental Protection may, without advance [[warning]]
 877 notice, post [[the site with]] a stop work order at the site directing
 878 that all maintenance, repair, or restoration activity [[cease]] must
 879 stop immediately.
- 880 (2) The Director of Environmental Protection must provide written
 881 notice to the property owner, any designated representative of the
 882 property owner, or any on-site person in charge of the work when

883 a stop work order is issued. That notice must specify the extent
884 to which work is stopped and the conditions under which work
885 may resume.

886 (3) A person must not continue, or allow the continuance of, work on
887 a stormwater management facility covered by a stop work order,
888 except for work necessary to abate ~~[[the]]~~ a nuisance~~[[,]]~~ or
889 hazardous ~~[[conditions as]]~~ condition identified by the Director.

890 (i) *Emergency authority.* If, after inspection, the Director of
891 Environmental Protection finds that the condition of a privately
892 maintained stormwater management facility presents an immediate
893 danger to the public health or safety because of an unsafe condition, [or]
894 improper construction, or poor maintenance, the Director of
895 Environmental Protection may take any needed ~~[[actions]]~~ action
896 to protect the public and make the facility safe, including entering the
897 property to make any needed ~~[[repairs]]~~ repair. The County must assess
898 any ~~[[costs]]~~ cost incurred as a result of the Director of Environmental
899 Protection’s actions against each owner of the facility. The County may
900 collect the costs in the same manner as real property taxes are collected
901 against the property where the facility is located. In addition, the
902 County may seek reimbursement under any other method legally
903 available to collect debts owned to the County.

904 **[19-29.] ~~[[19-30]]~~ 19-29. Stormwater management loan program.**

905 * * *

906 **[19-30.] ~~[[19-31]]~~ 19-30. Regulations.**

907 * * *

908 **[19-31.] ~~[[19-32]]~~ 19-31. Exemptions.**

909 The following development activities are exempt from the stormwater
 910 management requirements under this Article:

911 (a) agricultural land management [activities] practices;

912 * * *

913 **[19-32] [[19-33]] 19-32. Transition for approved plans.**

914 Each new development or redevelopment project must comply with this
 915 Article, except [that:

916 (a) A previously approved] when the Department issues final sediment
 917 control and stormwater management [concept] design plan [remains
 918 valid if the Department issues a sediment control permit] approval for
 919 the property covered by the plan before May 4, 2010. [July 1, 2003.
 920 The applicant must construct the stormwater management system within
 921 2 years after the Department issues the sediment control permit.

922 (b) A residential lot containing 2 or more acres is exempt from any on-site
 923 stormwater management requirement if the preliminary plan creating
 924 the lot was approved before July 1, 2002 and the Department issues the
 925 sediment control permit before July 1, 2003.] \

926 **[19-33] [[19-34]] 19-33. Agreements between the County and municipalities.**

927 * * *

928 (c) If a municipality operates a stormwater management program that
 929 serves substantially the entire municipality and meets all applicable
 930 federal and [state] State standards, the County must reimburse the
 931 municipality, subject to appropriation, for the cost of operating the
 932 program, limited to the amount the Director of Environmental
 933 Protection estimates the County would spend for that municipality if it
 934 were operating the program, by means of a cooperative agreement under
 935 subsection (b).

936 [19-34. Reserved.] 19-34. Reserved.

937 **19-35. Water Quality Protection Charge.**

938 (a) As authorized by [state] State law (Maryland Code, Environment Art., §
 939 4-204), the Director of Finance must annually impose and collect a
 940 Water Quality Protection Charge, as provided in this Section. The
 941 Director must collect the Charge in the same manner as County real
 942 property taxes, apply the same interest, penalties, and other remedies
 943 (including tax sale) if the Charge is not paid, and generally treat the
 944 Charge for collection and administration purposes as if it were a County
 945 real property tax. The Director may treat any unpaid Charge as a lien
 946 on the property to which the charge applies.

947 (b) The Charge must be imposed on each residential property and
 948 associated nonresidential property, as specified in regulations adopted
 949 by the Executive under Method (1) to administer this Section. The
 950 regulations may define different classes of real property, depending on
 951 the amount of impervious surface on the property, stormwater runoff
 952 from the property, and other relevant characteristics, for purposes of
 953 applying the [charge] Charge.

954 * * *

955 (e) The regulations may allow credits against and exemptions from the
 956 Charge:

957 (1) to the extent that credits and exemptions are not prohibited by
 958 [state] State law; and

959 (2) if each credit or exemption will enhance water quality or
 960 otherwise promote the purposes of this Article.

961 * * *

- 962 (g) This Charge does not apply to any property located in a municipality in
 963 the County which:
- 964 (1) operates a stormwater management program that meets all
 965 applicable federal, [state] State, and County requirements and has
 966 received any necessary federal or [state] State permit; and
- 967 (2) imposes a similar charge or other means of funding its
 968 stormwater management program in that municipality.
- 969 (h) A person that believes that the Director of Environmental Protection has
 970 mistakenly assigned a Charge to the person's property or computed the
 971 Charge incorrectly may apply to the Director of Environmental
 972 Protection in writing for a review of the Charge, and request an
 973 adjustment to correct any error, [within 21 days after receiving a bill
 974 for] not later than September 30 of the year that payment of the Charge
 975 is due. An aggrieved property owner may appeal the Director's
 976 decision to the County Board of Appeals within 10 days after the
 977 Director issues the decision.
- 978 (i) [If] A person that believes that the Director of Environmental Protection
 979 [denies any requested adjustment, the applicant may] has incorrectly
 980 denied the person's request [reconsideration of the Director's denial in
 981 writing within 10 days after the date of the denial. An aggrieved
 982 property owner] for a credit under subsection (b) may appeal the
 983 Director's [final] decision to the County Board of Appeals within 10
 984 days after the Director issues the decision.
- 985 (j) The Board of Appeals may hear and decide all appeals taken from a
 986 [final] decision of the Director of Environmental Protection under this
 987 [subsection] Section as provided in Article I of Chapter 2A.

LEGISLATIVE REQUEST REPORT

Expedited Bill 40-10
Stormwater Management

DESCRIPTION: Amends Chapter 19, Article II of the County Code to comply with the Maryland Stormwater Management Act of 2007

PROBLEM: The Stormwater Management Act of 2007 requires the use of environmentally sensitive site design (ESD) to the maximum extent practicable on development and redevelopment sites and went into effect on May 4, 2010. ESD encourages more stormwater to be infiltrated into the ground rather than stored and released slowly. ESD requires more surface areas to treat stormwater.

GOALS AND OBJECTIVES: The County legislation mirrors the requirements in State law and regulations for new development. Current County requirements are more stringent than state requirements. This legislation maintains those more stringent standards. This legislation also includes provisions for grandfathering which were recently adopted by the State in emergency regulations.

COORDINATION: Department of Permitting Services, Department of Environmental Protection

FISCAL IMPACT: To be requested.

ECONOMIC IMPACT: To be requested.

EVALUATION: To be requested.

EXPERIENCE ELSEWHERE: To be determined.

SOURCE OF INFORMATION: Rick Brush, Manager, Water Resources Plan Review, Department of Permitting Services, 240-777-6343; Steve Shofar, Chief, Division of Watershed Management, 240-777-7736

APPLICATION WITHIN MUNICIPALITIES: To be determined.

PENALTIES: Class A



OFFICE OF THE COUNTY EXECUTIVE
ROCKVILLE, MARYLAND 20850

Isiah Leggett
County Executive

MEMORANDUM

June 17, 2010

TO: Nancy Floreen, Council President

FROM: Isiah Leggett, County Executive 

SUBJECT: Proposed Legislation to Comply with the Stormwater Management Act of 2007

I am forwarding to the Council for introduction an Expedited Bill to revise Chapter 19, Article II of the County Code to comply with State stormwater management requirements. I am also forwarding a Legislative Request Report for this bill.

The Stormwater Management Act of 2007 (2007 Act), which sets the minimum standards that the County law must meet, requires the use of Environmentally Sensitive Site Design (ESD) to the maximum extent practicable (MEP) on new development and redevelopment sites. The 2007 Act took effect on May 4, 2010. ESD encourages stormwater to be infiltrated into the ground rather than stored in structural facilities such as stormwater ponds and released slowly into the environment.

Prior to enactment of the 2007 Act, the County's stormwater requirements for new development sites were the same as the State law requirements for new development sites. This bill maintains that symmetry and adopts the same requirements for new development that are included in the 2007 Act.

Prior to enactment of the 2007 Act, the County's stormwater management requirements for redevelopment sites were more stringent than the State law requirements for redevelopment sites. This bill maintains more stringent requirements for redevelopment sites than those that are included in the 2007 Act. In essence, the bill applies the same stormwater management requirements to new development and redevelopment except that it provides more flexibility regarding the use of alternative stormwater management measures for redevelopment sites.

Before enactment of the 2007 Act, the State required stormwater management for redevelopment sites to protect Water Quality. Specifically, the State required management of the first inch of runoff from 20% of a redevelopment site. To

Council President Floreen
Proposed Legislation
Stormwater Management
Page 2

protect Water Quality, the 2007 Act requires management of the first inch of runoff from 50% of redevelopment site using ESD to the maximum extent practicable. County law currently requires stormwater management to protect Water Quality (the first inch of runoff from 100% of the redevelopment site) *and* Channel Protection (the expected runoff from a 1-year 24-hour duration rainfall event from 100% of a redevelopment site). This bill maintains the same standards for redevelopment sites and requires the use of ESD to the maximum extent practicable to meet these standards. The attached chart provides a comparison of former and new State and County law requirements for both new development and redevelopment.

This bill includes provisions recently adopted by the Maryland Department of the Environment (MDE) in emergency regulations to implement the 2007 Act, which allow the County to grant administrative waivers from the new standards for projects that have prior preliminary approvals.

For more information on this bill, please contact Rick Brush, DPS Water Resources Plan Review Manager, at 240-777-6343 or Steve Shofar, DEP Watershed Management Division Chief, at 240-777-7736.

Attachments

cc: Kathleen Boucher, Assistant Chief Administrative Officer
Carla Reid, Director, Department of Permitting Services
Robert Hoyt, Director, Department of Environmental Protection

State and County Stormwater Requirements - Former and New¹

New Development

	Definition	MDE Former	Mo. Co. Former	MDE New	Mo. Co. New
Water Quality	-First flush -First 1" of rainfall	-ESD or structural	-ESD or structural	-ESD	-ESD
Channel Protection	-Volume stored and slowly released to minimize erosion to stream banks from high velocities. -2.6" of rainfall	-Structural (unless flows are less than 2 cubic ft/second)	-Structural (unless flows are less than 2 cubic ft/second)	-ESD to MEP -Structural where ESD not possible	-ESD to MEP -Structural where ESD not possible
Recharge	-Volume needed to maintain groundwater	Required	Required	Required	Required

Redevelopment

	Definition	MDE Former	Mo. Co. Former	MDE New	Mo. Co. New
Water Quality	-First flush -First 1" of rainfall	-20% of WQv	-100% of WQv	-50% WQv -ESD to MEP	-100% of WQv -ESD to MEP
Channel Protection	-Volume stored and slowly released to minimize erosion to stream banks from high velocities. -2.6" of rainfall	-Not required	-100% of CPv (unless flows are less than 2 cubic ft/second)	-Not required	-100% -ESD to MEP -Structural where ESD not possible
Recharge	-Volume needed to maintain groundwater	Not Required	Not Required	Required	Required

¹ "WQv" means Water Quality volume (first inch of runoff)

"CPv" means Channel Protection Volume (1-year 24-hour duration rainfall event). This is 2.6 inches in Montgomery County.

"ESD" means Environmentally Sensitive Site Design.

"MEP" means Maximum Extent Practicable

Testimony of Diane Cameron

Audubon Naturalist Society

Montgomery County Stormwater Partners Network

On Expedited Bill ~~40~~-10,

Revisions to the Montgomery County Stormwater Code, Chapter 19.

My name is Diane Cameron and I am here today representing the Audubon Naturalist Society and the Montgomery County Stormwater Partners Network. The Stormwater Partners represent 22 organizations comprising more than 55,000 residents of Montgomery County.

The Stormwater Partners have been collaborating with the County Council and County Executive since 2005 in crafting and improving Montgomery's stormwater policies, programs, and funds.

We strongly support the bill's maintenance of Montgomery's longstanding tradition of requiring the same Stormwater standards for both new development and redevelopment. This is one of the reasons that

Montgomery County has a reputation as a leader in the Stormwater field regionally, statewide, and nationally.

In order to maintain and to increase our role as Stormwater leaders, though, there are some necessary changes to some other provisions of this bill. We are pleased that there are now two T&E worksessions scheduled on this important legislation.

I want to highlight three changes that we request to Ex. Bill 40-10:

- 1) Please remove the waiver provision, Section 19-25 (c) (3), that pertains to the stormwater capture and treatment requirements for infill, redevelopment and projects with unspecified special circumstances. This categorical waiver provision is superfluous, could increase administrative and fiscal burdens, and slow or reverse our efforts at restoring our degraded waters.

- 2) The bill's grandfathering provisions should be tightened to require that all County-owned project proposals, such as the Silver Spring Library, and all private projects with substantial county subsidies, such as the

Wheaton Costco, that went into facility planning in or after Fiscal Year 2009, comply with the new Environmental Site Design (ESD) requirements. This is consistent with the Clean Water Task Force recommendations of 2007.

- 3) Though we recognize that off-site options are sometimes necessary, they should be rare, and in keeping with current County practice, should pertain to the meeting of the Channel Protection Volume only, not the Water Quality Volume.

The Stormwater Partners have additional requests for changes to the Bill regarding: tightening the requirements for off-site measures; making use of public parkland for stormwater measures rare and only through a partnership with the Parks Department; providing a reasonable public review and comment opportunity for Concept Plans; establishing the Water Quality Protection Charge as a fee-for-service; and substituting the term “*standard*,” rather than the word “*structural*,” to refer to non-ESD practices.

Thank you for considering our comments on this bill.

The Montgomery County Stormwater Partners Network

The Honorable Nancy Floreen
President, Montgomery County Council
100 Maryland Avenue
Rockville, MD

July 13, 2010

Dear Council President Floreen,

The Montgomery County Stormwater Partners consist of 22 organizations working together for the protection and restoration of Montgomery's streams, rivers, and lakes. We appreciate this opportunity to convey our comments on Expedited Bill 40-10, containing proposed changes to our County's stormwater regulations (Chapter 19 of the County Code). We ask that the Council engage the public in full and careful consideration of these proposed code changes before they are voted upon.

We support several key aspects of the proposed stormwater code changes, including the continuance of Montgomery's longstanding tradition of applying the same stormwater volume standards to both new development and redevelopment projects. It is crucial that as we shift to Environmental Site Design as the new norm, we maintain our tradition of requiring both new development and redevelopment projects to capture and treat on-site, the first one-inch of each storm. Maintaining this strong standard will further Montgomery's role as a regional and national leader in Stormwater management.

Other aspects of Bill 40-10 are counter to the Stormwater Management Act and/or existing County policy; the Council must remedy these problems before approving the ordinance:

- 1) Please remove the waiver provision that pertains to the stormwater capture and treatment requirements for infill, redevelopment and projects with unspecified special circumstances. This categorical waiver provision is superfluous, because there is a general waiver provision already in the code. Adding new waiver provisions could increase administrative and fiscal burdens on Montgomery County and slow or reverse our efforts at restoring the Anacostia, Rock Creek and other waters. The provision is also at odds with existing County policy and practice, and with the Stormwater Management Act. We therefore request that Section 19-25 (c) (3) of this bill be removed.
- 2) The bill's grandfathering provisions are too broad and lenient. The revised stormwater ordinance should require that all County-owned project proposals, and all private projects with substantial county subsidies, that went into facility planning in or after Fiscal Year 2009, comply with the new Environmental Site Design (ESD) requirements. This is consistent with the 2007 Clean Water Task Force recommendations, and with the widely-acknowledged need for the public sector to take the lead in applying ESD to new and redevelopment projects.
- 3) There are several provisions in this bill that enable off-site stormwater and stream restoration projects to be undertaken in lieu of on-site ESD approaches. Though we recognize that off-site options are sometimes necessary, they should be rare, and in keeping with current County practice, off-site options should generally pertain to the meeting of the Channel Protection Volume only, not the Water Quality Volume (roughly the first one inch of each storm is termed the Water Quality Volume). Finally, the code should specify that the off-site device must itself

July 13, 2010

be an ESD system.

- 4) Also related to off-site measures is the question of the use of public parkland for stormwater management. This is a very controversial topic, and the Code must be written such that this approach is rarely undertaken. The bill must designate the Department (and Director) of Parks as full partners in the process of deciding whether or not to allow placement of stormwater facilities on parkland, or to allow stream restoration or wetland restoration on parkland. Any parkland projects should be ESD based, and should be required to show benefit to the watershed from a hydrologic perspective.
- 5) The bill should include a requirement that DPS provide reasonable opportunity for public review and input on proposed Concept Plans.
- 6) We request that Chapter 19 be amended to establish that the Water Quality Protection Charge is a fee for service, not a tax.
- 7) Change the word "*structural*" to the word "*standard*," since the Stormwater Management Act prioritizes ESD techniques over *standard* techniques. ESD techniques include bioretention and green roofs, while standard techniques include stormwater ponds and underground storage tanks and sand filters; all are considered "structural." The current bill's use of the word *structural* would create confusion in the future, and could even hamper the growth of green businesses and technology evolution in the ESD field, since designers and decisionmakers may erroneously conclude that only "*non-structural*" measures constitute Environmental Site Design.

We will greatly appreciate your support of these needed changes to the expedited bill, and your partnership with the public in a deliberative process to make this one of the best stormwater codes in Maryland.

Thank you for considering our request,


Diane M. Cameron
Steve Dryden
Co-Chairs, Montgomery County Stormwater Partners

Marin, Sandra

From: Linda Silversmith [linsil@usermail.com]

Sent: Monday, July 12, 2010 11:59 PM

057960



To: Floreen's Office, Councilmember; Montgomery County Council

Cc: Andrew's Office, Councilmember; Berliner's Office, Councilmember; Elrich's Office, Councilmember; Knapp's Office, Councilmember; Ervin's Office, Councilmember; Trachtenberg's Office, Councilmember; Leventhal's Office, Councilmember

Subject: Comments on expedited bill 40-10 - for Tues., July 13, 2010

Re: Expedited Bill 40-10, affecting the County's stormwater code, Chapter 19

Dear Council President Floreen and other Council members: :

I am writing to you concerning Expedited Bill 40-10. While the bill does maintain the County's longstanding tradition and code requirement - - that redevelopment projects be required to manage the same stormwater volumes on-site as new development projects in greenfields - - it unfortunately has grandfathering provisions that are much too sweeping (that is, too broad and lenient). **It will be important that the County Council take the time to fix these provisions rather than expediting Bill 40-10 in its present form.** The bill in its present form could harm our local efforts to restore the Anacostia River and our countywide efforts to restore degraded waters.

Indeed, Bill 40-10 as now written would make it easier for redevelopment, infill, phased, and other projects to apply for (and some would say, to expect) water quality Environmental Site Design waivers from on-site stormwater management just because the project falls into one of the too-broad categories. I hope you will agree with me that these potential loopholes are unprecedented in state and local stormwater policy and law, and are unacceptable.

Here are the provisions that particularly need modification before passage:

(1) The revised stormwater ordinance should require that all County-owned project proposals - - and all private projects with substantial county subsidies - - that went into facility planning in or after Fiscal Year 2009 comply with the new Environmental Site Design (ESD) requirements. This is consistent with the 2007 Clean Water Task Force recommendations. **Grandfathering these projects does not fit with the County's goals of good stormwater management.**

(2) The proposed waiver eligibilities would make it easier for projects to be waived from the Water Quality volume requirement, for on-site stormwater capture and treatment requirements for infill, redevelopment and phased projects, and projects with unspecified special circumstances. Because such broad categorical waiver eligibility is counter to existing County policy and practice, and to the Stormwater Management Act, **these proposed waiver eligibilities should be removed.**

(3) **Use of public parkland for off-site stormwater management should be discouraged.** Consequently, please ensure that the bill designate the Department (and Director) of Parks as full partners in the process of deciding whether or not to allow placement of stormwater facilities on parkland, or to allow stream restoration or wetland restoration on parkland.

I appreciate your consideration of my comments on Expedited Bill 40-10. I would also appreciate (a) being informed how the Council plans to fully consider the public input it receives on this bill this month and (b) your own views on this legislation.

Sincerely,
Linda Silversmith, Ph.D.
Biochemist/science writer

260 New Mark Esplanade
Rockville MD 20850-2733
301-294-0566

2010 JUL 13 AM 9:06

MONTGOMERY COUNTY
COUNCIL

47



EXECUTIVE COMMITTEE

- EDWARD "GUY" R. DUNLEY, III
 President
 (Liberty Home Builder Inc.)
- JAMES KETTLER
 Vice President/Calvert County
 (Kettler Brothers Homes LLC)
- DOUG MEEKER
 Vice President/Charles County
 (Elm Street Development)
- ROBERT J. SPALDING
 Vice President/Montgomery County
 (Miller & Smith Homes)
- MARTY MITCHELL
 Vice President/Prince George's County
 (Mitchell & Best Homebuilders LLC)
- JOHN B. NORRIS, III
 Vice President/St. Mary's County
 (Law Office of John B. Norris III LLC)
- BRIAN "AJ" JACKSON
 Vice President/Washington DC
 (EYA LLC)

- FRANK BOSSONG, IV P.E.
 Associate Vice President
 (Rodgers Consulting Inc.)
- STEVE NARCELA
 Treasurer
 (Winchester Homes Inc.)
- DAVE LINDEN
 Vice President/State Legis/Secretary
 (Timbatake Homes Inc.)
- ROBERT A. JACOBS
 Life Director
 (Acacia Federal Savings Bank)

- THOMAS M. FARASY
 Immediate Past President
 (Terra Verde Communities LLC)
- STEPHEN P. BLUMENDORF
 Legal Counsel
 (Linowes & Blocher, LLP)
- DIANE K. SWENSON, CAE
 Executive Vice President

BOARD OF DIRECTORS

- BILL BILO
 Dico, Inc.
- HILLARY COLT CAHAN
 Konterra
- MIKE COOLEY
 Winchester Homes Inc.
- TONY CRANE
 Crane Homes
- TIMOTHY DUGAN
 Shulman Rogers
- KEN DUNN
 Loiederman Soltesz Assoc. Inc.
- ROBERT HARRIS
 Holland & Knight LLP
- HOWARD KATZ
 Michael Harris Homes
- GARY KRIST
 Stewart-Kret Homes
- DAVID LITTLE
 Gutschick, Little & Weber PA
- CHARLISSE PARKER-THAYER
 christopher consultants ltd
- ANDREA LEAHY-FLOHEK
 Leahy & Desmet
- STEPHEN PAUL
 Mid-Atlantic Builders, Inc.
- NANO PORTEN
 Porten Companies Inc.
- KAREN RADISCH
 1st Mariner Bank
- MAFC ROSE
 Michael T. Rose Companies
- ANDY ROSENTHAL
 Rosenthal Homes
- GARY RUBINO
 Greenhome & O'Mara, Inc.
- RONALD RYMER
 Lenhart Development Corp.
- TED SMART
 Maryland Development Co. LLC
- RAY SOBRINO
 Porten Companies Inc.
- CLARK WAGNER
 Bozzuto Homes Inc.
- PEGGY WHITE
 Axiom Engineering Design LLC
- BRYAN WHITTINGTON
 Whittington DesignBuild
- CARTER WILLSON
 Carter Inc.

Maryland National Capital Building Industry Association
Comments on Bill 40-10
 Before the County Council
 July 13, 2010

Good Afternoon, Madame President and Councilmembers. My name is Bob Spalding. This afternoon, I am here as Chair of the Montgomery County Liaison Committee representing the Maryland National Capital Building Industry Association (MNCBIA). The MNCBIA represents over 650 companies that strive to provide housing in Montgomery County and six surrounding jurisdictions.

Thank you for the opportunity to testify before you today.

As noted by the County Executive's Transmittal letter, Bill 40-10, which has been reviewed and approved by MDE, *mirrors* the State's Stormwater Act of 2007, except where current Montgomery County law *exceeds* it.

The new state law went into effect on May 4 of this year and the County's adoption is overdue.

The Stormwater Management Act of 2007 requires new development projects to incorporate Environmental Site Design (ESD) to the Maximum Extent Practicable (MEP) to control stormwater runoff. ~~Under~~ the new state law requires a 50% impervious surface reduction and enhanced stormwater controls for redevelopment projects, ~~Montgomery County, Maryland, and Prince George's County.~~

In addition to the statutory provisions and regulations finalized in 2009, the Maryland Department of Environment (MDE) has adopted additional regulatory guidance to specifically address transition for pipeline projects and clarification for alternative treatment options for redevelopment projects. (Concerns raised by county and municipal officials and the commercial and residential development industry culminated in a collaborative negotiation during the 2010 General Assembly Session in order to address transition issues; the effort was led by House ENV Matters Committee Chair Maggie McIntosh, resulting in a brokered agreement with a wide-range of stakeholders, that included 1000 Friends of Maryland, MACO, MML, NAIOP, Chesapeake Bay Foundation, several Counties, and MSBA. The Emergency Regulations were approved on April 6, 2010.

The negotiated agreement allows for a waiver process for pipeline projects that meet specific criteria and have received *preliminary project approval* by May 4, 2010. It is important to note that the state's criteria for "*preliminary project approval*" is different than Montgomery County's preliminary plan of subdivision. These projects, having used current best management practices to address stormwater requirements, could be eligible to move forward on the condition that they must receive final plan approval by May 4, 2013 and must complete construction by May 4 of 2017.

BUILDING HOMES, CREATING NEIGHBORHOODS

While the industry remains concerned about the potential negative impact that the SW Act of 2007 and Bill 40-10 could have on Smart Growth development and redevelopment, we believe that the Bill recognizes the inherent constraints inhibiting redevelopment, and provides the County the flexibility to balance the visions of the County's Master Plans while achieving the legislative goals of increased stormwater management, albeit thru an unclear and potentially economically-crushing path.

The timing of the Council's action on Bill 40-10 is critical because ***state law required adoption by May 4*** ... almost 3 months before your current process will be completed. This lag-time has placed several projects, that meet the state's requirements for administrative waivers and can't apply or move forward, in "limbo". As explained by staff, any changes to the MDE-approved language will delay the implementation of the Bill and increase the current uncertainty. While there are issues that we believe need to be modified, we support keeping this adoption straight-forward with a subsequent process to address issues raised by various stakeholders.

Rather than address the industry's concerns - over process, delegation of authority, and clarification of "MEP" - during worksessions on Bill 40-10 the BIA would look to the regulations for definitions. The industry would ask that the regulations:

- clearly designate and define the Department of Permitting Services as the "lead agency" on stormwater management procedures
- clarify the administrative waiver ***criteria***, as defined by the State through the MDE regulations
- set a time line for the administrative waiver submission, approval, and appeal
- define parties that are vested

The County is facing several federal, state, and local environmental initiatives that create mandates that overlap, conflict, and duplicate requirements, often adding thousands of dollars to an application, as well as extending the development approval process. The industry would ask that the County evaluate these complex mandates, and prioritize them, given the limited resources available to both the public and private sector.

The State's requirement that local jurisdictions monitor, identify and report back to the State any impediments that restricts the ability to achieve Smart Growth development, as well as ESD to the MEP, acknowledges that there is still much to be learned on what are the most effective tools that can, and should, be used when addressing stormwater, and environmental changes.

We believe that the state-mandated assessment should include a revisit to the County's requirement that 100% ESD be used when addressing stormwater runoff *on redevelopment and Smart Growth sites*. We believe that a more practicable application, that requires 100% management of stormwater, is to treat stormwater with a comprehensive approach that allows for broader-based solutions (instead of site-restricted solutions), thereby providing a better 'bang for the buck' and actual improvement of the County's streams.

The BIA would stipulate that three critical components are missing in the discussion of how to effectively manage stormwater:

- County data that separates existing development from new development (see attached pie charts on Maryland's Chesapeake Bay Model Results: Breakdown of All Land Uses)
 - The BIA believes that only after the New Construction data is separated from the Urban/Suburban category, can the County identify the most efficacious approach to addressing stormwater management concerns on redevelopment sites, especially where there is no SW. When this data was dissected in EPA's Chesapeake Bay Phase 5.3 Model, only **0.2%** of the land was in **new** development and **14.3% was in existing development**. According to Park & Planning, less than 4% of the County's land is available for new construction.
- clear understanding of what the new requirements will cost (the County Executive's Transmittal of the Bill did not include a fiscal impact analysis of the Bill 40-10, nor did it acknowledge the link to the mandated retrofit activity that the County must undertake to meet the MS4 requirements, so as to comply with the upcoming TMDL [total maximum daily load]),
- cost- effectiveness of ESD on in-fill redevelopment sites and if they are proportionate to the environmental benefits, which have only been modeled.

The BIA would ask that the Council request that these requirements, the resulting financial obligation, and the data be part of long-term planning and Master Plans.

With these considerations, and reservations, the BIA supports the adoption of Bill 40-10 as approved by MDE and asks that the Council move to pass the Bill by July 27. We are available for questions today, and during upcoming worksessions. Thank you.

Attachments:

- SB 784: Stormwater Management Act of 2007
- The Stormwater Management Act of 2007 – Proposed Time Line for Regulation Adoption (Dec 14, 2007 – Dec 31, 2008)
- Maryland Department of the Environment: Stormwater Management Regulations: Guidance for Implementation of Local Stormwater Management Programs, March 2010
- Comparison of requirements for Implementation of SW Requirements per the SWA of 2000 vs SWA of 2007
- Task Force on the Future for Growth and Development in Maryland Stormwater Management Forum - January 15, 2010: presenters List
- PHASE 3 Chesapeake Bay Model Results
 - Breakdown of **all land** uses
 - Breakdown of Maryland **Urban** Land Uses
 - Breakdown of Maryland **total Nitrogen Loading** by Land Uses
 - Breakdown of Maryland **total Phosphorous Loading** by Land Uses
 - Breakdown of Maryland **total Sediment Loading** by Land Uses

CHAPTER 121

(Senate Bill 784)

AN ACT concerning

Stormwater Management Act of 2007

FOR the purpose of ~~requiring certain local governments to update certain zoning ordinances to allow for the implementation of certain environmental site design techniques in certain stormwater management practices;~~ requiring the Department of the Environment to adopt regulations that establish certain regulations and a certain model ordinance ~~or model regulation~~ for certain purposes; requiring the Department to adopt regulations that specify certain criteria for certain stormwater management plans ~~and certain stormwater control ordinances;~~ requiring the Department to adopt regulations that specify ~~certain environmental site design techniques as the primary method for managing stormwater under certain circumstances;~~ requiring the Department to adopt regulations that establish a certain comprehensive process for approving certain grading and sediment control plans and certain stormwater management plans; requiring the Department, ~~on or before a certain date, to review a certain fee system and establish a certain schedule of fees necessary to enforce certain provisions of law~~ to evaluate certain options and report certain findings on or before a certain date; requiring the Department to seek certain input and work with certain parties in the creation of certain regulations and a certain model ordinance; defining certain terms; and generally relating to stormwater management.

BY adding to

Article – Environment
Section 4-201.1
Annotated Code of Maryland
(1996 Replacement Volume and 2006 Supplement)

BY repealing and reenacting, with amendments,

Article – Environment
Section ~~4-202 and~~ 4-203
Annotated Code of Maryland
(1996 Replacement Volume and 2006 Supplement)

SECTION 1. BE IT ENACTED BY THE GENERAL ASSEMBLY OF MARYLAND, That the Laws of Maryland read as follows:

Article - Environment

4-201.1.

(A) IN THIS SUBTITLE THE FOLLOWING WORDS HAVE THE MEANINGS INDICATED.

(B) ~~“ENVIRONMENTAL SITE DESIGN TECHNIQUE” MEANS A TECHNIQUE USED IN A SITE DESIGN STRATEGY INTENDED TO MAINTAIN OR REPLICATE THE PREDEVELOPMENT HYDROLOGIC AND WATER QUALITY REGIME OF A BUILDING SITE~~ USING SMALL-SCALE STORMWATER MANAGEMENT PRACTICES, NONSTRUCTURAL TECHNIQUES, AND BETTER SITE PLANNING TO MIMIC NATURAL HYDROLOGIC RUNOFF CHARACTERISTICS AND MINIMIZE THE IMPACT OF LAND DEVELOPMENT ON WATER RESOURCES.

(C) ~~“ENVIRONMENTAL SITE DESIGN TECHNIQUE”~~ INCLUDES:

(1) OPTIMIZING CONSERVATION OF NATURAL FEATURES, SUCH AS DRAINAGE PATTERNS, SOILS, AND VEGETATION;

(2) MINIMIZING USE OF IMPERVIOUS SURFACES, SUCH AS PAVED SURFACES, CONCRETE CHANNELS, ROOFS, AND PIPES;

(3) SLOWING DOWN RUNOFF TO MAINTAIN DISCHARGE TIMING AND TO INCREASE INFILTRATION AND EVAPOTRANSPIRATION; AND

(4) ~~USING AT THE SOURCE INTEGRATED CONTROL TECHNIQUES, SUCH AS BIORETENTION, VEGETATED SWALES, AND INFILTRATION DEVICES; AND~~

~~(5) USING POLLUTION PREVENTION MEASURES TO REDUCE THE INTRODUCTION OF POLLUTANTS INTO THE ENVIRONMENT~~ OTHER NONSTRUCTURAL PRACTICES OR INNOVATIVE STORMWATER MANAGEMENT TECHNOLOGIES APPROVED BY THE DEPARTMENT.

~~4-202.~~

~~(A) By July 1, 1984, each county and municipality shall adopt ordinances necessary to implement a stormwater management program. These stormwater management programs shall be consistent with flood management plans, if any, developed under Title 5, Subtitle 8 of this article for a particular watershed, shall meet the requirements established by the Department under § 4-203 of this subtitle, and shall be consistent with the purposes of this subtitle.~~

~~(B) (1) EACH COUNTY AND MUNICIPALITY THAT EXERCISES PLANNING AND ZONING AUTHORITY SHALL UPDATE LOCAL ZONING ORDINANCES TO ALLOW FOR THE IMPLEMENTATION OF ENVIRONMENTAL SITE DESIGN TECHNIQUES IN STORMWATER MANAGEMENT PRACTICES.~~

~~(2) EACH COUNTY AND MUNICIPALITY THAT IS SUBJECT TO THE REQUIREMENTS OF THIS SECTION MAY BASE THEIR LOCAL ZONING ORDINANCE ON THE DEPARTMENT'S MODEL ORDINANCE OR MODEL RULES AND REGULATIONS REQUIRED UNDER § 4-203 OF THIS SUBTITLE.~~

4-203.

(a) The Department of the Environment shall implement the provisions of this subtitle and shall consult the Department of Natural Resources from time to time, INCLUDING DURING THE ADOPTION OF REGULATIONS, concerning the impact of stormwater on waters of the State.

(b) The Department shall adopt rules and regulations which establish criteria and procedures for stormwater management in Maryland. The rules and regulations shall:

(1) Indicate that the primary goal of the State and local programs will be to maintain after development, as nearly as possible, the predevelopment runoff characteristics;

(2) Make allowance for the difference in hydrologic characteristics and stormwater management needs of different parts of the State;

(3) Specify that watershed-wide analyses may be necessary to prevent undesirable downstream effects of increased stormwater runoff;

(4) Specify the exemptions a county or municipality may grant from the requirements of submitting a stormwater management plan;

(5) (I) Specify the minimum content of the local ordinances or the rules and regulations of the affected county governing body to be adopted which may be done by inclusion of a model ordinance or model rules and regulations; AND

(II) ESTABLISH REGULATIONS AND A MODEL ORDINANCE OR MODEL RULE AND REGULATION FOR A LOCAL ZONING ORDINANCE THAT ALLOWS FOR THAT REQUIRE:

1. THE IMPLEMENTATION OF ENVIRONMENTAL SITE DESIGN TECHNIQUES IN STORMWATER MANAGEMENT PRACTICES TO THE MAXIMUM EXTENT PRACTICABLE;

2. THE REVIEW AND MODIFICATION, IF NECESSARY, OF PLANNING AND ZONING OR PUBLIC WORKS ORDINANCES TO REMOVE IMPEDIMENTS TO ENVIRONMENTAL SITE DESIGN IMPLEMENTATION; AND

3. A DEVELOPER TO DEMONSTRATE THAT:

A. ENVIRONMENTAL SITE DESIGN HAS BEEN IMPLEMENTED TO THE MAXIMUM EXTENT PRACTICABLE; AND

B. STANDARD BEST MANAGEMENT PRACTICES HAVE BEEN USED ONLY WHERE ABSOLUTELY NECESSARY;

(6) Indicate that water quality practices may be required for any redevelopment, even when predevelopment runoff characteristics are maintained; [and]

(7) Specify the minimum requirements for inspection and maintenance of stormwater practices;

(8) SPECIFY ALL STORMWATER MANAGEMENT PLANS AND STORMWATER CONTROL ORDINANCES SHALL BE DESIGNED TO:

(I) PREVENT SOIL EROSION FROM ANY DEVELOPMENT OR CONSTRUCTION PROJECT;

(II) PREVENT, TO THE MAXIMUM EXTENT PRACTICABLE, AN INCREASE IN NONPOINT POLLUTION;

(III) MAINTAIN THE INTEGRITY OF STREAM CHANNELS FOR THEIR BIOLOGICAL FUNCTION, AS WELL AS FOR DRAINAGE;

(IV) MINIMIZE POLLUTANTS IN STORMWATER RUNOFF FROM NEW AND EXISTING DEVELOPMENT AND REDEVELOPMENT IN ORDER TO:

1. RESTORE, ENHANCE AND MAINTAIN THE CHEMICAL, PHYSICAL, AND BIOLOGICAL INTEGRITY OF THE WATERS OF THE STATE;

2. PROTECT PUBLIC HEALTH;

3. SAFEGUARD FISH AND AQUATIC LIFE AND SCENIC AND ECOLOGICAL VALUES; AND

4. ENHANCE THE DOMESTIC, MUNICIPAL, RECREATIONAL, INDUSTRIAL, AND OTHER USES OF WATER AS SPECIFIED BY THE DEPARTMENT;

(V) PROTECT PUBLIC SAFETY THROUGH THE PROPER DESIGN AND OPERATION OF STORMWATER MANAGEMENT FACILITIES;

(VI) ~~1.~~ MAINTAIN 100% OF AVERAGE ANNUAL PREDEVELOPMENT GROUNDWATER RECHARGE VOLUME FOR THE SITE; ~~OR~~

~~2. ENSURE THAT THE SITE WILL INFILTRATE THE POSTDEVELOPMENT INCREASE OF STORMWATER RUNOFF VOLUME FOR THE 2-YEAR STORM EVENT COMPARED TO THE SITE'S PREDEVELOPMENT RUNOFF VOLUME; AND~~

~~(VII) REQUIRE A DEMONSTRATION THROUGH HYDROLOGIC AND HYDRAULIC ANALYSES THAT:~~

~~1. FOR STORMWATER LEAVING THE SITE, POSTCONSTRUCTION RUNOFF HYDROGRAPHS FOR THE 2, 10, AND 100-YEAR STORM EVENTS DO NOT EXCEED, AT ANY POINT IN TIME, THE PRECONSTRUCTION RUNOFF HYDROGRAPHS FOR THE SAME STORM EVENTS; OR~~

~~2. THERE IS NO INCREASE, AS COMPARED TO THE PRECONSTRUCTION CONDITION, IN THE PEAK RUNOFF RATES OF STORMWATER~~

~~LEAVING THE SITE FOR THE 2 , 10 , AND 100 YEAR STORM EVENTS AND THAT THE INCREASED VOLUME OR CHANGE IN TIMING OF STORMWATER RUNOFF WILL NOT INCREASE FLOOD DAMAGE AT OR DOWNSTREAM OF THE SITE;~~

(VII) CAPTURE AND TREAT STORMWATER RUNOFF TO REMOVE POLLUTANTS AND ENHANCE WATER QUALITY;

(VIII) IMPLEMENT A CHANNEL PROTECTION STRATEGY TO REDUCE DOWNSTREAM EROSION IN RECEIVING STREAMS; AND

(IX) IMPLEMENT QUANTITY CONTROL STRATEGIES TO PREVENT INCREASES IN THE FREQUENCY AND MAGNITUDE OF OUT-OF-BANK FLOODING FROM LARGE, LESS FREQUENT STORM EVENTS;

(9) ~~(i) SPECIFY THAT:~~

~~1. ENVIRONMENTAL SITE DESIGN TECHNIQUES ARE THE PRIMARY METHOD FOR MANAGING STORMWATER;~~

~~2. STANDARD BEST MANAGEMENT PRACTICES MAY BE USED ONLY AS A BACK-UP TO CATCH RUNOFF NOT DEALT WITH THROUGH ENVIRONMENTAL SITE DESIGN TECHNIQUES; AND~~

~~3. A DEVELOPER HAS THE BURDEN OF PROOF TO SHOW THAT THE USE OF ENVIRONMENTAL SITE DESIGN TECHNIQUES IS NOT PRACTICAL; AND~~

~~(10) (I) ESTABLISH A COMPREHENSIVE PROCESS FOR APPROVING GRADING AND SEDIMENT CONTROL PLANS AND STORMWATER MANAGEMENT PLANS; AND~~

~~(II) SPECIFY THAT THE COMPREHENSIVE PROCESS ESTABLISHED UNDER SUBPARAGRAPH (I) OF THIS PARAGRAPH TAKES INTO ACCOUNT THE CUMULATIVE IMPACTS OF BOTH PLANS.~~

(c) Before the regulations required under this subsection are final, the Department shall hold at least one public hearing in the affected immediate geographic areas of the State and shall consult with the affected counties and municipalities.

(d) The Department shall provide technical assistance, training, research, and coordination in stormwater management technology to the local governments consistent with the purposes of this subtitle.

~~(E) ON OR BEFORE OCTOBER 1, 2009, THE DEPARTMENT SHALL REVIEW THE DEPARTMENT'S STORMWATER MANAGEMENT FEE SYSTEM AND ESTABLISH AN APPROPRIATE SCHEDULE OF FEES NECESSARY TO ENFORCE THE PROVISIONS OF THIS SUBTITLE.~~

SECTION 2. AND BE IT FURTHER ENACTED, That:

(a) The Department of the Environment shall evaluate options for a stormwater management fee system and an appropriate schedule of fees necessary to improve the enforcement of the provisions of Title 4, Subtitle 2 of the Environment Article.

(b) On or before December 1, 2007, the Department shall report its findings to the House Environmental Matters Committee and the Senate Education, Health, and Environmental Affairs Committee, in accordance with § 2-1246 of the State Government Article.

SECTION 3. AND BE IT FURTHER ENACTED, That:

(a) During the creation of the regulations and model ordinance required under § 4-203(b)(5)(ii) of the Environment Article, as enacted by this Act, the Department of the Environment shall seek the input of interested parties, including each county and municipality that operates a stormwater management program.

(b) The Department shall work with the counties, municipalities, and other interested parties to address any reasonable concern raised by the parties.

SECTION 2~~3~~ 4. AND BE IT FURTHER ENACTED, That this Act shall take effect October 1, 2007.

Approved by the Governor, April 24, 2007.

The Stormwater Management Act of 2007 - Proposed Time Line for Regulation Adoption

- December 14,2007 - Complete updates to the Stormwater Manual (Chapter 5) and publish regulation adoption schedule through an Advanced Notice of Proposed Rule Making (ANPRM) in the Maryland Register
- January 31,2008 - Hold regional focus group meetings
- May 31,2008 - Finalize design standards and schematics, prepare technical guidance, draft regulation changes, and draft model ordinance
- June 2008 - Complete regional guidance and finalize COMAR modifications
- July 2008 - Solicit public comment on technical guidance and proposed COMAR modifications
- August 2008 - Distribute model ordinance
- September 2008 - Begin formal 90+ day regulation promulgation
- December 31,2008 - Anticipated Regulation Adoption

**Task Force on the Future for Growth and Development in Maryland
Stormwater Management Forum - January 15, 2010
Presenter List**

1. MDE /10 minutes

2. MD Homebuilders/20 minutes

Contact/Presenter: Katie Maloney
katmaloney@verizon.net
410.263.0070
Elliot Powell, Whitehall Development
Tom Farasy, Terre Verde Communities
Michael Powell, Gordon Feinblatt
Mark Morelock, VIKA
Stuart Greenebaum, Greenebaum and Rose Associates
Sean Davis, Morris Ritchie Assoc.

3. Maryland Municipal League (MML) Panel 1/20 minutes

Contact/Presenter: Candace Donoho
CandaceD@mdmunicipal.org
410.268.5514
Pete Fosselman, Kensington Mayor
Henry Burden, Planner, Port Deposit

4. City of Brunswick, MD/20 minutes

Contact/Answer Brunswick municipal questions if necessary: Bruce Dell
planner@brunswickmd.gov
301.834.7500, X-105
Jerry Connelly, Pleasants Development
Dan Snyder, Pleasants Development
Scott Roser, Macris, Hendricks and Glascock

5. Maryland Association of Counties (MACo)/20 minutes

Contact/Presenter: Leslie Knapp Jr.
LKnapp@mdcounties.org
410.269.0043
Pat Keller, Director, Office of Planning, Baltimore County
pkeller@baltimorecountymd.gov
410.887.3211
Todd Mohn, Director of Public Works, Queen Anne's County
tmohn@qac.org
410.758.0925
Bill Stack, Acting Chief, Surface Water Management Division, Baltimore City
bill.stack@baltimorecity.gov
410.396.0732
Howard County Representative TBD

6. Chesapeake Bay Foundation/Natural Resources Defense Council/ MD Stormwater Consortium /20 minutes

Contact/Presenter: Lee Epstein
lepstein@cbf.org
Nancy Stoner
nstoner@nrdc.org
202.289.2394
Diane M. Cameron
dianemcameron@verizon.net

7. Town of La Plata, MD/ 10 minutes

Contact/Presenter: Cathy Flerlage
CFlerlage@townofaplata.org

8. Coalition for Smarter Growth/ 10 minutes

Contact/Presenter: Stewart Schwartz
sschwartz@smartergrowth.net
202.244.4408 x121

9. Loiederman Soltesz Associates/ 10 minutes

Contact/Presenter: Ken Dunn
kdunn@lsassociates.net
301.794.7555

10. Biohabitats/ 20 minutes

Contact/Presenter: Jennifer Dowdell
jdowdell@biohabitats.com
410.554.0156
Presenter: Christopher Streb, Biohabitats

11. The Michael Companies/Ben Dyer Associates/20 minutes

Contact: Rachel Brunk (Assistant to Kenneth Michael)
RBrunk@themichaelcos.com
or
Contact: Rosewin Sweeney, Esq., Venable, LLP
MRSweeney@Venable.com
410.244.7587
Presenter: Kenneth H. Michael, The Michael Companies, Inc.
Presenter: Paul Woodburn, Ben Dyer Associates

12. National Association of Industrial and Office Properties (NAIOP)/20 minutes

Contact/Presenter: Tom Ballentine
naiop.md.tom@verizon.net
410.977.2053
Carl Gutschick, Gutschick, Little and Weber
Bill Joyce, Joyce Engineering

**Maryland Department of the Environment
Stormwater Management Regulations
Guidance for Implementation of Local Stormwater Management Programs
March 2010**

Introduction

The Stormwater Management Act of 2007 requires that environmental site design (ESD), previously optional under regulations issued in 2000, now be used to the maximum extent practicable (MEP) to control runoff. Implementation of Maryland's stormwater requirements occurs at the State and local level. The State establishes technical requirements and provides a Model Ordinance, and county governments are required to adopt an ordinance that meets these regulatory requirements. A municipality may either adopt its own local ordinance or rely on the county program. In each case, the Maryland Department of the Environment (MDE or the Department) must review and approve the local stormwater management ordinances.

The new State regulations implementing the Stormwater Management Act of 2007 became effective on May 4, 2009. They appear in the Code of Maryland Regulations at 26.17.02. These regulations state that, unless final approval for erosion and sediment control and stormwater management plans for a project (Final Approval) was granted by May 4, 2010, the project will be required to comply with the new regulatory requirements.

Drafts of local ordinances from counties and those municipalities electing to implement the program were due to MDE for review by November 11, 2009 and must be adopted by May 4, 2010. To date, all counties and 31 municipalities have submitted proposed code changes for MDE review. The Department provided comments on 54 proposed local stormwater management ordinances and approved 22 as of March 5, 2010.

It became apparent that local jurisdictions and the development community perceived that the regulations and provisions of the Model Ordinance were not sufficient to assure fair application of the new regulatory requirements in some circumstances. The Department, after discussions with stakeholders, determined to amend the regulations and provide additional guidance to address concerns in three general categories:

- Grandfathering - the impact of the new requirements on projects that have advanced partially through the development approval process, but that will not receive Final Approval by May 4, 2010.
- Redevelopment - the impact of the new requirements on redevelopment projects and the feasibility of using ESD for redevelopment projects.
- Smart Growth - a perception that the stormwater regulations will have an adverse impact on Smart Growth, whether new development or redevelopment.

This guidance addresses a new regulation, illustrates how certain projects could qualify for waivers, and provides criteria applicable to other aspects of the regulations. It will help guide local governments as they adopt or amend their ordinances and exercise the flexibility inherent in

the State regulations. The examples listed in this guidance are for illustrative purposes only and are not intended to limit the flexibility available to local governments.

With the issuance of this guidance, MDE will submit a proposed emergency regulation to the Joint Committee on Administrative, Executive, and Legislative Review. The emergency regulation will allow a local jurisdiction to incorporate into its ordinance, waiver provisions to address grandfathering of projects under certain conditions or when circumstances prevent the reasonable implementation of ESD to the MEP.

These proposed changes will not affect the requirement for local jurisdictions to adopt modified ordinances by May 4, 2010. The Department acknowledges that some local jurisdictions may wish to incorporate into their local ordinances provisions that reflect the emergency regulations and this guidance. The Department will develop Model Ordinance language and work with local jurisdictions to accommodate these new grandfathering and waiver provisions.

The Department will exercise discretion during its review of local stormwater programs who are making a good faith effort to reach the May 4, 2010 deadline.

Grandfathering Provisions

The emergency regulation will allow a local jurisdiction to incorporate into its ordinance a waiver provision for projects that had completed part of the development review process but had not received Final Approval by May 4, 2010.

Upon the effective date of the emergency regulations and incorporation of consistent provisions into local ordinances, local jurisdictions will be able to issue a waiver that will “grandfather” certain projects. Eligible projects will be those that have cleared an appropriate stage in the development process before May 4, 2010, even though they will not have received Final Approval by that date. Because local jurisdictions have different development review procedures and use various terms for the steps in their processes, the State regulations will identify the appropriate stage of the development process by defining the terms “Approval”, “Preliminary Project Approval”, “Final Project Approval” and “Administrative Waiver”.

“Approval” means a documented action by a local jurisdiction following local review to determine and acknowledge the sufficiency of submitted materials to meet the requirements of a specified stage in a development process. “Approval” does not mean an acknowledgement by the jurisdiction that submitted materials have been received for review.

“Preliminary Project Approval” means a plan approval or completed review by a local jurisdiction that includes the following as part of the a local jurisdiction’s preliminary planning approval process at a minimum: 1) the number of planned dwelling units or lots and proposed density; 2) the proposed size and location of all land uses in the project; 3) a plan that identifies the proposed drainage patterns, locations of all points of discharge from the site, and the type, location and size of all stormwater management controls based upon site-specific computations of stormwater management requirements.

Additionally, a "Preliminary Project Approval" may include the following items if currently required as part of a local jurisdiction's preliminary planning approval process: 4) the proposed alignment, location and construction type and standard for all proposed roads, access ways and areas of vehicular travel; 5) the proposed method and adequacy of wastewater disposal and provisions of potable water; 6) the general location size and type of all infrastructure proposed for water and wastewater systems; and 7) any other information deemed necessary by the local jurisdiction to adequately review the proposal.

"Final Project Approval" means that the appropriate local authority has approved the final erosion and sediment control plan for the project's stormwater facilities, and approved the final stormwater management plan, and, if applicable, bonding and/or financing has been secured based on the final plans for the development.

"Administrative Waiver" means a waiver that allows the construction of the development to be governed by the stormwater management ordinance in effect in the local jurisdiction where the project will be located as of May 4, 2009. The Administrative Waiver is to remain in effect for the time described below. Any construction after expiration of the Administrative Waiver must follow the local ordinance in force at the time of expiration. Phased projects which have been granted an administrative waiver, and have constructed stormwater facilities designed to meet local requirements in place as of May 4, 2009, shall use reasonable efforts to incorporate ESD.

A project that received Preliminary Project Approval before May 4, 2010 will be eligible for an "Administrative Waiver." If the local jurisdiction grants the Administrative Waiver, the project will not be required to meet the new regulations; instead, construction of the project will be governed by the stormwater ordinance in effect as of May 4, 2009, in the jurisdiction where the project will be located. This local ordinance will include the design criteria established in the 2000 Design Manual prior to May 2009. The regulation will also address the expiration of the Administrative Waiver if the project does not obtain Final Approval by May 4, 2013, or begin construction before May 4, 2017. Lastly, a local jurisdiction may extend the deadline for Final Project Approval for the expiration of the Administrative Waiver only if by May 4, 2010, the development had received a "Preliminary Project Approval" and was subject to a Development Rights and Responsibilities Agreement, a Tax Increment Financing approval or an Annexation Agreement. Any extension granted under this paragraph shall expire when the Development Rights and Responsibilities Agreement, the Tax Increment Financing approval or Annexation Agreement expires.

The following examples illustrate circumstances where an Administrative Waiver may be appropriate:

Example 1:

A proposed development project received Preliminary Plan Approval before May 4, 2010, but will not receive Final Approval by that date. The local jurisdiction may grant an Administrative Waiver, but the final approved project plans must meet the 2000 stormwater regulatory requirements, and the waiver will be subject to expiration as stated in the State regulations.

Example 2:

In 2008, a local government gave a project Preliminary Plan Approval and executed a DRRA with a term of ten years (expiring in 2018). The project will not be able to obtain Final Approval by May 4, 2010, and the local jurisdiction decides to grant an Administrative Waiver. The project experiences further delay due to the economic downturn and will not be able to obtain Final Approval by May 4, 2013. As that date approaches, because the project is subject to a DRRA, the local approving authority could extend the deadline. If it does, the local approving authority could, in 2014 or later, approve final erosion and sediment control plan and stormwater management plans that meets the 2000 regulatory requirements and allow the project to move forward without requiring a redesign to meet 2009 requirements.

Example 3:

A project is granted an Administrative Waiver, but does not receive Final Approval by May 4, 2013. In the absence of special circumstances such as a DRRA, the local jurisdiction cannot extend the Administrative Waiver and the project must meet the stormwater requirements of the local jurisdiction that are in effect as of May 4, 2013.

Example 4:

A proposed development project received Final Approval prior to May 4, 2010, but the project experiences delay due to the economic downturn and will not be able to proceed to construction. When the approved erosion and sediment control plan expires, the local authority could issue a waiver of the 2009 requirements and approve a new stormwater management plan provided the project meets, at a minimum, the stormwater regulatory requirements that were in effect at the time of Final Approval. In the absence of special circumstances such as a DRRA, the waiver cannot extend beyond May 4, 2017.

Other Waiver Provisions

The regulations that became effective on May 4, 2009, authorized a local government to include in its ordinances provisions for waivers of the quantitative and qualitative control requirements if it determined that circumstances exist that prevent the reasonable implementation of those control practices. For example, although projects with less than 40% existing imperviousness would normally require full implementation of ESD to the MEP, the regulations acknowledge that circumstances might exist that prevent the reasonable implementation of these requirements.

For these projects, provided that the project meets the applicable local stormwater requirements as of May 4, 2009, the local jurisdiction may grant a waiver of the 2009 stormwater requirements under the following conditions: 1) phased projects that have already constructed stormwater management facilities that are designed to meet 2000 regulatory requirements, and implementation of ESD to the MEP cannot be met, as long as reasonable efforts to incorporate ESD have been demonstrated; and, 2) infill development projects that are located in Priority Funding Areas with existing stormwater conveyance, and public water and sewer, and where the economic feasibility of the project is tied to the planned density.

If implementation of the 2009 regulatory requirements would result in a loss of the planned development density, a quantitative waiver may be applied to the project for the impervious cover that previously existed on the project site. ESD to the MEP shall be provided to meet the full water quality treatment requirements for the entire development. ESD to the MEP shall be utilized to provide full quantity control for all new impervious surfaces.

The Department will review each jurisdiction's waiver policies in the course of its regular triennial evaluations of the local stormwater programs. In order to assess the initial implementation of the 2009 regulatory requirements, the Department intends to monitor local government's review and approval processes, including the issuance of waivers. Therefore, local approving authorities shall provide to MDE a copy of all approved waivers within 30 days of the approval.

The following examples illustrate circumstances where a waiver may be appropriate.

Example 5:

A developer planned a phased project for a site. Before May 4, 2010, stormwater management facilities designed to meet 2000 regulatory requirements for multiple phases were approved and constructed. If the developer demonstrates that reasonable efforts to incorporate ESD in future phases have been made, and the project meets local stormwater requirements that were in effect as of May 4, 2009, the local jurisdiction may grant a waiver of the 2009 stormwater requirements for the future phases.

Example 6:

An infill development project is planned on a site with existing impervious surface, although less than 40%. It is in a Priority Funding Area (PFA) with existing stormwater conveyance and public water and sewer. The economic feasibility of the project is tied to the planned density. If implementation of the 2009 regulatory requirements would result in a loss of the planned development density, a quantitative waiver may be applied to the project for the impervious cover that previously existed on the project site. ESD to the MEP shall be provided to meet the full water-quality treatment requirements for the entire development. ESD to the MEP shall be utilized to provide full quantity control for all new impervious surfaces.

Redevelopment

The regulations for redevelopment are applicable only to projects that meet the definition of "redevelopment." Sites that do not meet the definition are considered "development." State regulations define redevelopment as *"any construction, alteration, or improvement performed on sites where existing land use is commercial, industrial, institutional, or multifamily residential and the existing site impervious area exceeds 40 percent."* MDE adopted this definition only after considering comments and suggestions from the regulators, engineers, homebuilders, and environmental organizations that comprised MDE's redevelopment committee. While the recommendations from this group varied widely, there were areas of consensus. For example, the committee agreed that the regulations should require more management on less densely developed sites, encourage redevelopment by imposing reduced requirements, and allow greater flexibility compared to new development requirements.

There is precedent for requiring greater management for redevelopment on less densely developed sites in other state and national programs. For example, the policy in the western portion of Washington State defines redevelopment as sites with greater than 35% impervious area. The United States Green Building Council provides different standards for stormwater management on previously developed sites with greater than 50% impervious area in order to meet LEED™ certification standards.

For all redevelopment projects, the primary goal is to achieve water quality improvements on existing developed lands. To accomplish this, the stormwater regulations require reducing imperviousness, implementing ESD to the MEP to provide water quality treatment for one-inch of rainfall, or using some combination of these for at least 50% of the existing impervious area. This standard is significantly less stringent than the requirements for new development, which require the use of ESD to the MEP to treat up to 2.7 inches of rainfall.

The Department recognizes that designers, developers, engineers and reviewers need significant flexibility as they consider stormwater management in a redevelopment context. For this reason, both the Model Ordinance and the regulations describe several alternative stormwater management measures that may be considered if addressing 50% of the site's impervious area cannot be accomplished. These include a combination of ESD and on-site or off-site structural Best Management Practices (BMPs), or any of the following options:

- Other types of retrofitting (BMP upgrades, filtering practices, implementing ESD off-site)
- Participation in a stream restoration project
- Pollution trading with another entity
- Watershed Management Plans
- Payment of a fee-in-lieu
- Partial Waiver of the treatment requirement to the extent that ESD is not practicable.

The determination of what alternative stormwater management measures will be available may be made by the local government at the appropriate point in the development review process. The local government shall consider the prioritization of alternative measures outlined above, after ESD to the MEP has been determined to be impracticable. In deciding what alternative measures may be required, a local government may use considerations including, but not limited to the following:

1. whether the project is in an area targeted for development incentives, such as a PFA, a designated Transit Oriented Development (TOD) area, or a designated BRAC Revitalization and Incentive Zone;
2. whether the project is necessary to accommodate growth consistent with comprehensive plans; and
3. whether bonding and/or financing has already been secured based on an approved development plan.

These options provide developers significant flexibility with which to address the State's new stormwater requirements. Local governments exercised this same flexibility in implementing the 2000 regulatory requirements.

The following examples illustrate the application of these principles to redevelopment projects.

Example 7:

A redevelopment project in a highly urbanized area plans to match or increase existing density. Opportunities to reduce imperviousness are limited or non-existent and site constraints limit the ability to use ESD practices. Upon a determination by the local authority that it is not practicable to achieve the 50% treatment level, the remaining volume requirement could be addressed with on-site or off-site BMPs, such as underground storage, a pond, or some other traditional practice.

Example 8:

Site constraints on a redevelopment site limit options for ESD, and reductions to imperviousness are not practicable. Reconstruction of a nearby school site offers opportunities for mitigation of stormwater. A local reviewer could allow the developer to perform or fund the installation or upgrade of BMPs at the school to satisfy the regulatory requirements.

Example 9:

A redevelopment site cannot practicably meet ESD requirements and there are no reasonable opportunities for installing on-site or off-site BMPs. The local jurisdiction has a stream restoration project planned but unfunded. The restoration project could be completed or funded by the developer to compensate for the redevelopment project.

Example 10:

Site constraints on a redevelopment project limit options for ESD and reductions to imperviousness are not practicable. The developer may propose to use an innovative approach to stormwater management such as storage and potential reuse of stormwater. In this case, the local reviewer could allow the developer to use alternative approach as long as the practice was consistent with local codes, and opportunities to either reduce imperviousness or practicably implement ESD to the MEP had been exhausted.

Example 11:

A local jurisdiction has identified a developed area where zoning allows more dense development and where it wants to encourage redevelopment. The local jurisdiction has the option of developing a Watershed Management Plan, using the guidelines described in State regulations, and implementing a watershed-based approach to stormwater management. This approach would allow implementation of less stringent stormwater management within the redevelopment area provided that the local jurisdiction targeted restoration activities to other parts of the watershed management area to compensate for the less stringent controls in the targeted area.

Example 12:

A local jurisdiction is heavily urbanized and has encountered many development scenarios where stormwater requirements cannot practicably be met. The local jurisdiction has developed a fee-in-lieu program to streamline the process of identifying off-site mitigation opportunities. Developers who cannot practicably meet requirements using on-site or off-site practices could pay a fee set by the locality based on criteria outlined in the ordinance. Many jurisdictions currently use a fee-in-lieu option to fund a wide range of stormwater projects.

Example 13:

A project is proposed for a reclaimed mine site with an impervious cap to prevent the infiltration of water into the fill material. In this case, the local approving authority may allow alternative management options to meet the unique constraints of the site.

Example 14:

A proposed redevelopment project in a TOD has been designed to achieve the overall density necessary to support transit and mixed uses. Because of the important public benefit and the public investment in the transportation infrastructure, a local jurisdiction could grant a waiver of the 2009 regulatory requirements if meeting the requirements adversely affects the larger goal of the TOD, and approve the project under the 2000 regulatory requirements.

Example 15:

A local government has approved a development plan for a redevelopment project that is located within a designated growth area. Financing for a portion of the project has been secured based on an approved build-out plan yielding a certain density and rate of return. A redesign of the project to meet the new requirements for stormwater management would adversely affect the project's economic viability, resulting in a loss of financing or bonding for the project. In this case, the local approving authority could grant a partial waiver from the new requirements and approve the project under the 2000 regulatory requirements, after ESD to the MEP has been determined to be impracticable.

Example 16:

A local government has approved a redevelopment plan for a project that is located within a designated growth area. The local jurisdiction took a loan or issued bonds to finance infrastructure to serve the project; the financing has been premised on an approved build-out plan yielding a certain density. A redesign of the project to meet the new requirements for stormwater management would result in reduced density or affect the project's economic viability. In this case, the local approving authority could grant a partial waiver from the new requirements and approve the project under the 2000 regulatory requirements, after ESD to the MEP has been determined to be impracticable.

Smart Growth and Stormwater Management

MDE regulations and programs support the principles of Smart Growth, which are critical to achieving federal and State air pollution and water quality standards. Since 1997, the

Department has specifically considered whether every new regulation or program supports Smart Growth. In the case of the stormwater regulations, the standard for redevelopment projects is significantly less stringent than the standard for new development. In addition, the definition of redevelopment was carefully analyzed to establish a definition that reasonably enables ESD to be implemented. To the extent ESD cannot be implemented, due to site constraints, the regulations provide the necessary flexibility to allow a project to reasonably proceed. The guidance recognizes that the local jurisdiction can take into account whether the project is in an area targeted for development incentives, such as a PFA, a TOD, or a designated BRAC Revitalization and Incentive Zone.

Smart Growth projects that are already in the development pipeline can proceed to completion under the new regulations by taking advantage of the available flexibility and waivers. Future Smart Growth projects may comply with the new regulations either by incorporating ESD from the initial concept stage or by using the flexibility described above.

In order to assure that the stormwater regulations do not disproportionately affect Smart Growth, MDE will develop a system for tracking future developments and, if necessary, consider adjustments to the regulations. Local jurisdictions are encouraged to notify MDE if they encounter instances where the new requirements prevent or significantly discourage Smart Growth projects.

Other Provisions

At the request of the Critical Area Commission, a clarifying amendment will be made to the regulations by adding the following:

The provisions of these regulations may not be construed to affect the requirements for a project located in an Intensely Developed Area of the Chesapeake and Atlantic Coastal Bays Critical Area to comply with the 10% Pollution Reduction Requirement under COMAR 27.01.02.03 D (3).

LIST OF MEETING ATTENDEES


A. Morton Thomas & Associates: Stuart Robinson
Anne Arundel County Department of Public Works: Ronald Bowen
ATCS, P.L.C.: James Whitehead
Ausherman Development Corporation: Jeremy Holder
Alliance for Sustainable Communities: Anne Pearson
Baltimore City Department of Public Works: William Stack
Biohabitats, Inc.: Ted Brown
Ecosite, Inc.: Michael Clar
Carroll County Department of Planning & Resource Management: Martin Covington
Carroll County Office of Environmental Compliance: James Slater
Center for Watershed Protection: Karen Cappiella, Paul Sturm
Centex Homes: Paul Ferreri
Charles County Planning & Growth Management: Robert Harrington, Karen Wiggen
Chesapeake Bay Foundation: Jenn Aiosa, Bruce Gilmore
Chesapeake Stormwater Network: Tom Schueler
CNA: Carl Corse
Consultant to EcoLogix Group: Fran Flanigan
Constellation Generation Group: Ed Miller
D.S. Thaler and Associates, Inc.: David S. Thaler
EcoLogix Group (EcoLogix): Glenn Page, Paul Massicot
Frederick County Division of Permitting and Development Review: Betsy Smith
Gaylord Brooks Realty Co.: Stephen Smith
Greenhorne & O'Mara: Al Arnold
Guttschick, Little & Weber, P.A.: David Little
Harford County Department of Public Works: Bruce Appell
Hedgerow Land Ecology Services: Deborah Slawson
Howard County Bureau of Environmental Services: Mark Richmond
Johnson, Mirmiran, and Thompson: Paul Clement
Lobbyist: Bruce Bereano
Loiderman Soltesz Associates, Inc.: Andrew Der
Low Impact Development Center: Neil Weinstein
Maryland Association of Counties: Les Knapp
Maryland Critical Areas Commission: Lee Anne Chandler, Lisa Hoerger
Maryland Department of the Environment: Robert Summers, Ken Pensyl, Brian Clevenger, Raymond Bahr, Deborah Cappuccitti, Stewart Comstock, Dela Dewa, Maria Warburton, Lorrie Delpizzo, John Joyce, Amanda Sigillito, Bill Sieger
Maryland Department of Natural Resources Coastal Zone Management Division: Carrie Decker
Maryland Department of Planning: Jason Dubow
Maryland Environmental Service (MES): Anna Compton, Megan Simon, Stephanie Peters, James Jett, Brad Dinder
Maryland Municipal League: Candace Donoho

Maryland Society of Professional Engineers: Eduardo Acevedo, Robert Mead
Maryland State Builders Association: Kathleen Maloney
Maryland State Highway Administration: Karuna Pujara
Moffatt Nichol: Mitchell Manchester
Montgomery County Department of Permitting Services: Richard Brush
Morris & Ritchie Associates, Inc.: Ernie Sheppe
National Association of Home Builders: Glynn Rountree
Patuxent Riverkeeper: Jennifer Bevan-Dangel, Fred Tutman
Prince George's Soil Conservation District: Dave Bourbon
Queen Anne's County Development Review: John Scarborough, Vijay Kulkarni
Rockville Department of Public Works: Lise Soukup
Salisbury Department of Public Works: Dale Pusey
South River Federation: Drew Koslow
Stormwater Partner's Coalition: Diane Cameron
Talbot County Department of Public Works: Michael Mertaugh
University of Maryland: Houg Li
Washington County Engineering Department: Terrence McGee
Worcester County Department of Development Review & Permitting: Chris McCabe

MDE 2000	MDE 2007
Calculations	
All calculations done mathematically to mitigate site impervious area. SWM facility sizing is based on treating a volume.	Utilizes charts to based on impervious cover to dictate treatment amounts over the total site area (Pe) that make the site function after development as if it were a wooded site in good condition <i>regardless</i> of the existing site condition. SWM sizing is based on filter area.
The requirements and means for meeting full swm compliance (Rev, Wqv, @ Cpv) are clearly designated.	The Min ESD requirement is 1" over your site area. Additional requirements are not clearly defined and left open to interpretation. The new manual states that Environmental site design must be used to the maximum extent practicable but no definition for what this means is given. This allows a more subjective review since there is no clear definition as to what is expected from the designer
Numerous examples given in the manual to guide the designer and reviewer and clearly define how the facilities and sizing is to be done. This allowed for an accurate understanding between the designer, MDE, and local agencies as to what was expected in the design.	Currently no design examples are available although full implementation is slated for May 4 th 2010. This has led to confusion as to what is expected in both the engineering community and the review agencies.
Additional Issues	
Structural underground facilities such as Stormfilters are allowed to treat the water quality volume.	Structural underground facilities are <u>not</u> allowed although these facilities have been reviewed and approved by MDE.
The maximum drainage area to a sandfilter of biofilter was 10 acres or less.	The maximum drainage area has been reduced to ½ acre to these facilities and sandfilters are no longer an acceptable ESD measure
Facilities sized based on how much impervious area flows to the facility for treatment.	Facilities are sized the same regardless to the amount of impervious flowing to each facility. This causes you to have the same size filtering device for a parking lot as you do for a playground.
The SWM credits are available for use, but not mandated for use	The same credits are now mandated for use as ESD practices.
Additional Issues	
Minor revisions to jurisdictional codes required for implementation	Requires total rewrite of zoning and building codes for implementation to the full extent of the law.
Requirements for the maintenance and access easements required for these facilities are clearly defined.	The manual states that access and maintenance and access easements must be provided for the swm facilities, but it doesn't outline how this are to be done for all of the on lot facilities that will be required or how these easements may encumber the proposed housing lot. If an access easement is required then will it prohibit someone from fencing or installing a swing set in their back yard? Can the local jurisdiction come in and maintain the facility at their leisure, do they have to replace in kind any items that they disturb on the individuals lot?

**New Construction took 8,646 acres or .148%
(less than 20/100s of 1%) of the 5,900,000 acres in Maryland**


**Phase 5.3 Chesapeake Bay Model Results*
Breakdown of *All* Maryland Land Uses (2007)**



*Based on Phase 5.3 Model released 5/19/10

***Impervious* surfaces cover 191,028 acres and are 22.7% of urban surfaces and 3.3% of the total watershed land surface**
***Pervious* surfaces cover 609,036 acres. They are 72.3% of urban surfaces and 10.5% of the total watershed land surface**


Phase 5.3 Chesapeake Bay Model Results*
Breakdown of Maryland *Urban* Land Uses (2007)



*Based on Phase 5.3 Model released 5/19/10

**New Construction's contribution of the *nitrogen* pie is 163,598 lbs.
or .30% (less than 30/100s of 1%) of the total**


**Phase 5.3 Chesapeake Bay Model Results*
for Maryland Total Nitrogen Loading (2007)**



*Based on Phase 5.3 Model released 5/19/10

**New Construction's contribution of the *phosphorus* pie is
54,164 lbs. or 1.44% of the total**


**Phase 5.3 Chesapeake Bay Model Results*
for Maryland Total Phosphorus Loading (2007)**



*Based on Phase 5.3 Model released 5/19/10

**New Construction's contribution of the *sediment* pie is
38,043 lbs. or 4.72% of the total**

**Phase 5.3 Chesapeake Bay Model Results*
for Maryland Sediment Loading (2007)**



*Based on Phase 5.3 Model released 5/19/10



1 of 1 DOCUMENT

CODE OF MARYLAND REGULATIONS
Copyright (c) 2010 by the Division of State Documents, State of Maryland

This document is current through the 6/18/10 issue of the Maryland Register

TITLE 26. DEPARTMENT OF ENVIRONMENT
SUBTITLE 17. WATER MANAGEMENT
CHAPTER 02. STORMWATER MANAGEMENT

COMAR 26.17.02.01-2 (2010)

.01-2 Grandfather Provisions.

A. In this regulation, the following terms have the meanings indicated:

(1) Administrative Waiver.

(a) "Administrative waiver" means a decision by the approving agency pursuant to this regulation to allow the construction of a development to be governed by the stormwater management ordinance in effect as of May 4, 2009, in the local jurisdiction where the project will be located.

(b) "Administrative waiver" is distinct from a waiver granted pursuant to Regulation .05C of this chapter.

(2) Approval.

(a) "Approval" means a documented action by a county or municipality following a review to determine and acknowledge the sufficiency of submitted material to meet the requirements of a specified stage in a local development review process.

(b) "Approval" does not mean an acknowledgement by the approving agency that submitted material has been received for review.

(3) Final Project Approval.

(a) "Final project approval" means approval of the final stormwater management plan and erosion and sediment control plan required to construct a project's stormwater management facilities.

(b) "Final project approval" includes securing bonding or financing for final development plans if either is required as a prerequisite for approval.

(4) "Preliminary project approval" means an approval as part of a local preliminary development or planning review process that includes, at a minimum:

(a) The number of planned dwelling units or lots;

COMAR 26.17.02.01-2

- (b) The proposed project density;
- (c) The proposed size and location of all land uses for the project;
- (d) A plan that identifies:
 - (i) The proposed drainage patterns;
 - (ii) The location of all points of discharge from the site; and
 - (iii) The type, location, and size of all stormwater management measures based on site-specific stormwater management requirement computations; and
- (e) Any other information required by the approving agency including, but not limited to:
 - (i) The proposed alignment, location, and construction type and standard for all roads, access ways, and areas of vehicular traffic;
 - (ii) A demonstration that the methods by which the development will be supplied with water and wastewater service are adequate; and
 - (iii) The size, type, and general location of all proposed wastewater and water system infrastructure.


B. An approving agency may grant an administrative waiver to a development that received a preliminary project approval prior to May 4, 2010. Administrative waivers expire according to § C of this regulation and may be extended according to § D of this regulation.

C. Expiration of Administrative Waivers.

- (1) Except as provided for in § D of this regulation, an administrative waiver shall expire on:
 - (a) May 4, 2013, if the development does not receive final project approval prior to that date; or
 - (b) May 4, 2017, if the development receives final project approval prior to May 4, 2013.
- (2) All construction authorized pursuant to an administrative waiver must be completed by May 4, 2017, or, if the waiver is extended as provided in § D of this regulation, by the expiration date of the waiver extension.

D. Extension of Administrative Waivers.

- (1) Except as provided in § D(2) of this regulation, an administrative waiver shall not be extended.
- (2) An administrative waiver may only be extended if, by May 4, 2010, the development:
 - (a) Has received a preliminary project approval; and
 - (b) Was subject to a Development Rights and Responsibilities Agreement, a Tax Increment Financing approval, or an Annexation Agreement.
- (3) Administrative waivers extended according to § D(2) of this regulation shall expire when the Development Rights and Responsibilities Agreement, the Tax Increment Financing approval, or the Annexation Agreement expires.



MONTGOMERY COUNTY PLANNING DEPARTMENT
THE MARYLAND-NATIONAL CAPITAL PARK AND PLANNING COMMISSION

MCPB
July 8, 2010
Item # 2

MEMORANDUM

TO: Montgomery County Planning Board

VIA: Mark Pfefferle, Acting Chief, Environmental Planning *MP*

FROM: Stephen Federline, Master Planner, Environmental Planning¹
Mark Symborski, Planner Coordinator

DATE: July 1, 2010

SUBJECT: Bill 40-10, Stormwater Management- Revisions to Chapter 19 of the Code

RECOMMENDATIONS

Support Changes to Chapter 19: Revisions to County SWM Law (CB # 40-10), and recommend clarifications and refinements for County Council consideration.

OVERVIEW

The Maryland Stormwater Management Act was first passed by the Maryland General Assembly in 1982. In 1984, the State required all counties and municipalities to have a stormwater management program, including local ordinances, plan review and approval processes, and inspection and enforcement capabilities. With the Maryland Stormwater Management Act of 2007, significant changes in the types of stormwater management strategies that are acceptable in land development projects are being defined, as well as new processes for the review of stormwater management plans.

In the past, requirements for treating stormwater runoff from land development projects emphasized a strategy that included a combination of centralized structural practices for pollutant removal (e.g., infiltration trenches) with channel erosion or flood control impoundments (e.g., stormwater management ponds).

With the new state stormwater management requirements, the emphasis has shifted to a comprehensive land development design strategy to more closely replicate pre-development stormwater runoff characteristics and to better protect natural resources. The state requirements now focus on the implementation of "Environmental Site Design" (or ESD) to the "Maximum Extent Practicable" (or "MEP"). The Stormwater

¹ Since the publication of this report, Mr. Federline has retired

Management Act of 2007 defines ESD as a design strategy that uses “small-scale stormwater management practices, nonstructural techniques, and better site planning to mimic natural hydrologic runoff characteristics and minimize the impact of land development on water resources.” ESD incorporates the following principles in the design of a site development project: conservation of natural features (including vegetation) and pre-development drainage patterns; minimization of impervious surfaces; maximizing the infiltration of stormwater runoff to help the recharge of groundwater supplies and nearby stream baseflow; and minimizing surface stormwater runoff velocities.

The state Act requires developers, designers, and plan review agencies to consider stormwater runoff control methods for land development projects from the beginning of the regulatory review process. Since land use and site layout are required components in the new ESD strategy, local stormwater regulatory agencies are required to more closely coordinate with land use and land planning agencies in the review of land development projects.

PURPOSE

This memo contains recommendations from MNCPPC Planning staff regarding development and implementation of the revised County’s SWM Regulations. (Article II, Chapter 19-20 of the County Code) in response to the directives of the State’s Stormwater Management Act of 2007. The Act establishes Environmental Site Design (ESD) as the priority method in controlling stormwater runoff and providing groundwater recharge *in situ*. This memo addresses issues of policy, process, and recommended changes to the proposed text to improve the legislative clarity in the County’s effort to actively and efficiently implement the State’s directive.

The Annotated Code of Maryland governing the implementation of the Stormwater Management Act of 2007 has recently been amended by the General Assembly of Maryland to address several concerns raised by interested parties. House Bill HB 1125 (passed March, 2010) provides a mechanism to **grandfather** certain projects currently under review, guidance on the impact of ESD requirements on **redevelopment**, and further, addresses the perception that ESD will have an adverse effect on **Smart Growth initiatives**. An attached MDE guidance document was provided in March 2010 to clarify the flexibility inherent in the state regulations, with illustrative examples as to how such flexibility may be used.

REVISIONS TO THE PROPOSED LEGISLATION:

Attachment B contains the legislative language changes and comments on proposed Council Bill #40-10. The changes and comments are imbedded in the margin, while certain major policy considerations and issues are highlighted below for detailed discussion with Board.

MAJOR POLICY ISSUES:

1) DPS' Proposed SWM Review Process: Need for Early, Intense Coordination

The State Stormwater Management Act of 2007 and the updated Chapter V of the Design Manual prescribe a three- stage process of review in taking the initial ESD concept through to final design. The first stage or “concept plan” requires local stormwater authorities to have a comprehensive review process in place for all aspects of development planning, and to collaborate to provide coordinated feedback to the designer. This stage necessarily involves both a planning and technical exercise to integrate/weave the use of ESD measures and techniques into a plan while assuring that it works with all other necessary elements of a development plan.

This process will require intense coordination between the technical review staff at DPS and the Planning staff. The Planning staff will contribute several vital functions to the effort:

- i. Environmental Planning staff is directly responsible for mapping natural resources, protecting identified resources through sensitive designs which explore all planning, zoning, and subdivision options, and implementing the forest conservation law.
- ii. Development Review staff brings its broad based knowledge of the comprehensive review process and all elements which together make up an approved plan, and all regulations which affect the ultimate design.
- iii. Community Planning brings its knowledge of the master and sector plan dictates, and the wishes of the community.

Accordingly, Staff comments on Section 19.24 (a) are as follows:

- a) Proposal to “refer” plan to MNCPPC does not reflect the need for intense coordination with MNCPPC at earliest stage to maximize implementation of preferred ESD options:
 - Environmental Planning staff has been responsible for implementing many “better site design techniques” for decades; and
 - Development Review staff is intimately familiar with all requirements controlling and options for development, and can identify those options and opportunities for examination at the earliest stage.
- b) Identifies timing for concept plan approval (preliminary plan) which is too late in the process to maximize ESD; and identifies site plan as the benchmark for site development stormwater management plan approval. However, many development proposals do not go through site plan review.
- c) Identifies only preliminary subdivisions and site plans as the types of land development projects that are subject to the new SWM law requirements.

The law needs to reference other types of projects, such as mandatory referrals and special exceptions that may not require subdivision or site plan approvals.

- Staff recommends use of same timelines for concept plan and site development stormwater management plan approval, as is used for approval of the preliminary and final forest conservation plan as identified in Chapter 22A-11 of the County Code and COMCOR 22A.00.01.09 A-1 and B-1 of the Forest Conservation Regulations.
- Concept Plan process should be reviewed for consistency with the evolving single Planning Board approval process.

2) Impervious Surface: Continue Support of Board's Position

The Maryland SWM Act of 2007 requires minimization/reduction of impervious surface as the initial step in Environmental Site Design, together with protecting and enhancing natural resources. MNCPPC has carried out these objectives through implementation of the Planning Board's Environmental Guidelines since 1983, and application of impervious limits in certain areas as designated by the County Council since 1995.

Staff Recommendations:

- Continue to encourage the use of engineered pervious surfaces and other alternative surfaces (green roofs, reinforced turf) where pavement is necessary to maximize the achievement of SWM requirements through ESD practices, and credit their use against stormwater management requirements as such surfaces serve to reduce the effects of traditional impervious surfaces on quantity, quality and recharge requirements.*
- Reiterate the Board's support for the consensus definition of "Impervious Area" included in Section 19.21. (All relevant county agencies have concurred in this definition)*
- Reinforce the Board's based on the Summary Rationale in Attachment C of not granting credit against imperviousness for use of extra or enhanced porous stormwater management BMPs. The principal finding in the supporting rationale is that the additional stormwater management benefits afforded by such systems are insufficient to counterbalance the additional negative environmental impacts that are associated with installation and operation of such measures, particularly over time.*

Although many arguments are convincing in support of this position, this most telling is Maryland Department of Natural Resources' (DNR) real-life experience in implementing the State "Critical Areas" Program. After initial approval of such surfaces as a credit towards impervious area limits in the Bay's Critical Areas, DNR reversed that decision after experience showed the cumulative impacts were unacceptable and not in keeping with the fullest measure of protection needed in the State's Critical Areas. The same rationale applies to this county's Council-defined critical areas: the special protection

areas and the Patuxent Primary Management Area.

3) Grandfathering of Projects in Process: Fair, but Too Fixed for Plans still in Process

The state legislature, via HB1125, made several changes to address the effects of the original law on projects already well within the development approval process, but still short of approval of final permits, or start of construction. These changes included:

- i. Allow local agencies (Department of Permitting Services – DPS) to grant an *administrative waiver “for good cause shown”* to allow projects which have received local SWM concept approval by the May 4, 2010 deadline to move forward.
- ii. Counties can allow phased developments to utilize traditional (pre-ESD) SWM facilities, but under condition that phased developments make *“reasonable attempts”* to follow the new rules.
- iii. Allows grandfathered plans up to three years (no later than May 4, 2013) to secure final SWM design approval.
- iv. **Staff Recommendation:** *Support the State’s recommended ESD grandfathering provisions for local use, but condition the grant of a three year window for implementation on “reasonable attempts” to achieve ESD. The grant of the administrative waiver by the county “for good cause shown” should be conditioned on a staff-level pre-submission review to explore what “reasonable attempts” could be made to implement ESD without significant changes to the approved plan. This condition should apply only to plans that are subject to one or more subsequent review(s) by the Planning Board.*

4) Review/Approval of Natural Resource Inventory (NRI) Plans: Budget/Staffing Issues

The state requires approval of a “natural resources inventory”, adding additional requirements which provide critical information for “site fingerprinting” which guides the location and type (s) of ESD measures which fit the site. Environmental Planning (EP) staff currently reviews all NRI plans (often combined with the Forest Stand Delineation, or FSD) and acts within 30 days, per Chapter 22A- the County code.

Staff Recommendation: *Staff believes the best and most efficient course of action is to expand MNCPPC staff’s current review and to incorporate information required by County DPS as needed per the new law. However, that decision depends on resolution on certain critical factors not yet resolved that may create obstacles to implementation:*

- i. **Nature of Additional ESD Information:** if the county specifies use of commonly-available information from published documents, EP staff can go

alone in assuring it is included on the NRI. If more complex information and/or analysis is required, DPS review would be necessary, but within the 30 day window.

- ii. **Adequate funding, cost recovery and staffing** are major issues if MNCPPC EP were to conduct the complete NRI review, including the additional DPS' specifications. Doing all NRI reviews, even those which do not have Board involvement, will dramatically increase the number of NRI reviews.
- iii. The current definition of NRI in Chapter 22A would need to be amended to include the expanded ESD components.

5) Redevelopment: Fair Solution, but Needs Aggressive Effort by County in Urban Areas

The concern was that the new regulations would discourage on redevelopment. The issue is addressed directly in the March, 2010 Guidance document from MDE (Attachment A).

Montgomery County has long applied a stricter standard for water quality control than the State for redevelopment, requiring 100% water quality control for both new development and redevelopment. The county law proposes use of ESD planning techniques and treatment practices to the maximum extent practicable (MEP) before structural SWM practices are allowed After ESD to the MEP is achieved, on and offsite structural SWM measures can be used.

Staff Recommendation:

- i. *Support the County's continued use of the higher water quality standard for redevelopment which shall be provided via ESD to the MEP consistent with the state law's prioritized use of onsite ESD.*
- ii. *Recommend the legislation or any follow-up regulations promote a more aggressive and proactive posture by the County to identify, secure land, and fund construction of offsite alternative measures which will serve multiple sites in high density urban areas consistent with approved watershed management plans.*
While staff recognizes that this approach may appear contrary to fundamental ESD philosophy of replicating natural pre-development conditions onsite, it may also provide for more effective, opportunistic and accelerated improvement in redeveloping urban and smart growth areas to the benefit of the receiving waters.

ATTACHMENT "C"

**Summary Rationale for Defining and Limiting Impervious Area
As a Basic Watershed Protection Technique**

1. **Areas developed with pervious pavement systems or green roofs become permanent parts of the stormwater management system. Depending on the system, they can provide a certain amount of infiltration, storage, and limited treatment.** Because of this the County encourages their use and credits them against stormwater management requirements in all locations.
2. **However, credit is not given for ground covered by pervious pavement systems or green roofs in excess of an imperviousness cap because their use results in the permanent loss of other environmental functions** due to the removal of the upper soil profile, loss of natural vegetation, and compaction—**functions that imperviousness caps are intended to safeguard for watershed protection.** Some important features and functions significantly reduced or lost include:
 - Treatment and pollutant uptake by natural vegetation and soils;
 - Return of water to the atmosphere by evapotranspiration;
 - Sequestration of carbon by vegetative growth;
 - Release of oxygen into the atmosphere;
 - Infiltration of rainwater to naturally recharge aquifers;
 - Moderation of air and water temperatures; and
 - Preservation of habitat and food sources for plant and animals.
3. **Maryland DNR originally approved use of pervious systems as a credit towards impervious area limits in the Chesapeake Bay Critical Area, but reversed this position** after experience showed overall cumulative environmental impacts that were unacceptable. This experience should provide practical guidance towards continuing to provide maximum protection in the Council's designated areas with imperviousness limits.
4. **The County Council has designated specific areas for special efforts to protect the environmentally sensitive features.** These efforts include numeric impervious limitations, additional stormwater management, and enhanced forest conservation practices. The designated areas include: the Upper Paint Branch, Upper Rock Creek, and part of the Clarksburg Special Protection Areas (SPA's), the Patuxent Primary Management Area (PMA), and a watershed within the Germantown Master Plan.
5. **Environmental Site Design, required by State law, gives first priority to minimizing the development footprint and associated impervious area and maximizing vegetated area.** After this has occurred, small-scale stormwater management practices and permeable pavement systems are used to minimize environmental impacts due to runoff.
6. **All County agencies involved with water quality (DPS, DEP and MNCPPC) concur with the definition of "impervious area" in the proposed DPS revisions to Chapter 19.**

Impervious Area: *Any surface that prevents or significantly impedes the infiltration of water into the underlying soil, including structures, buildings, patios, decks, sidewalks, compacted gravel, pavement, asphalt, concrete, stone, brick, tile, swimming pools, and artificial turf. Impervious surface also includes all areas used by or for motor vehicles or heavy commercial equipment, regardless of surface type or material, including roads, driveways, and parking areas.*



OFFICE OF MANAGEMENT AND BUDGET

Isiah Leggett
County Executive

Joseph F. Beach
Director

MEMORANDUM

July 14, 2010

TO: Nancy Floreen, President, County Council
FROM: Joseph F. Beach, Director
SUBJECT: Expedited Bill 40-10, Stormwater Management – Revisions

7/14/10 11:25 AM
10/14/10 11:25 AM

The purpose of this memorandum is to transmit a fiscal and economic impact statement to the Council on the subject legislation.

LEGISLATION SUMMARY

This bill would require management of stormwater runoff through the use of nonstructural best management practices to the maximum extent practicable for new development and redevelopment projects approved by the Department of Permitting Services (DPS). It would require the implementation of environmental site design (ESD) to the maximum extent practicable and the use of structural stormwater management controls (best management practices) only when necessary, while bringing local stormwater management requirements into compliance with the Maryland Stormwater Management Act of 2007.

FISCAL SUMMARY

The DPS will be responsible for application processing, administration, plan review, and inspection of the relevant stormwater facilities during construction. The Department of Environmental Protection (DEP) will be responsible for periodic inspection and maintenance of those facilities after construction. The following fiscal impact estimates are based on the departments' current best judgments about the number of permits that will meet the requirements of the bill, the average number of additional ESD facilities per permit that will be needed to satisfy the bill, and the percentage of those facilities that will be maintained by DEP. It should be emphasized that at present the County has only limited experience with how the bill's requirements will affect the need for inspections and maintenance, so these estimates are very preliminary.

The additional cost to the DPS for application processing, administration, and plan review should be minimal. DPS estimates that an average of two (2) additional inspections per year will be needed for each permit that must meet the requirements of this bill. Each inspection would require about 1.5 hours and cost about \$65 in salaries, benefits, and operating expenses. Because of provisions in the bill that grandfather existing permits, plus the time required for Planning Board approval of new permits, no additional inspections would be needed in FY11. DPS expects the annual number of permits meeting the requirements of this bill to grow by about 125 per year starting in FY12. The table that follows summarizes the estimated cost to DPS of the additional inspections required. DPS estimates that by FY15, an additional inspector would have to be hired to handle the workload.

Office of the Director

The DEP inspects above-ground stormwater management facilities once every three years. However, it expects to provide routine maintenance annually to the ESD facilities associated with Bill 40-10 for which it is responsible.

Based on DPS' estimate that the first permits meeting the requirements of the bill would be issued in FY12, the first completed additional ESD facilities attributable to the bill would be scheduled for inspection by DEP in FY15. If one assumes that an average of five (5) additional ESD facilities would be associated with each of the 125 permits affected by the bill in FY12, that one-third of those would be scheduled for inspection in FY15, and that the average contract cost per inspection is \$150, the additional cost to DEP for inspections in FY15 would be \$56,500 (which includes 0.25 workyear to manage and administer the effort).

Annual routine maintenance by DEP of the new ESD facilities included in its maintenance program would begin in FY14. Assuming that DEP will be responsible for maintaining 30% (210) of the 625 new ESD facilities attributable to Bill 40-10 from the FY12 permits, at an average contract cost of \$500 per facility, the total cost to DEP for maintenance of the additional ESD facilities in FY14 would be about \$120,000 (which includes 0.25 workyear to manage and administer the effort). However, this cost will be offset by the reduced influx of new structural stormwater management facilities requiring maintenance (these are discouraged by Bill 40-10). DEP assumes that the \$300,000 per year now budgeted for maintenance of additional structural stormwater management facilities will be phased out over four (4) years. The following table shows how DEP's inspection and maintenance costs would be affected by Bill 40-10 under these assumptions, as well as the total fiscal impact of the bill.

	Number of Permits Affected by Bill 40-10	Cost of Additional DPS ESD Inspections	Cost of Additional DEP ESD Inspections	Cost of Additional DEP ESD Maintenance	Phase-Out of Maintenance of New Structural Stormwater Facilities	Net Additional Cost for DEP Maintenance	Total DPS + DEP Fiscal Impact
FY11	0	0	0	0	0	0	0
FY12	125	16,230	0	0	0	0	16,230
FY13	250	32,450	0	0	0	0	32,450
FY14	375	48,680	0	120,000	-75,000	45,000	93,680
FY15	500	64,910	56,500	240,000	-150,000	90,000	211,410
FY16	625	81,130	113,000	360,000	-225,000	135,000	329,130

The economic impact of Bill 40-10 on developers is difficult to predict. Some in the development industry believe that construction and maintenance costs will be higher with the use of environmental site design, while other groups believe it will cost less. Mixed use and high density developments could experience some economic impact, while the cost would probably be less for construction of less densely developed sites. However, the magnitude of the economic impact would vary with the site and is very difficult to predict.

There would probably have to be increases in the relevant permitting fees and the Water Quality Protection Charge to recover the additional inspection and maintenance expenses incurred by DPS and DEP. Sediment control permit fees may have to be increased a fraction of a cent and the minimum fee by \$50 in FY15 to provide funding for one additional sediment control inspector in DPS. Based on the above cost estimates, the Water Quality Protection Charge may have to be raised by \$0.18 per Equivalent Residential Unit in FY14, an additional \$0.61 in FY15, and another \$1.04 in FY16 to cover the increased costs incurred by DEP.

The following contributed to and concurred with this analysis: John Greiner, Office of Management and Budget; Rick Brush, Department of Permitting Services; Steven Shofar, Department of Environmental Protection; Amy Stevens, Department of Environmental Protection; and David Platt, Department of Finance.

Montgomery County Stormwater Partners Network

To: Councilmembers Floreen, Berliner, and Leventhal
Fr: Diane Cameron, Bruce Gilmore, Brent Bolin and Ginny Barnes
Re: Proposed changes to Expedited Bill 40-10
Date: July 14, 2010

Thank you for including the Stormwater Partners in the T&E Committee sessions on this bill; we plan to participate in the 7/15 and 7/22 sessions. Below are the changes that we suggest to Bill 40-10. The most important change we seek is to narrow the waiver provisions in Section 19-25 (c); in addition, we seek several other changes including a requirement that public facilities will be excluded from grandfathering waivers and therefore, will be designed using Environmental Site Design to the Maximum Extent Practicable; and other changes described below.

Bill Section 19-25, part (c) *Waivers*

Suggested change: Please delete subsections (3), (5) and (6).

The waiver provisions we ask to be deleted pertain to stormwater capture and treatment requirements for infill, redevelopment and projects with unspecified special circumstances (subsection 3); an allowance for a waiver related to existing physical conditions (subsection 5) and an allowance for a Channel Protection Volume waiver if all reasonable options have been exhausted and the applicant can show that in-stream adverse effects will not be increased (subsection 6).

These three subsections are problematic in several respects:

- The overall effect of the current section 19-25 (c) as now written, is to stack waiver upon waiver, which is confusing and unnecessary. There's no need for a lot of local waivers, because the process of environmental site design to the MEP inherently allows for technical difficulties to be addressed and to be worked through.
- The main objective of Chapter 19 of our Code, and of the federal, state and local water quality and stormwater laws that it is implementing, is to restore and protect our streams. The provision of multiple waivers, as the draft is now written, is likely to result in less protection of our streams and rivers, which is unacceptable.
- These three subsections weaken the thrust of the statute (the Stormwater Management Act of 2007), and the historic tradition of Montgomery County to apply solid standards when it comes to new development and redevelopment. Montgomery County has a strong tradition of applying the "Water Quality Volume" (the 'qualitative' stormwater requirement) – roughly the first one inch – across the entire rural-urban spectrum of projects; it has reportedly almost never been waived.

Stormwater Partners suggested language changes to Expedited Bill 40-10
July 14, 2010

- The Stormwater Management Act of 2007 requires that all stormwater management plans “*implement a Channel Protection Strategy to reduce downstream erosion in receiving streams.*”¹ Thus, the language in Section 19-25 (c) (6), regarding potential waivers from the Channel Protection Volume requirement, for projects that show that their discharges will not adversely affect downstream erosion, is not acceptable, because the new standard created by the Stormwater Management Act is far more protective – the burden must be on the applicant to show that their resulting discharge will still enable the *reduction* of downstream erosion.

- In practical terms, this has meant in the past – and should continue to mean – that new development and redevelopment projects are held responsible for capturing and treating on-site, the first one-inch of each storm, along with addressing the Channel Protection Volume. The new requirement now added, is that the manner in which the stormwater will be treated, shall be through Environmental Site Design to the Maximum Extent Practicable. Let’s continue this local requirement and tradition as we make the shift to ESD.

- When it comes to the job of code changes in Montgomery County, we should keep our strengths, rather than bargaining them away or diluting them. Stronger and simpler stormwater codes will make it easier for our public servants to implement this law.

Therefore, subsections 3, 5 and 6 should be deleted.

Other suggested changes:

- 1) No Public Project should be grandfathered. The bill’s grandfathering provisions are too broad and lenient. The revised stormwater ordinance should require that all County-owned project proposals, and all private projects with substantial county subsidies, that went into facility planning in or after Fiscal Year 2009, comply with the new Environmental Site Design (ESD) requirements. This is consistent with the 2007 Clean Water Task Force recommendations, and with the widely-acknowledged need for the public sector to take the lead in applying ESD to new and redevelopment projects.
- 2) There are several provisions in this bill that enable off-site stormwater and stream restoration projects to be undertaken in lieu of on-site ESD approaches, including sections 19-25 (a)(2), and 19-26. Though we recognize that off-site options are sometimes necessary, they should be rare, and in keeping with current County practice, off-site options should generally pertain to the meeting of the Channel Protection Volume only, not the Water Quality Volume (roughly the first one inch of each storm is termed the Water Quality Volume). Finally, the code should

¹ Environment Article, Annotated Code of Maryland, Section 6-201.1, Section 4-203 (b) (8) (VIII).

specify that the off-site device must itself be an ESD system.

- 3) Also related to off-site measures is the question of the use of public parkland for stormwater management. This is a very controversial topic, and the Code must be written such that this approach is rarely undertaken. The bill must designate the Department (and Director) of Parks as full partners in the process of deciding whether or not to allow placement of stormwater facilities on parkland, or to allow stream restoration or wetland restoration on parkland. Any parkland projects should be ESD based, and should be required to show benefit to the watershed from a hydrologic perspective.
- 4) We support the comments by Planning Staff regarding Section 19.24 (a). These include the need for DPS to intensely coordinate with MNCPPC at the earliest stage to maximize implementation of ESD options, using the same timelines as are used for the preliminary and final Forest Conservation Plan, as identified in Chapter 22-A-11 of the County Code and COMCOR 22A.00.01.09 A-1 and B-1 of the Forest Conservation Regulations. Preliminary Plan approval is too late in the process, and some plans do not go through site plan review. The law needs to reference other types of projects subject to the new stormwater management ESD requirements, such as mandatory referrals and special exceptions.
- 5) The bill should include a requirement that DPS provide reasonable opportunity for public review and input on proposed Concept Plans.
- 6) We request that Chapter 19 be amended to establish that the Water Quality Protection Charge is a fee for service, not a tax.
- 7) Throughout Chapter 19, we request that the word "*structural*" be changed to the word "*standard*," since the Stormwater Management Act prioritizes ESD techniques over *standard* techniques.² ESD techniques include bioretention and green roofs, while standard techniques include stormwater ponds and underground storage tanks and sand filters; all are considered "*structural*," meaning that they typically require engineering and/or architectural designs and use of standardized construction methods and materials. In contrast, "*non-structural*" in this context, typically refers to use of natural features like forest buffers as part of a stormwater management approach.

The current bill's use of the word *structural* would create confusion in the future, and could even hamper the growth of green businesses and technology evolution in the ESD field, since it may lead designers and decisionmakers to erroneously

² The Stormwater Management Act of 2007 requires MDE to establish rules and regulations that among other things, require "a developer to demonstrate that Environmental Site Design has been implemented to the Maximum Extent Practicable, and **standard** best management practices have been used only where absolutely necessary." (emphasis added). Environment Article, Annotated Code of Maryland, Section 6-201.1, Section 4-203 (b) (5) (II) (3) (A) and (B).

Stormwater Partners suggested language changes to Expedited Bill 40-10
July 14, 2010

conclude that only "*non-structural*" measures constitute Environmental Site Design. In fact, *both structural and non-structural measures constitute ESD.*

We will greatly appreciate your support of these needed changes to the expedited bill, and your partnership with the public in a deliberative process to make this one of the best stormwater codes in Maryland.

Thank you for considering our requested changes.

To: Council President Nancy Floreen
Chair, Transportation and Environment Committee
cc: Councilmember Roger Berliner and Councilmember George Leventhal
Bob Hoyt, Bruce Johnston, Stan Wong, Rick Brush, Craig Shuman, Mark Pfefferle, Frank Bossong, Raquel Montenegro, Mike Faden, Amanda Mihill, Walter Wilson, Susan Buffone, Steve Shofar
Fr: Diane Cameron, Audubon Naturalist Society and Stormwater Partners
Date: Monday, July 26, 2010
Re: Changes to Expedited Bill 40-10 (revisions to the Stormwater Ordinance, Chapter 19 of the County Code.)

Thank you for enabling the Stormwater Partners, including Ginny Barnes, Brent Bolin, Steve Dryden, Dana Minerva, and I, to participate on Thursday July 22 in negotiations over Expedited Bill 40-10, containing revisions to the County's Stormwater ordinance, along with building industry representatives and County officials. This memo summarizes the Stormwater Partners' understanding of the outcome of those negotiations, and our expectations about Committee and Council action this week. Our position on this legislation is: If the sentence regarding density is revised as we have suggested, then we can live with the bill with the other agreed-upon changes listed below.

Our expectations for the T&E Committee session today and the Council session on Tuesday 7/27. We will be there for today's T&E session at 1:30 pm and available to answer questions and discuss proposed changes to the bill. Based on the Committee session on Thursday and the subsequent negotiation, we expect that, if all parties can agree to live with the changes to the bill as redrafted, (including a resolution to the disputed sentence on density), and presented to the Committee today, then the Committee will recommend enactment of the bill to the full Council for a vote on Tuesday 7/27.

Significant changes that were agreed to in the 7/22 negotiation with Developers, Agency officials

- remove section 19-24 (c)(3) regarding waivers for redevelopment, infill, and site conditions
- insert the phrase "at a minimum" in section 19-24(c)(8)
- We also expected that "at a minimum" would be added to section 19-24(c)(6)(B).
- Insert the phrase, "or ESD" after the word "practice" on page circle 25, line 614
- Revise the sentence on density, pg. circle 24, lines 607 to 611 (create alternative language acceptable to all).

We remain seriously concerned about this last item -- the sentence in the bill regarding density and ESD. The Stormwater Partners requested deletion of this sentence because we see it as unnecessary (Many ESD practices are fully compatible with dense urban projects) and creating a very large loophole; developer representatives explained their reasons for wanting it. Mike Faden suggested that the Stormwater Partners submit proposed alternative language, and if the other parties could live with it, it could be substituted for the current sentence. On Friday the Stormwater Partners submitted to all parties for their consideration, the following sentence: "*The selection and application of environmental site design practices must be in harmony with Chapter 59 and any master or sector plan.*" We are awaiting the response of the other parties to this proposed alternative language.

Our remaining concerns about the need to simplify and clarify the waivers: Although we found our negotiation on Thursday 7/22 with the other stakeholders to be productive, we have remaining concerns about the multiple waiver provisions in the bill, that we hope will be clarified through further discussion. In our prior memo to you concerning this bill, and in our statements at the T&E worksession on 7/22 and later that day at the negotiation, we noted the need to simplify and clarify the multiple waiver provisions in this bill. Due to the timeframe for this legislation, it seems unlikely that this simplification we sought will happen at this juncture. We thus remain somewhat concerned that the bill is not absolutely clear regarding the criteria for "substantive" waivers (site-specific, partial waivers other than for

grandfathering). We believe the following description of the criteria is accurate, but would like confirmation:

- Waivers may be provided only if the applicant shows that existing site-specific physical conditions prevent full compliance.
- For infill and redevelopment sites, on-site channel protection requirements may be waived only if environmental site design has been implemented on-site to the maximum extent practicable, and the project will not increase impervious surfaces or, at a minimum, will not adversely affect the stream channel or increase erosion in the receiving waters.
- For new development and redevelopment, if any onsite requirements are waived, alternative stormwater management measures described in section 19-26(b) (1), (2) or (3) will be implemented.
- Only if none of the alternative measures are practicable, will waivers involving monetary compensation be provided.
- We would also like to receive an explanation of the intent of section 19-24(a)(2)(B), which was not discussed at the meeting.

Beyond our overall request to simplify the raft of waiver provisions, there remain three items that we weren't able to get changed in this bill, that we will continue to watch as the County implements the new Stormwater code revisions.

- Clarity in the code that the first full one inch of each storm must be retained on all redevelopment sites via ESD. Our understanding is that the bill's language would require site planners to address both the one-inch "qualitative" standard, and the Channel Protection Volume, at all sites including redevelopment sites, but that partial compliance with the one inch volume might in some rare instances be deemed necessary rather than full on-site retention via ESD. Our preference is to require that all sites retain the first one-inch via ESD measures.
- Language regarding the need for the Parks Department to be full partners in any decisions regarding proposed use of parks for Stormwater and watershed projects.
- Exemption from the Grandfathering sections, of public projects, and publicly-subsidized private projects, that went into facility planning, and conceptual design, in FY09 and afterward. Our understanding is that DEP Director Bob Hoyt and other County officials will inform the Council and the public within the next six weeks about the status of County implementation of ESD in public and publicly-funded projects, and that in general, the County embraces the concept that the public sector must lead – not lag – in ESD implementation, integrated design, and technology innovation and evolution.

Tracking implementation to ensure its success and make adjustments if necessary.

We will work closely with the Council and other stakeholders over the next year and beyond to track the implementation of the revised Chapter 19, and other ESD code changes, and to make any necessary adjustments to the code if they become necessary. Thank you for enabling us to work with the Committee and the other stakeholders in such a productive and constructive manner, and we look forward to working with you and the other parties as our County furthers its Stormwater and ESD leadership.