



## WASHINGTON SUBURBAN SANITARY COMMISSION

---

12245 Tech Road ♦ Silver Spring, Maryland 20904-1969

September 10, 2009  
Nasser Kamazani  
Department of Environmental Protection  
255 Rockville Pike, Suite 120  
Rockville, MD 20850

Dear Mr. Kamazani:

Enclosed please find the updated analytical results for the Gude Special samples collected on the July 2009.

If you have any questions regarding the results, please give me a call at (301) 206-7580 or email at [cbeverho@wsscwater.com](mailto:cbeverho@wsscwater.com)

Sincerely,

A handwritten signature in cursive script that reads "Clarence Beverhoudt".

Clarence Beverhoudt  
Laboratory Director  
WSSC Laboratory Services Group  
Phone: 301-206-7575  
<mailto:cBeverho@wsscwater.com>



## WASHINGTON SUBURBAN SANITARY COMMISSION

---

12245 Tech Road ♦ Silver Spring, Maryland 20904-1969

September 10, 2009  
Nasser Kamazani  
Department of Environmental Protection  
255 Rockville Pike, Suite 120  
Rockville, MD 20850

Dear Mr. Kamazani:

Enclosed please find the updated analytical results for the Gude Special samples collected on the July 2009.

If you have any questions regarding the results, please give me a call at (301) 206-7580 or email at [cbeverho@wsscwater.com](mailto:cbeverho@wsscwater.com)

Sincerely,

Clarence Beverhoudt  
Laboratory Director  
WSSC Laboratory Services Group  
Phone: 301-206-7575  
<mailto:cBeverho@wsscwater.com>



Washington Suburban  
Sanitary Commission

**Washington Suburban Sanitary Commission**

Consolidated Laboratory Services Group

12245 Tech Road

Silver Spring, MD 20904

MC\_GUDE\_SPECIAL

\$VOA\_8260

Lab ID: AA20814  
 Client ID: Gude Spring 2  
 Collect Date: 08-Jul-2009 14:15  
 Collected by: A.TOREELA  
 Extract Date:  
 Analysis Date: 16-Jul-2009 23:26  
 Method: EPA 8260B  
 Analyst: T.WILLIAMS  
 Sample Type: Grab  
 Location:  
 Sampled Facility:

Parameter	Result	Units	RDL
1,1,1,2-Tetrachloroethane	ND	ug/L	
1,1,1-Trichloroethane	ND	ug/L	
1,1,2,2-Tetrachloroethane	ND	ug/L	
1,1,2-Trichloroethane	ND	ug/L	
1,1-Dichloroethene	ND	ug/L	
1,1-Dichloroethane	ND	ug/L	
1,1-Dichloropropene	ND	ug/L	
1,2,3-Trichlorobenzene	ND	ug/L	
1,2,3-Trichloropropane	ND	ug/L	
1,2,4-Trichlorobenzene	ND	ug/L	
1,2,4-Trimethylbenzene	ND	ug/L	
1,2-Dibromo-3-chloropropane	ND	ug/L	
1,2-Dibromoethane	ND	ug/L	
1,2-Dichlorobenzene	ND	ug/L	
1,2-Dichloroethane	ND	ug/L	
1,2-Dichloropropane	ND	ug/L	
1,3,5-Trimethylbenzene	ND	ug/L	
1,3-Dichlorobenzene	ND	ug/L	
1,3-Dichloropropane	ND	ug/L	
1,4-Dichlorobenzene	ND	ug/L	
2,2-Dichloropropane	ND	ug/L	
2-Butanone	ND	ug/L	
2-Chlorotoluene	ND	ug/L	
2-Hexanone	ND	ug/L	
4-Chlorotoluene	ND	ug/L	
4-Methyl-2-Pentanone	0.040	ug/L	
Acetone	0.610	ug/L	
Acrylonitrile	0.040	ug/L	
Benzene	ND	ug/L	
Bromobenzene	ND	ug/L	
Bromodichloromethane	ND	ug/L	
Bromoform	ND	ug/L	
Bromomethane	ND	ug/L	
Carbon disulfide	ND	ug/L	
Carbon Tetrachloride	ND	ug/L	

Approve by: *Clarence Benbow*

Date: 9/10/09

"ND" = Not Detected



Washington Suburban  
Sanitary Commission

**Washington Suburban Sanitary Commission**

Consolidated Laboratory Services Group

12245 Tech Road

Silver Spring, MD 20904

MC\_GUDE\_SPECIAL

\$VOA\_8260

Lab ID: AA20814  
 Client ID : Gude Spring 2  
 Collect Date: 08-Jul-2009 14:15  
 Collected by: A.TOREELA  
 Extract Date:  
 Analysis Date: 16-Jul-2009 23:26  
 Method: EPA 8260B  
 Analyst: T.WILLIAMS  
 Sample Type: Grab  
 Location:  
 Sampled Facility:

Parameter	Result	Units	RDL
Chlorobenzene	ND	ug/L	
Chloroethane	ND	ug/L	
Chloroform	ND	ug/L	
cis-1,2-Dichloroethene	ND	ug/L	
cis-1,3-Dichloropropene	ND	ug/L	
Dibromochloromethane	ND	ug/L	
Dibromomethane	ND	ug/L	
Dichlorodifluoromethane	ND	ug/L	
Dichloromethane	ND	ug/L	
Ethylbenzene	ND	ug/L	
Hexachlorobutadiene	ND	ug/L	
Isopropylbenzene	ND	ug/L	
Methyl Chloride	ND	ug/L	
Methyl Iodide	ND	ug/L	
Methyl-tert-butyl ether	0.010	ug/L	
Naphthalene	ND	ug/L	
n-Butylbenzene	ND	ug/L	
n-Propylbenzene	ND	ug/L	
ortho-Xylene	ND	ug/L	
para-Xylene & meta-Xylene	ND	ug/L	
p-Isopropyltoluene	ND	ug/L	
s-Butylbenzene	ND	ug/L	
Styrene	ND	ug/L	
t-Butylbenzene	ND	ug/L	
Tetrachloroethene	ND	ug/L	
Toluene	ND	ug/L	
trans-1,2-Dichloroethene	ND	ug/L	
trans-1,3-Dichloropropene	ND	ug/L	
trans-1,4-Dichloro-2-butene	ND	ug/L	
Trichloroethene	ND	ug/L	
Trichlorofluoromethane	ND	ug/L	
Vinyl Chloride	ND	ug/L	

Approve by: *Clarence A. ...*

Date: *9/10/09*

"ND" = Not Detected



Washington Suburban  
Sanitary Commission

**Washington Suburban Sanitary Commission**

Consolidated Laboratory Services Group

12245 Tech Road

Silver Spring, MD 20904

MC\_GUDE\_SPECIAL

\$VOA 8260

Lab ID: AA20815  
 Client ID : Gude Spring 1  
 Collect Date: 08-Jul-2009 14:25  
 Collected by: A.TOREELA  
 Extract Date:  
 Analysis Date: 17-Jul-2009 00:00  
 Method: EPA 8260B  
 Analyst: T.WILLIAMS  
 Sample Type: Grab  
 Location:  
 Sampled Facility:

Parameter	Result	Units	RDL
1,1,1,2-Tetrachloroethane	ND	ug/L	
1,1,1-Trichloroethane	ND	ug/L	
1,1,2,2-Tetrachloroethane	ND	ug/L	
1,1,2-Trichloroethane	ND	ug/L	
1,1,-Dichloroethene	ND	ug/L	
1,1-Dichloroethane	ND	ug/L	
1,1-Dichloropropene	ND	ug/L	
1,2,3-Trichlorobenzene	ND	ug/L	
1,2,3-Trichloropropane	ND	ug/L	
1,2,4-Trichlorobenzene	ND	ug/L	
1,2,4-Trimethylbenzene	ND	ug/L	
1,2-Dibromo-3-chloropropane	ND	ug/L	
1,2-Dibromoethane	ND	ug/L	
1,2-Dichlorobenzene	ND	ug/L	
1,2-Dichloroethane	ND	ug/L	
1,2-Dichloropropane	ND	ug/L	
1,3,5-Trimethylbenzene	ND	ug/L	
1,3-Dichlorobenzene	ND	ug/L	
1,3-Dichloropropane	ND	ug/L	
1,4-Dichlorobenzene	ND	ug/L	
2,2-Dichloropropane	ND	ug/L	
2-Butanone	ND	ug/L	
2-Chlorotoluene	ND	ug/L	
2-Hexanone	ND	ug/L	
4-Chlorotoluene	ND	ug/L	
4-Methyl-2-Pentanone	0.030	ug/L	
Acetone	1.580	ug/L	
Acrylonitrile	0.050	ug/L	
Benzene	ND	ug/L	
Bromobenzene	ND	ug/L	
Bromodichloromethane	ND	ug/L	
Bromoform	ND	ug/L	
Bromomethane	ND	ug/L	
Carbon disulfide	ND	ug/L	
Carbon Tetrachloride	ND	ug/L	

Approve by:

*Clayton Penick*

Date:

9/10/09

"ND" = Not Detected



Washington Suburban  
Sanitary Commission

**Washington Suburban Sanitary Commission**

Consolidated Laboratory Services Group

12245 Tech Road

Silver Spring, MD 20904

MC\_GUDE\_SPECIAL

\$VOA 8260

Lab ID: AA20815  
 Client ID: Gude Spring 1  
 Collect Date: 08-Jul-2009 14:25  
 Collected by: A.TOREELA  
 Extract Date:  
 Analysis Date: 17-Jul-2009 00:00  
 Method: EPA 8260B  
 Analyst: T.WILLIAMS  
 Sample Type: Grab  
 Location:  
 Sampled Facility:

Parameter	Result	Units	RDL
Chlorobenzene	ND	ug/L	
Chloroethane	ND	ug/L	
Chloroform	ND	ug/L	
cis-1,2-Dichloroethene	ND	ug/L	
cis-1,3-Dichloropropene	ND	ug/L	
Dibromochloromethane	ND	ug/L	
Dibromomethane	ND	ug/L	
Dichlorodifluoromethane	2.180	ug/L	
Dichloromethane	ND	ug/L	
Ethylbenzene	ND	ug/L	
Hexachlorobutadiene	ND	ug/L	
Isopropylbenzene	ND	ug/L	
Methyl Chloride	ND	ug/L	
Methyl Iodide	ND	ug/L	
Methyl-tert-butyl ether	0.010	ug/L	
Naphthalene	ND	ug/L	
n-Butylbenzene	ND	ug/L	
n-Propylbenzene	ND	ug/L	
ortho-Xylene	ND	ug/L	
para-Xylene & meta-Xylene	ND	ug/L	
p-Isopropyltoluene	ND	ug/L	
s-Butylbenzene	ND	ug/L	
Styrene	ND	ug/L	
t-Butylbenzene	ND	ug/L	
Tetrachloroethene	ND	ug/L	
Toluene	ND	ug/L	
trans-1,2-Dichloroethene	ND	ug/L	
trans-1,3-Dichloropropene	ND	ug/L	
trans-1,4-Dichloro-2-butene	ND	ug/L	
Trichloroethene	2.530	ug/L	
Trichlorofluoromethane	0.460	ug/L	
Vinyl Chloride	ND	ug/L	

Approve by: *[Signature]*

Date: 9/10/09

"ND" = Not Detected



Washington Suburban  
Sanitary Commission

**Washington Suburban Sanitary Commission**

Consolidated Laboratory Services Group

12245 Tech Road

Silver Spring, MD 20904

MC\_GUDE\_SPECIAL

\$VOA\_8260

Lab ID: AA23076  
 Client ID: Area of Concern 1  
 Collect Date: 16-Jul-2009 07:35  
 Collected by: A.TOREELA  
 Extract Date:  
 Analysis Date: 28-Jul-2009 22:46  
 Method: EPA 8260B  
 Analyst: T.WILLIAMS  
 Sample Type: Grab  
 Location:  
 Sampled Facility:

Parameter	Result	Units	RDL
1,1,1,2-Tetrachloroethane	ND	ug/L	
1,1,1-Trichloroethane	ND	ug/L	
1,1,2,2-Tetrachloroethane	ND	ug/L	
1,1,2-Trichloroethane	ND	ug/L	
1,1-Dichloroethene	ND	ug/L	
1,1-Dichloroethane	ND	ug/L	
1,1-Dichloropropene	ND	ug/L	
1,2,3-Trichlorobenzene	ND	ug/L	
1,2,3-Trichloropropane	ND	ug/L	
1,2,4-Trichlorobenzene	ND	ug/L	
1,2,4-Trimethylbenzene	ND	ug/L	
1,2-Dibromo-3-chloropropane	ND	ug/L	
1,2-Dibromoethane	ND	ug/L	
1,2-Dichlorobenzene	ND	ug/L	
1,2-Dichloroethane	ND	ug/L	
1,2-Dichloropropane	ND	ug/L	
1,3,5-Trimethylbenzene	ND	ug/L	
1,3-Dichlorobenzene	ND	ug/L	
1,3-Dichloropropane	ND	ug/L	
1,4-Dichlorobenzene	ND	ug/L	
2,2-Dichloropropane	ND	ug/L	
2-Butanone	ND	ug/L	
2-Chlorotoluene	ND	ug/L	
2-Hexanone	ND	ug/L	
4-Chlorotoluene	ND	ug/L	
4-Methyl-2-Pentanone	0.420	ug/L	
Acetone	14.18	ug/L	
Acrylonitrile	0.140	ug/L	
Benzene	ND	ug/L	
Bromobenzene	ND	ug/L	
Bromodichloromethane	ND	ug/L	
Bromoform	ND	ug/L	
Bromomethane	ND	ug/L	
Carbon disulfide	ND	ug/L	
Carbon Tetrachloride	ND	ug/L	

Approve by: *Cherene Penland*

Date: *9/14/09*

"ND" = Not Detected



Washington Suburban  
Sanitary Commission

**Washington Suburban Sanitary Commission**

Consolidated Laboratory Services Group

12245 Tech Road

Silver Spring, MD 20904

MC\_GUDE\_SPECIAL  
\$VOA\_8260

Lab ID: AA23076  
Client ID : Area of Concern 1  
Collect Date: 16-Jul-2009 07:35  
Collected by: A.TOREELA  
Extract Date:  
Analysis Date: 28-Jul-2009 22:46  
Method: EPA 8260B  
Analyst: T.WILLIAMS  
Sample Type: Grab  
Location:  
Sampled Facility:

Parameter	Result	Units	RDL
Chlorobenzene	ND	ug/L	
Chloroethane	ND	ug/L	
Chloroform	ND	ug/L	
cis-1,2-Dichloroethene	ND	ug/L	
cis-1,3-Dichloropropene	ND	ug/L	
Dibromochloromethane	ND	ug/L	
Dibromomethane	ND	ug/L	
Dichlorodifluoromethane	0.330	ug/L	
Dichloromethane	ND	ug/L	
Ethylbenzene	ND	ug/L	
Hexachlorobutadiene	ND	ug/L	
Isopropylbenzene	ND	ug/L	
Methyl Chloride	ND	ug/L	
Methyl Iodide	ND	ug/L	
Methyl-tert-butyl ether	ND	ug/L	
Naphthalene	ND	ug/L	
n-Butylbenzene	ND	ug/L	
n-Propylbenzene	ND	ug/L	
ortho-Xylene	ND	ug/L	
para-Xylene & meta-Xylene	ND	ug/L	
p-Isopropyltoluene	ND	ug/L	
s-Butylbenzene	ND	ug/L	
Styrene	ND	ug/L	
t-Butylbenzene	ND	ug/L	
Tetrachloroethene	ND	ug/L	
Toluene	ND	ug/L	
trans-1,2-Dichloroethene	ND	ug/L	
trans-1,3-Dichloropropene	ND	ug/L	
trans-1,4-Dichloro-2-butene	ND	ug/L	
Trichloroethene	ND	ug/L	
Trichlorofluoromethane	ND	ug/L	
Vinyl Chloride	ND	ug/L	

Approve by: *Clarence Perkowski*

Date: *9/16/09*

"ND" = Not Detected





Washington Suburban  
Sanitary Commission

**Washington Suburban Sanitary Commission**

Consolidated Laboratory Services Group

12245 Tech Road

Silver Spring, MD 20904

MC\_GUDE\_SPECIAL

\$VOA\_8260

Lab ID: AA23077  
 Client ID: Area of Concern 2  
 Collect Date: 16-Jul-2009 07:40  
 Collected by: A.TOREELA  
 Extract Date:  
 Analysis Date: 28-Jul-2009 23:20  
 Method: EPA 8260B  
 Analyst: T.WILLIAMS  
 Sample Type: Grab  
 Location:  
 Sampled Facility:

Parameter	Result	Units	RDL
1,1,1,2-Tetrachloroethane	ND	ug/L	
1,1,1-Trichloroethane	ND	ug/L	
1,1,2,2-Tetrachloroethane	ND	ug/L	
1,1,2-Trichloroethane	ND	ug/L	
1,1-Dichloroethene	ND	ug/L	
1,1-Dichloroethane	ND	ug/L	
1,1-Dichloropropene	ND	ug/L	
1,2,3-Trichlorobenzene	ND	ug/L	
1,2,3-Trichloropropane	ND	ug/L	
1,2,4-Trichlorobenzene	ND	ug/L	
1,2,4-Trimethylbenzene	ND	ug/L	
1,2-Dibromo-3-chloropropane	ND	ug/L	
1,2-Dibromoethane	ND	ug/L	
1,2-Dichlorobenzene	ND	ug/L	
1,2-Dichloroethane	ND	ug/L	
1,2-Dichloropropane	ND	ug/L	
1,3,5-Trimethylbenzene	ND	ug/L	
1,3-Dichlorobenzene	ND	ug/L	
1,3-Dichloropropane	ND	ug/L	
1,4-Dichlorobenzene	ND	ug/L	
2,2-Dichloropropane	ND	ug/L	
2-Butanone	ND	ug/L	
2-Chlorotoluene	ND	ug/L	
2-Hexanone	ND	ug/L	
4-Chlorotoluene	ND	ug/L	
4-Methyl-2-Pentanone	0.110	ug/L	
Acetone	ND	ug/L	
Acrylonitrile	0.050	ug/L	
Benzene	ND	ug/L	
Bromobenzene	ND	ug/L	
Bromodichloromethane	ND	ug/L	
Bromoform	ND	ug/L	
Bromomethane	ND	ug/L	
Carbon disulfide	ND	ug/L	
Carbon Tetrachloride	ND	ug/L	

Approve by: *[Signature]*

Date: 9/10/09

"ND" = Not Detected



Washington Suburban  
Sanitary Commission

**Washington Suburban Sanitary Commission**

Consolidated Laboratory Services Group

12245 Tech Road

Silver Spring, MD 20904

MC\_GUDE\_SPECIAL  
\$VOA\_8260

Lab ID: AA23077  
Client ID : Area of Concern 2  
Collect Date: 16-Jul-2009 07:40  
Collected by: A.TOREELA  
Extract Date:  
Analysis Date: 28-Jul-2009 23:20  
Method: EPA 8260B  
Analyst: T.WILLIAMS  
Sample Type: Grab  
Location:  
Sampled Facility:

Parameter	Result	Units	RDL
Chlorobenzene	ND	ug/L	
Chloroethane	0.400	ug/L	
Chloroform	ND	ug/L	
cis-1,2-Dichloroethene	ND	ug/L	
cis-1,3-Dichloropropene	ND	ug/L	
Dibromochloromethane	ND	ug/L	
Dibromomethane	ND	ug/L	
Dichlorodifluoromethane	0.380	ug/L	
Dichloromethane	ND	ug/L	
Ethylbenzene	ND	ug/L	
Hexachlorobutadiene	ND	ug/L	
Isopropylbenzene	ND	ug/L	
Methyl Chloride	ND	ug/L	
Methyl Iodide	ND	ug/L	
Methyl-tert-butyl ether	ND	ug/L	
Naphthalene	ND	ug/L	
n-Butylbenzene	ND	ug/L	
n-Propylbenzene	ND	ug/L	
ortho-Xylene	ND	ug/L	
para-Xylene & meta-Xylene	ND	ug/L	
p-Isopropyltoluene	ND	ug/L	
s-Butylbenzene	ND	ug/L	
Styrene	ND	ug/L	
t-Butylbenzene	ND	ug/L	
Tetrachloroethene	ND	ug/L	
Toluene	ND	ug/L	
trans-1,2-Dichloroethene	ND	ug/L	
trans-1,3-Dichloropropene	ND	ug/L	
trans-1,4-Dichloro-2-butene	ND	ug/L	
Trichloroethene	ND	ug/L	
Trichlorofluoromethane	ND	ug/L	
Vinyl Chloride	ND	ug/L	

Approve by: *Alexander Perkowski*

Date: 9/19/09

"ND" = Not Detected



Washington Suburban  
Sanitary Commission

**Washington Suburban Sanitary Commission**

Consolidated Laboratory Services Group

12245 Tech Road

Silver Spring, MD 20904

MC\_GUDE\_SPECIAL  
\$VOA\_8260

Lab ID: AA23078  
Client ID: Area of Concern 3  
Collect Date: 16-Jul-2009 07:55  
Collected by: A.TOREELA  
Extract Date:  
Analysis Date: 28-Jul-2009 23:54  
Method: EPA 8260B  
Analyst: T.WILLIAMS  
Sample Type: Grab  
Location:  
Sampled Facility:

Parameter	Result	Units	RDL
1,1,1,2-Tetrachloroethane	ND	ug/L	
1,1,1-Trichloroethane	ND	ug/L	
1,1,2,2-Tetrachloroethane	ND	ug/L	
1,1,2-Trichloroethane	ND	ug/L	
1,1-Dichloroethene	ND	ug/L	
1,1-Dichloroethane	ND	ug/L	
1,1-Dichloropropene	ND	ug/L	
1,2,3-Trichlorobenzene	ND	ug/L	
1,2,3-Trichloropropane	ND	ug/L	
1,2,4-Trichlorobenzene	ND	ug/L	
1,2,4-Trimethylbenzene	ND	ug/L	
1,2-Dibromo-3-chloropropane	ND	ug/L	
1,2-Dibromoethane	ND	ug/L	
1,2-Dichlorobenzene	ND	ug/L	
1,2-Dichloroethane	ND	ug/L	
1,2-Dichloropropane	ND	ug/L	
1,3,5-Trimethylbenzene	ND	ug/L	
1,3-Dichlorobenzene	ND	ug/L	
1,3-Dichloropropane	ND	ug/L	
1,4-Dichlorobenzene	ND	ug/L	
2,2-Dichloropropane	ND	ug/L	
2-Butanone	1.340	ug/L	
2-Chlorotoluene	ND	ug/L	
2-Hexanone	0.270	ug/L	
4-Chlorotoluene	ND	ug/L	
4-Methyl-2-Pentanone	0.170	ug/L	
Acetone	ND	ug/L	
Acrylonitrile	0.050	ug/L	
Benzene	ND	ug/L	
Bromobenzene	ND	ug/L	
Bromodichloromethane	ND	ug/L	
Bromoform	ND	ug/L	
Bromomethane	ND	ug/L	
Carbon disulfide	ND	ug/L	
Carbon Tetrachloride	ND	ug/L	

Approve by: *C. [Signature]*

Date: 9/14/09

"ND" = Not Detected



Washington Suburban  
Sanitary Commission

**Washington Suburban Sanitary Commission**

Consolidated Laboratory Services Group

12245 Tech Road

Silver Spring, MD 20904

MC\_GUDE\_SPECIAL

\$VOA\_8260

Lab ID: AA23078  
 Client ID: Area of Concern 3  
 Collect Date: 16-Jul-2009 07:55  
 Collected by: A.TOREELA  
 Extract Date:  
 Analysis Date: 28-Jul-2009 23:54  
 Method: EPA 8260B  
 Analyst: T.WILLIAMS  
 Sample Type: Grab  
 Location:  
 Sampled Facility:

Parameter	Result	Units	RDL
Chlorobenzene	ND	ug/L	
Chloroethane	ND	ug/L	
Chloroform	ND	ug/L	
cis-1,2-Dichloroethene	ND	ug/L	
cis-1,3-Dichloropropene	ND	ug/L	
Dibromochloromethane	ND	ug/L	
Dibromomethane	ND	ug/L	
Dichlorodifluoromethane	ND	ug/L	
Dichloromethane	ND	ug/L	
Ethylbenzene	ND	ug/L	
Hexachlorobutadiene	ND	ug/L	
Isopropylbenzene	ND	ug/L	
Methyl Chloride	ND	ug/L	
Methyl Iodide	ND	ug/L	
Methyl-tert-butyl ether	0.520	ug/L	
Naphthalene	ND	ug/L	
n-Butylbenzene	ND	ug/L	
n-Propylbenzene	ND	ug/L	
ortho-Xylene	ND	ug/L	
para-Xylene & meta-Xylene	ND	ug/L	
p-Isopropyltoluene	ND	ug/L	
s-Butylbenzene	ND	ug/L	
Styrene	ND	ug/L	
t-Butylbenzene	ND	ug/L	
Tetrachloroethene	ND	ug/L	
Toluene	ND	ug/L	
trans-1,2-Dichloroethene	ND	ug/L	
trans-1,3-Dichloropropene	ND	ug/L	
trans-1,4-Dichloro-2-butene	ND	ug/L	
Trichloroethene	ND	ug/L	
Trichlorofluoromethane	ND	ug/L	
Vinyl Chloride	ND	ug/L	

Approve by:

*Clerru Parker*

Date:

7/14/09

"ND" = Not Detected



Washington Suburban  
Sanitary Commission

**Washington Suburban Sanitary Commission**

Consolidated Laboratory Services Group

12245 Tech Road

Silver Spring, MD 20904

MC\_GUDE\_SPECIAL

SVOA\_8260

Lab ID: AA23079  
 Client ID: Area of Concern 4  
 Collect Date: 16-Jul-2009 08:00  
 Collected by: A.TOREELA  
 Extract Date:  
 Analysis Date: 29-Jul-2009 00:28  
 Method: EPA 8260B  
 Analyst: T.WILLIAMS  
 Sample Type: Grab  
 Location:  
 Sampled Facility:

Parameter	Result	Units	RDL
1,1,1,2-Tetrachloroethane	ND	ug/L	
1,1,1-Trichloroethane	ND	ug/L	
1,1,2,2-Tetrachloroethane	ND	ug/L	
1,1,2-Trichloroethane	ND	ug/L	
1,1-Dichloroethene	ND	ug/L	
1,1-Dichloroethane	ND	ug/L	
1,1-Dichloropropene	ND	ug/L	
1,2,3-Trichlorobenzene	ND	ug/L	
1,2,3-Trichloropropane	ND	ug/L	
1,2,4-Trichlorobenzene	ND	ug/L	
1,2,4-Trimethylbenzene	ND	ug/L	
1,2-Dibromo-3-chloropropane	ND	ug/L	
1,2-Dibromoethane	ND	ug/L	
1,2-Dichlorobenzene	ND	ug/L	
1,2-Dichloroethane	ND	ug/L	
1,2-Dichloropropane	ND	ug/L	
1,3,5-Trimethylbenzene	ND	ug/L	
1,3-Dichlorobenzene	ND	ug/L	
1,3-Dichloropropane	ND	ug/L	
1,4-Dichlorobenzene	ND	ug/L	
2,2-Dichloropropane	ND	ug/L	
2-Butanone	2.110	ug/L	
2-Chlorotoluene	ND	ug/L	
2-Hexanone	ND	ug/L	
4-Chlorotoluene	ND	ug/L	
4-Methyl-2-Pentanone	0.110	ug/L	
Acetone	ND	ug/L	
Acrylonitrile	0.020	ug/L	
Benzene	ND	ug/L	
Bromobenzene	ND	ug/L	
Bromodichloromethane	ND	ug/L	
Bromoform	ND	ug/L	
Bromomethane	ND	ug/L	
Carbon disulfide	ND	ug/L	
Carbon Tetrachloride	ND	ug/L	

Approve by:

*C. [Signature]*

Date:

9/10/09

"ND" = Not Detected



MC\_GUDE\_SPECIAL  
\$VOA\_8260

Lab ID: AA23079  
Client ID: Area of Concern 4  
Collect Date: 16-Jul-2009 08:00  
Collected by: A.TOREELA  
Extract Date:  
Analysis Date: 29-Jul-2009 00:28  
Method: EPA 8260B  
Analyst: T.WILLIAMS  
Sample Type: Grab  
Location:  
Sampled Facility:

Parameter	Result	Units	RDL
Chlorobenzene	ND	ug/L	
Chloroethane	ND	ug/L	
Chloroform	ND	ug/L	
cis-1,2-Dichloroethene	ND	ug/L	
cis-1,3-Dichloropropene	ND	ug/L	
Dibromochloromethane	ND	ug/L	
Dibromomethane	ND	ug/L	
Dichlorodifluoromethane	ND	ug/L	
Dichloromethane	ND	ug/L	
Ethylbenzene	ND	ug/L	
Hexachlorobutadiene	ND	ug/L	
Isopropylbenzene	ND	ug/L	
Methyl Chloride	ND	ug/L	
Methyl Iodide	ND	ug/L	
Methyl-tert-butyl ether	0.450	ug/L	
Naphthalene	ND	ug/L	
n-Butylbenzene	ND	ug/L	
n-Propylbenzene	ND	ug/L	
ortho-Xylene	ND	ug/L	
para-Xylene & meta-Xylene	ND	ug/L	
p-Isopropyltoluene	ND	ug/L	
s-Butylbenzene	ND	ug/L	
Styrene	ND	ug/L	
t-Butylbenzene	ND	ug/L	
Tetrachloroethene	ND	ug/L	
Toluene	ND	ug/L	
trans-1,2-Dichloroethene	ND	ug/L	
trans-1,3-Dichloropropene	ND	ug/L	
trans-1,4-Dichloro-2-butene	ND	ug/L	
Trichloroethene	ND	ug/L	
Trichlorofluoromethane	ND	ug/L	
Vinyl Chloride	ND	ug/L	

Approve by: *Richard A. ...* Date: 9/14/09

"ND" = Not Detected



Washington Suburban  
Sanitary Commission

**Washington Suburban Sanitary Commission**

Consolidated Laboratory Services Group

12245 Tech Road

Silver Spring, MD 20904

MC\_GUDE\_SPECIAL


\$VOA\_8260

Lab ID: AA23080  
 Client ID: Area of Concern 7  
 Collect Date: 16-Jul-2009 08:30  
 Collected by: A.TOREELA  
 Extract Date:  
 Analysis Date: 29-Jul-2009 01:03  
 Method: EPA 8260B  
 Analyst: T.WILLIAMS  
 Sample Type: Grab  
 Location:  
 Sampled Facility:

Parameter	Result	Units	RDL
1,1,1,2-Tetrachloroethane	ND	ug/L	
1,1,1-Trichloroethane	ND	ug/L	
1,1,2,2-Tetrachloroethane	ND	ug/L	
1,1,2-Trichloroethane	ND	ug/L	
1,1-Dichloroethene	ND	ug/L	
1,1-Dichloroethane	ND	ug/L	
1,1-Dichloropropene	ND	ug/L	
1,2,3-Trichlorobenzene	ND	ug/L	
1,2,3-Trichloropropane	ND	ug/L	
1,2,4-Trichlorobenzene	ND	ug/L	
1,2,4-Trimethylbenzene	ND	ug/L	
1,2-Dibromo-3-chloropropane	ND	ug/L	
1,2-Dibromoethane	ND	ug/L	
1,2-Dichlorobenzene	ND	ug/L	
1,2-Dichloroethane	ND	ug/L	
1,2-Dichloropropane	ND	ug/L	
1,3,5-Trimethylbenzene	ND	ug/L	
1,3-Dichlorobenzene	ND	ug/L	
1,3-Dichloropropane	ND	ug/L	
1,4-Dichlorobenzene	ND	ug/L	
2,2-Dichloropropane	ND	ug/L	
2-Butanone	ND	ug/L	
2-Chlorotoluene	ND	ug/L	
2-Hexanone	ND	ug/L	
4-Chlorotoluene	ND	ug/L	
4-Methyl-2-Pentanone	0.040	ug/L	
Acetone	ND	ug/L	
Acrylonitrile	0.040	ug/L	
Benzene	ND	ug/L	
Bromobenzene	ND	ug/L	
Bromodichloromethane	ND	ug/L	
Bromoform	ND	ug/L	
Bromomethane	ND	ug/L	
Carbon disulfide	ND	ug/L	
Carbon Tetrachloride	ND	ug/L	

Approve by: *Cherise Seabolt* Date: 9/14/09

"ND" = Not Detected



**Washington Suburban Sanitary Commission**  
 Consolidated Laboratory Services Group  
 12245 Tech Road  
 Silver Spring, MD 20904

MC\_GUDE\_SPECIAL  
\$VOA\_8260


Lab ID: AA23080  
 Client ID : Area of Concern 7  
 Collect Date: 16-Jul-2009 08:30  
 Collected by: A.TOREELA  
 Extract Date:  
 Analysis Date: 29-Jul-2009 01:03  
 Method: EPA 8260B  
 Analyst: T.WILLIAMS  
 Sample Type: Grab  
 Location:  
 Sampled Facility:

Parameter	Result	Units	RDL
Chlorobenzene	ND	ug/L	
Chloroethane	ND	ug/L	
Chloroform	ND	ug/L	
cis-1,2-Dichloroethene	ND	ug/L	
cis-1,3-Dichloropropene	ND	ug/L	
Dibromochloromethane	ND	ug/L	
Dibromomethane	ND	ug/L	
Dichlorodifluoromethane	ND	ug/L	
Dichloromethane	ND	ug/L	
Ethylbenzene	ND	ug/L	
Hexachlorobutadiene	ND	ug/L	
Isopropylbenzene	ND	ug/L	
Methyl Chloride	ND	ug/L	
Methyl Iodide	ND	ug/L	
Methyl-tert-butyl ether	0.060	ug/L	
Naphthalene	ND	ug/L	
n-Butylbenzene	ND	ug/L	
n-Propylbenzene	ND	ug/L	
ortho-Xylene	ND	ug/L	
para-Xylene & meta-Xylene	ND	ug/L	
p-Isopropyltoluene	ND	ug/L	
s-Butylbenzene	ND	ug/L	
Styrene	ND	ug/L	
t-Butylbenzene	ND	ug/L	
Tetrachloroethene	ND	ug/L	
Toluene	ND	ug/L	
trans-1,2-Dichloroethene	ND	ug/L	
trans-1,3-Dichloropropene	ND	ug/L	
trans-1,4-Dichloro-2-butene	ND	ug/L	
Trichloroethene	ND	ug/L	
Trichlorofluoromethane	ND	ug/L	
Vinyl Chloride	ND	ug/L	

Approve by: *Cheryl Beckman* Date: 9/10/09

"ND" = Not Detected





**Washington Suburban Sanitary Commission**  
 Consolidated Laboratory Services Group  
 12245 Tech Road  
 Silver Spring, MD 20904

Analytical Report  
 9/10/2009

Name of Sampled Facility:

Investigator: A.TOREELA

Lab ID: AA20814

Client ID : Gude Spring 2

Sample Type: Grab

Collect Date: 08-Jul-2009 14:15

Parameter	Result	Units	RDL	Analysis Date	Method	Analyst
Antimony	.0002	mg/L	0.0020	06-Aug-2009	EPA 200.8 Rev 5.	LBUCKLE
Arsenic	0.0018	mg/L	0.002	30-Jul-2009	EPA 200.8 Rev 5.	L.BUCKLEY
Barium	0.5386	mg/L	0.002	30-Jul-2009	EPA 200.8 Rev 5.	L.BUCKLEY
Beryllium	0.0016	mg/L	0.002	30-Jul-2009	EPA 200.8 Rev 5.	L.BUCKLEY
Boron	0.0165	mg/L		30-Jul-2009	EPA 200.8 Rev 5.	L.BUCKLEY
Chromium	0.00785	mg/L	0.002	30-Jul-2009	EPA 200.8 Rev 5.	L.BUCKLEY
Cobalt	0.02329	mg/L	0.002	30-Jul-2009	EPA 200.8 Rev 5.	L.BUCKLEY
Copper	0.0574	mg/L	0.002	30-Jul-2009	EPA 200.8 Rev 5.	L.BUCKLEY
Lead	0.03640	mg/L	0.002	30-Jul-2009	EPA 200.8 Rev 5.	L.BUCKLEY
Mercury	0.0000	mg/L	0.0002	24-Jul-2009	EPA 245.1 Rev 3.	P.REED
Nickel	0.02130	mg/L	0.002	30-Jul-2009	EPA 200.8 Rev 5.	L.BUCKLEY
Selenium	0.00178	mg/L	0.002	30-Jul-2009	EPA 200.8 Rev 5.	L.BUCKLEY
Silver	0.0000	mg/L	0.002	30-Jul-2009	EPA 200.8 Rev 5.	L.BUCKLEY
Thallium	.0000	mg/L	0.002	06-Aug-2009	EPA 200.8 Rev 5.	LBUCKLE
Tin	0.00144	mg/L	0.002	29-Jul-2009	EPA 200.8 Rev 5.	L.BUCKLEY
Turbidity	1050	NTU		09-Jul-2009	EPA 180.1 Rev 2.	B.RIVERS/A.L
Vanadium	0.06274	mg/L	0.0002	30-Jul-2009	EPA 200.8 Rev 5.	L.BUCKLEY
Zinc	0.13350	mg/L	0.01	30-Jul-2009	EPA 200.8 Rev 5.	L.BUCKLEY

Approve by:

*[Signature]*

Date:

*9/10/09*



Washington Suburban  
Sanitary Commission

**Washington Suburban Sanitary Commission**  
Consolidated Laboratory Services Group  
12245 Tech Road  
Silver Spring, MD 20904

Analytical Report  
9/10/2009

Name of Sampled Facility:

Investigator: A.TOREELA

Lab ID: AA20815      Client ID : Gude Spring 1      Sample Type: Grab  
Collect Date: 08-Jul-2009 14:25

Parameter	Result	Units	RDL	Analysis Date	Method	Analyst
Aluminum	1.1070	mg/L	0.0020	30-Jul-2009	EPA 200.8 Rev 5.	L.BUCKLEY
Antimony	.0001	mg/L	0.0020	06-Aug-2009	EPA 200.8 Rev 5.	LBUCKLE
Arsenic	0.0003	mg/L	0.002	30-Jul-2009	EPA 200.8 Rev 5.	L.BUCKLEY
Barium	0.0954	mg/L	0.002	30-Jul-2009	EPA 200.8 Rev 5.	L.BUCKLEY
Beryllium	0.0007	mg/L	0.002	30-Jul-2009	EPA 200.8 Rev 5.	L.BUCKLEY
Boron	0.0096	mg/L		30-Jul-2009	EPA 200.8 Rev 5.	L.BUCKLEY
Chromium	0.00257	mg/L	0.002	30-Jul-2009	EPA 200.8 Rev 5.	L.BUCKLEY
Cobalt	0.00308	mg/L	0.002	30-Jul-2009	EPA 200.8 Rev 5.	L.BUCKLEY
Copper	0.0190	mg/L	0.002	07-Aug-2009	EPA 200.8 Rev 5.	L.BUCKLEY
Lead	0.01140	mg/L	0.002	30-Jul-2009	EPA 200.8 Rev 5.	L.BUCKLEY
Mercury	0.0042	mg/L	0.0002	24-Jul-2009	EPA 245.1 Rev 3.	P.REED
Nickel	0.01140	mg/L	0.002	30-Jul-2009	EPA 200.8 Rev 5.	L.BUCKLEY
Selenium	0.00163	mg/L	0.002	30-Jul-2009	EPA 200.8 Rev 5.	L.BUCKLEY
Silver	0.0000	mg/L	0.002	30-Jul-2009	EPA 200.8 Rev 5.	L.BUCKLEY
Thallium	.0000	mg/L	0.002	06-Aug-2009	EPA 200.8 Rev 5.	LBUCKLE
Tin	ND	mg/L	0.002	29-Jul-2009	EPA 200.8 Rev 5.	L.BUCKLEY
Turbidity	95.00	NTU		09-Jul-2009	EPA 180.1 Rev 2.	B.RIVERS/A.L
Vanadium	0.01611	mg/L	0.0002	30-Jul-2009	EPA 200.8 Rev 5.	L.BUCKLEY
Zinc	0.05774	mg/L	0.01	30-Jul-2009	EPA 200.8 Rev 5.	L.BUCKLEY

Approve by: *Shirley A. ...*

Date: 9/10/09



Washington Suburban  
Sanitary Commission

**Washington Suburban Sanitary Commission**  
Consolidated Laboratory Services Group  
12245 Tech Road  
Silver Spring, MD 20904

Analytical Report  
9/10/2009

Name of Sampled Facility:

Investigator: A.TOREELA

Lab ID: AA23076

Client ID : Area of Concern 1

Sample Type: Grab

Collect Date: 16-Jul-2009 07:35

Parameter	Result	Units	RDL	Analysis Date	Method	Analyst
Antimony	.0006	mg/L	0.0020	06-Aug-2009	EPA 200.8 Rev 5.	LBUCKLE
Arsenic	0.0029	mg/L	0.002	30-Jul-2009	EPA 200.8 Rev 5.	L.BUCKLEY
Barium	0.3772	mg/L	0.002	30-Jul-2009	EPA 200.8 Rev 5.	L.BUCKLEY
Beryllium	0.0003	mg/L	0.002	30-Jul-2009	EPA 200.8 Rev 5.	L.BUCKLEY
Boron	1.6910	mg/L		11-Aug-2009	EPA 200.8 Rev 5.	L.BUCKLEY
Chromium	0.01190	mg/L	0.002	30-Jul-2009	EPA 200.8 Rev 5.	L.BUCKLEY
Cobalt	0.01401	mg/L	0.002	30-Jul-2009	EPA 200.8 Rev 5.	L.BUCKLEY
Copper	0.0194	mg/L	0.002	30-Jul-2009	EPA 200.8 Rev 5.	L.BUCKLEY
Lead	0.01080	mg/L	0.002	30-Jul-2009	EPA 200.8 Rev 5.	L.BUCKLEY
Mercury	ND	mg/L	0.0002	24-Jul-2009	EPA 245.1 Rev 3.	P.REED
Nickel	0.02860	mg/L	0.002	30-Jul-2009	EPA 200.8 Rev 5.	L.BUCKLEY
Selenium	0.00388	mg/L	0.002	30-Jul-2009	EPA 200.8 Rev 5.	L.BUCKLEY
Silver	0.0004	mg/L	0.002	30-Jul-2009	EPA 200.8 Rev 5.	L.BUCKLEY
Thallium	.0004	mg/L	0.002	06-Aug-2009	EPA 200.8 Rev 5.	LBUCKLE
Vanadium	0.02380	mg/L	0.0002	30-Jul-2009	EPA 200.8 Rev 5.	L.BUCKLEY
Zinc	0.07124	mg/L	0.01	01-Sep-2009	EPA 200.8 Rev 5.	L.BUCKLEY

Approve by: *Charles Benhart*

Date: *9/10/09*



Washington Suburban  
Sanitary Commission

**Washington Suburban Sanitary Commission**

Consolidated Laboratory Services Group

12245 Tech Road

Silver Spring, MD 20904

Analytical Report  
9/10/2009

Name of Sampled Facility:

Investigator: A.TOREELA

Lab ID: AA23077

Client ID : Area of Concern 2

Sample Type: Grab

Collect Date: 16-Jul-2009 07:40

Parameter	Result	Units	RDL	Analysis Date	Method	Analyst
Antimony	.0004	mg/L	0.0020	06-Aug-2009	EPA 200.8 Rev 5.	LBUCKLE
Arsenic	0.0041	mg/L	0.002	30-Jul-2009	EPA 200.8 Rev 5.	L.BUCKLEY
Barium	0.6129	mg/L	0.002	30-Jul-2009	EPA 200.8 Rev 5.	L.BUCKLEY
Beryllium	0.0000	mg/L	0.002	30-Jul-2009	EPA 200.8 Rev 5.	L.BUCKLEY
Boron	2.6760	mg/L		11-Aug-2009	EPA 200.8 Rev 5.	L.BUCKLEY
Chromium	0.00272	mg/L	0.002	30-Jul-2009	EPA 200.8 Rev 5.	L.BUCKLEY
Cobalt	0.00550	mg/L	0.002	30-Jul-2009	EPA 200.8 Rev 5.	L.BUCKLEY
Copper	0.0098	mg/L	0.002	30-Jul-2009	EPA 200.8 Rev 5.	L.BUCKLEY
Lead	0.00339	mg/L	0.002	30-Jul-2009	EPA 200.8 Rev 5.	L.BUCKLEY
Mercury	ND	mg/L	0.0002	24-Jul-2009	EPA 245.1 Rev 3.	P.REED
Nickel	0.01200	mg/L	0.002	30-Jul-2009	EPA 200.8 Rev 5.	L.BUCKLEY
Selenium	0.00580	mg/L	0.002	30-Jul-2009	EPA 200.8 Rev 5.	L.BUCKLEY
Silver	0.0000	mg/L	0.002	30-Jul-2009	EPA 200.8 Rev 5.	L.BUCKLEY
Thallium	.0001	mg/L	0.002	06-Aug-2009	EPA 200.8 Rev 5.	LBUCKLE
Vanadium	0.00252	mg/L	0.0002	30-Jul-2009	EPA 200.8 Rev 5.	L.BUCKLEY
Zinc	0.03099	mg/L	0.01	01-Sep-2009	EPA 200.8 Rev 5.	L.BUCKLEY

Approve by:

*[Signature]*

Date:

*9/10/09*



Analytical Report  
9/10/2009

Name of Sampled Facility:

Investigator: A.TOREELA

Lab ID: AA23078

Client ID : Area of Concern 3

Sample Type: Grab

Collect Date: 16-Jul-2009 07:55

Parameter	Result	Units	RDL	Analysis Date	Method	Analyst
Antimony	.0003	mg/L	0.0020	06-Aug-2009	EPA 200.8 Rev 5.	LBUCKLE
Arsenic	0.0034	mg/L	0.002	30-Jul-2009	EPA 200.8 Rev 5.	L.BUCKLEY
Barium	0.3958	mg/L	0.002	30-Jul-2009	EPA 200.8 Rev 5.	L.BUCKLEY
Beryllium	0.0000	mg/L	0.002	30-Jul-2009	EPA 200.8 Rev 5.	L.BUCKLEY
Boron	2.4860	mg/L		11-Aug-2009	EPA 200.8 Rev 5.	L.BUCKLEY
Chromium	0.00236	mg/L	0.002	30-Jul-2009	EPA 200.8 Rev 5.	L.BUCKLEY
Cobalt	0.01691	mg/L	0.002	30-Jul-2009	EPA 200.8 Rev 5.	L.BUCKLEY
Copper	0.0097	mg/L	0.002	30-Jul-2009	EPA 200.8 Rev 5.	L.BUCKLEY
Lead	0.00108	mg/L	0.002	30-Jul-2009	EPA 200.8 Rev 5.	L.BUCKLEY
Mercury	ND	mg/L	0.0002	24-Jul-2009	EPA 245.1 Rev 3.	P.REED
Nickel	0.01920	mg/L	0.002	30-Jul-2009	EPA 200.8 Rev 5.	L.BUCKLEY
Selenium	0.00525	mg/L	0.002	30-Jul-2009	EPA 200.8 Rev 5.	L.BUCKLEY
Silver	0.0000	mg/L	0.002	30-Jul-2009	EPA 200.8 Rev 5.	L.BUCKLEY
Thallium	.0000	mg/L	0.002	06-Aug-2009	EPA 200.8 Rev 5.	LBUCKLE
Vanadium	0.00312	mg/L	0.0002	30-Jul-2009	EPA 200.8 Rev 5.	L.BUCKLEY
Zinc	0.00963	mg/L	0.01	01-Sep-2009	EPA 200.8 Rev 5.	L.BUCKLEY

Approve by:

*P. Lawrence Perhalla*

Date:

*9/10/09*



Washington Suburban  
Sanitary Commission

**Washington Suburban Sanitary Commission**

Consolidated Laboratory Services Group

12245 Tech Road

Silver Spring, MD 20904

Analytical Report  
9/10/2009

Name of Sampled Facility:

Investigator: A.TOREELA

Lab ID: AA23079

Client ID : Area of Concern 4

Sample Type: Grab

Collect Date: 16-Jul-2009 08:00

Parameter	Result	Units	RDL	Analysis Date	Method	Analyst
Antimony	.0004	mg/L	0.0020	06-Aug-2009	EPA 200.8 Rev 5.	LBUCKLE
Arsenic	0.0025	mg/L	0.002	30-Jul-2009	EPA 200.8 Rev 5.	L.BUCKLEY
Barium	0.5078	mg/L	0.002	30-Jul-2009	EPA 200.8 Rev 5.	L.BUCKLEY
Beryllium	0.0000	mg/L	0.002	30-Jul-2009	EPA 200.8 Rev 5.	L.BUCKLEY
Boron	2.3200	mg/L		11-Aug-2009	EPA 200.8 Rev 5.	L.BUCKLEY
Chromium	0.00186	mg/L	0.002	30-Jul-2009	EPA 200.8 Rev 5.	L.BUCKLEY
Cobalt	0.00501	mg/L	0.002	30-Jul-2009	EPA 200.8 Rev 5.	L.BUCKLEY
Copper	0.0087	mg/L	0.002	30-Jul-2009	EPA 200.8 Rev 5.	L.BUCKLEY
Lead	0.00238	mg/L	0.002	30-Jul-2009	EPA 200.8 Rev 5.	L.BUCKLEY
Mercury	ND	mg/L	0.0002	24-Jul-2009	EPA 245.1 Rev 3.	P.REED
Nickel	0.01090	mg/L	0.002	30-Jul-2009	EPA 200.8 Rev 5.	L.BUCKLEY
Selenium	0.00369	mg/L	0.002	30-Jul-2009	EPA 200.8 Rev 5.	L.BUCKLEY
Silver	0.0000	mg/L	0.002	30-Jul-2009	EPA 200.8 Rev 5.	L.BUCKLEY
Thallium	.0000	mg/L	0.002	06-Aug-2009	EPA 200.8 Rev 5.	LBUCKLE
Vanadium	0.00163	mg/L	0.0002	30-Jul-2009	EPA 200.8 Rev 5.	L.BUCKLEY
Zinc	0.01321	mg/L	0.01	01-Sep-2009	EPA 200.8 Rev 5.	L.BUCKLEY

Approve by:

*Cherise Per Hall*

Date:

9/10/09



Washington Suburban  
Sanitary Commission

**Washington Suburban Sanitary Commission**

Consolidated Laboratory Services Group  
12245 Tech Road  
Silver Spring, MD 20904

Analytical Report  
9/10/2009

Name of Sampled Facility:

Investigator: A.TOREELA

Lab ID: AA23080

Client ID : Area of Concern 7

Sample Type: Grab

Collect Date: 16-Jul-2009 08:30

Parameter	Result	Units	RDL	Analysis Date	Method	Analyst
Antimony	.0002	mg/L	0.0020	06-Aug-2009	EPA 200.8 Rev 5.	LBUCKLE
Arsenic	0.0033	mg/L	0.002	30-Jul-2009	EPA 200.8 Rev 5.	L.BUCKLEY
Barium	0.4420	mg/L	0.002	30-Jul-2009	EPA 200.8 Rev 5.	L.BUCKLEY
Beryllium	0.0000	mg/L	0.002	30-Jul-2009	EPA 200.8 Rev 5.	L.BUCKLEY
Boron	3.3330	mg/L		11-Aug-2009	EPA 200.8 Rev 5.	L.BUCKLEY
Chromium	0.00302	mg/L	0.002	30-Jul-2009	EPA 200.8 Rev 5.	L.BUCKLEY
Cobalt	0.02993	mg/L	0.002	30-Jul-2009	EPA 200.8 Rev 5.	L.BUCKLEY
Copper	0.0120	mg/L	0.002	30-Jul-2009	EPA 200.8 Rev 5.	L.BUCKLEY
Lead	0.00089	mg/L	0.002	30-Jul-2009	EPA 200.8 Rev 5.	L.BUCKLEY
Mercury	ND	mg/L	0.0002	24-Jul-2009	EPA 245.1 Rev 3.	P.REED
Nickel	0.01810	mg/L	0.002	30-Jul-2009	EPA 200.8 Rev 5.	L.BUCKLEY
Selenium	0.00709	mg/L	0.002	30-Jul-2009	EPA 200.8 Rev 5.	L.BUCKLEY
Silver	0.0000	mg/L	0.002	30-Jul-2009	EPA 200.8 Rev 5.	L.BUCKLEY
Thallium	.0000	mg/L	0.002	06-Aug-2009	EPA 200.8 Rev 5.	LBUCKLE
Vanadium	0.00256	mg/L	0.0002	30-Jul-2009	EPA 200.8 Rev 5.	L.BUCKLEY
Zinc	0.01976	mg/L	0.01	01-Sep-2009	EPA 200.8 Rev 5.	L.BUCKLEY

Approve by:

*Charles Benhardt*

Date:

*9/10/09*