

MAIN ENTRANCE WATER LINE AND FITTING FIRE DEPARTMENT CONNECTION POTENTIAL BUILDING ENTRY FIRE ACCESS PATH FIRE ACCESS FOOT PATH

EXISTING FIRE HYDRANT

PROPOSED FIRE HYDRANT

NOTE ALL PORTIONS OF EACH GROUND FLOOR RETAIL SPACE MUST BE REACHABLE WITHIN 150' OF MAIN ENTRY.





ATTORNEY WIRE GILL, LLP HEATHER DLHOPOLSKY

ARCHITECT & LANDSCAPE ARCHITECT HORD COPLAN MACHT MIGUEL IRAOLA


ENVIRONMENTAL PLANNER VIKA MARYLAND, LLC JOSHUA SLOAN

TRAFFIC CONSULTANT WELLS + ASSOCIATES MICHAEL J. WORKOSKY

REVISIONS DATE

PIKE CENTER 4TH ELECTION DISTRICT MONTGOMERY COUNTY, MARYLAND WSSC GRID: 216NW06 TAX MAP:GQ63





WRITTEN AUTHORIZATION FROM VIKA MARYLAND, LLC. VIOLATIONS MAY RESULT IN PROSECUTION. ONLY APPROVED, SIGNED AND SEALED PLANS OR DRAWINGS MAY BE UTILIZED FOR CONSTRUCTION PURPOSES. © 2019 VIKA MARYLAND, LLC DRAWN BY: <u>IPD/NT</u> DESIGNED BY: IPD

DATE ISSUED: 07/19/2024 VIKA PROJECT VM50594B

DRAWING NO. FA-1

SHEET NO.