

Tree Protection - new sidewalk		3.31.21		Note: refer to <i>Tree Protection Requirements For The Department Of Transportation</i> for Standard Tree Protection Measures	
Terrace Drive		Rick Holley		Note: Inspection of worksite tree protection measures required	
*All root pruning shall be done to a maximum depth of 6"				by MC-DOT Arborist prior to construction activities	
DBH = diameter (in.) at breast height (4.5 ft above ground)				Note: ROW not to be utilized for staging area unless otherwise permitted	
Location: F = front, S = side, R = rear, I = island, M = Median, O = Opposite, P = Private, ms = multi-stem				by MC-DOT Arborist prior to construction activities	
Pruning: s/w = sidewalk, elev = elevation pruning, DW = dead wood removal, d/w = driveway					
cli - clear light, csi = clear sign, cpt = clear private tree, clh = clear house, rd = road					
Tree Protection: F = fencing required, n/a = no action					
ADDRESS	SPECIES	LOCATION	DBH	RECOMMENDATIONS	
Terrace Drive				5' wide concrete sidewalk with 0' greenspace unless specified otherwise below	
2901	Magnolia	1F-P	34	F, Air Excavation Required, elevate 8' over proposed s/w	
2901	Red Maple	1F	18	Tree previously marked for removal (6.19.20)	
2901	Magnolia	2F-P	39	F, Air Excavation Required	
2905	multi stem crape myrtle	1F	10	Remove: proposed s/w construction would compromise health/structural stability of tree	
2909	Cherry	1F-P	27	F, Air Excavation Required	
2913	Hedge Maple	1F	5	Remove: proposed s/w construction would compromise health/structural stability of tree	
2917	Red Maple	1F	30	Remove: proposed s/w construction would compromise health/structural stability of tree	
2921	Japanese Tree Lilac	1F	1.5	Remove: proposed s/w construction would compromise health/structural stability of tree	
2925	Japanese Maple	1F	5	Remove: proposed s/w construction would compromise health/structural stability of tree	
2925	Kousa Dogwood	2F	2	F	
2929	Sugar Maple	1F	11.5	Remove: proposed s/w construction would compromise health/structural stability of tree	
2929	Red Maple	2F	25	Tree previously marked for removal (6.19.20)	
2933	multi stem crape myrtle	1F	13	F, Air Excavation Required	
2933	Japanese Maple	2F	17	F, Air Excavation Required, elevate 8' over proposed s/w	
2937	Redbud	1F	5	Remove: proposed s/w construction would compromise health/structural stability of tree	
2945	Red Maple	1F	18.5	Remove: proposed s/w construction would compromise health/structural stability of tree	
2949	Red Maple	1F	20	Remove: proposed s/w construction would compromise health/structural stability of tree	
2953	Spruce	1F-P	20	Removal recommended. Private tree is dead	
8404 Farrell Dr	multi stem Holly	1S-P	24	F, Root prune along edge of proposed s/w	
8404 Farrell Dr	Hedge Maple	1S	7	Remove: proposed s/w construction would compromise health/structural stability of tree	
8404 Farrell Dr	Japanese Tree Lilac	2S	16	Remove: proposed s/w construction would compromise health/structural stability of tree	
8404 Farrell Dr	Magnolia	1F	30	F, Air Excavation Required, elevate 8' over proposed s/w	
8400 Farrell Dr	multi stem crape myrtle	1F	14	Remove: proposed s/w construction would compromise health/structural stability of tree	
8400 Farrell Dr	Red Maple	1F-P	33	F, Air Excavation Required	
Spencer Rd				5' wide concrete sidewalk with 0' greenspace unless specified otherwise below	
2601	Southern Magnolia	1F-P	27	F, Air Excavation Required, elevate 8' over proposed s/w	
2601	Japanese Maple	1F	18	F, Root prune along edge of proposed s/w, elevate 8' over proposed s/w	
2601	Japanese Maple	2F	9	F, Root prune along edge of proposed s/w, elevate 8' over proposed s/w	
2601	White Oak	2F-P	37	F, Root prune along edge of proposed s/w	
2603	Dogwood	1F	16	F, Root prune along edge of proposed s/w	
2605	multi stem crape myrtle	1F	21	Remove: proposed s/w construction would compromise health/structural stability of tree	
2609	Dogwood	1F-P	4	F	
2611	Stump	1F	6	remove stump	

ADDRESS	SPECIES	LOCATION	DBH	RECOMMENDATIONS
2613	Japanese Maple	1F-P	23	F, Root prune along edge of proposed s/w, elevate 8' over proposed s/w
2617	Silver Maple	1F	44	Remove: proposed s/w construction would compromise health/structural stability of tree
2617	Dogwood	1F-P	8	F
2619	Dogwood	1F-P	7	F, elevate 8' over proposed s/w
2619	Kousa Dogwood	2F-P	7	F
2621	Dogwood	1F	2	F
8401 Ellingson dr	Norway Maple	1S	28	Tree previously marked for removal (6.19.20)
8401 Ellingson dr	Cedar	1S-P	20	F, Root prune along edge of proposed s/w, elevate 8' over proposed s/w
2701	Red Maple	1F	22	Tree previously marked for removal (6.19.20)
2703	Red Maple	1F	19	Tree previously marked for removal (6.19.20)
2703	Red Maple	2F	42	Remove: proposed s/w construction would compromise health/structural stability of tree
2705	Blackgum	1F	3	Remove: proposed s/w construction would compromise health/structural stability of tree
2707	Sweetgum	1F	4	Remove: proposed s/w construction would compromise health/structural stability of tree
2707	Stump	2F	5	remove stump
2709	Holly	1F	14	Remove: proposed s/w construction would compromise health/structural stability of tree
2709	Red Maple	2F	21	Remove: proposed s/w construction would compromise health/structural stability of tree
2711	Red Maple	1F	32	Tree previously marked for removal (6.19.20)
2713	Sweetgum	1F	5	Remove: proposed s/w construction would compromise health/structural stability of tree
2801	Dogwood	1F	2	Remove: proposed s/w construction would compromise health/structural stability of tree
8400 Farrell Dr	Red Maple	1S	32	Remove: proposed s/w construction would compromise health/structural stability of tree
8400 Farrell Dr	Dogwood	1S-P	18	F, root prune along edge of proposed s/w
8400 Farrell Dr	Pin Oak	2S	13.5	Remove: proposed s/w construction would compromise health/structural stability of tree
2817	Red Maple	1F	25	Remove: proposed s/w construction would compromise health/structural stability of tree
2821	Red Maple	1F	19	Remove: proposed s/w construction would compromise health/structural stability of tree
8300 Meadowbrook Ln	Red Maple	1S	8	Remove: proposed s/w construction would compromise health/structural stability of tree
Colston Dr				5' wide concrete sidewalk with 0' greenspace unless specified otherwise below
2614	Willow Oak	1F-P	3.5	F, elevate 8' over proposed s/w
2614	Red Maple	2F-P	50	F, Air Excavation Required, elevate 8' over proposed s/w
2616	Norway Maple	1F	22.5	Tree previously marked for removal (6.19.20)
2624	Serviceberry	1F	2	Remove: proposed s/w construction would compromise health/structural stability of tree
2626	Stump	1F	32	remove stump
2628	Willow Oak	1F-P	50	F, Air Excavation Required
2632	Cherry	1F-P	31	F, Air Excavation Required, elevate 8' over proposed s/w
2634	Sugar Maple	1F-P	15	F, Air Excavation Required, elevate 8' over proposed s/w
2634	Norway Maple	1F	19	Remove: proposed s/w construction would compromise health/structural stability of tree
2638	Magnolia	1F	1.5	Remove: proposed s/w construction would compromise health/structural stability of tree
2638	Red Maple	1F-P	37	F, Air Excavation Required
8207 Ellingson Dr	White Pine	2S-P	33.5	Remove private tree: proposed s/w construction would compromise health/structural stability of tree
8207 Ellingson Dr	Cherry	1S-P	6	F, elevate 8' over proposed s/w
8210 Ellingson Dr	Tulip Poplar	1S-P	28.5	F, Air Excavation Required
2705	Sugar Maple	1F-P	36	Remove private tree: proposed s/w construction would compromise health/structural stability of tree
2707	Sugar Maple	1F	36	Remove: proposed s/w construction would compromise health/structural stability of tree

ADDRESS	SPECIES	LOCATION	DBH	RECOMMENDATIONS
2709	multi stem crape myrtle	1F	9	F, Root prune along edge of proposed s/w
2711	Dogwood	1F	1.5	F
2713	Red Maple	1F	32	Remove: proposed s/w construction would compromise health/structural stability of tree
2719	Blackgum	1F	4	Remove: proposed s/w construction would compromise health/structural stability of tree
2719	Ailanthus	2F	5	Remove: proposed s/w construction would compromise health/structural stability of tree
2719	Sycamore	3F	42	Remove: proposed s/w construction would compromise health/structural stability of tree
2718 East West Hwy	Red Maple	1S-P	50	F, Air Excavation Required
8201 Colston Pl	Holly	1F	7	Remove: proposed s/w construction would compromise health/structural stability of tree
8201 Colston Pl	Northern Red Oak	1F-P	47	F, Air Excavation Required
2718	Arborvitae	1S	7' HT	Remove: proposed s/w construction would compromise health/structural stability of tree
2718	Arborvitae	2S	5' HT	Remove: proposed s/w construction would compromise health/structural stability of tree
2718	Arborvitae	3S	6' HT	Remove: proposed s/w construction would compromise health/structural stability of tree
2718	Arborvitae	4S	4' HT	Remove: proposed s/w construction would compromise health/structural stability of tree
2718	Callery Pear	5S	7	Remove: proposed s/w construction would compromise health/structural stability of tree
2718	Arborvitae	6S	6' HT	Remove: proposed s/w construction would compromise health/structural stability of tree
2718	Arborvitae	7S	4' HT	Remove: proposed s/w construction would compromise health/structural stability of tree
Blaine Dr				5' wide concrete sidewalk with 0' greenspace unless specified otherwise below
2622	Red Maple	1F	28	Remove: proposed s/w construction would compromise health/structural stability of tree
2620	Crape Myrtle	3F	9	Remove: proposed s/w construction would compromise health/structural stability of tree
2620	Pin Oak	2F	16	Remove: proposed s/w construction would compromise health/structural stability of tree
2620	Japanese Pagodatree	1F	13	Remove: proposed s/w construction would compromise health/structural stability of tree
2618	Redbud	1F	8.5	Remove: proposed s/w construction would compromise health/structural stability of tree
2618	Kwanzan Cherry	1F-P	8	F
2614	Pin Oak	1F	29.5	Remove: proposed s/w construction would compromise health/structural stability of tree
2610	Pin Oak	1F	26.5	Remove: proposed s/w construction would compromise health/structural stability of tree
2610	Magnolia	2F-P	12	F
2610	Red Maple	1F-P	21	F, root prune up to edge of proposed s/w
2606	Pin Oak	1F	29	Remove: proposed s/w construction would compromise health/structural stability of tree
2600	Weeping Cherry	1F	3.5	Remove: proposed s/w construction would compromise health/structural stability of tree
2601	Japanese Maple	1F	1.5	Remove: proposed s/w construction would compromise health/structural stability of tree
2609	Pin Oak	1F	31.5	Remove: proposed s/w construction would compromise health/structural stability of tree
2617	stump	1F	60	remove stump
2617	Chinese Pistache	2F	1.5	Remove: proposed s/w construction would compromise health/structural stability of tree
2619	Red Maple	1F	28	Remove: proposed s/w construction would compromise health/structural stability of tree
2621	Red Maple	1F	29	Remove: proposed s/w construction would compromise health/structural stability of tree
2701	Red Maple	2S	19	Remove: proposed s/w construction would compromise health/structural stability of tree
2701	Red Maple	1S	21	Remove: proposed s/w construction would compromise health/structural stability of tree
				Note: Tree in poor condition; main lead broken, extensive dead wood
2701	Southern Magnolia	1S-P	42	F, elevate over proposed s/w, Air excavation required
2706	multi stem crape myrtle	1F	7	Remove: proposed s/w construction would compromise health/structural stability of tree
2706	Dogwood	2F	2	Remove: proposed s/w construction would compromise health/structural stability of tree
2710	Northern Red Oak	1F-P	10	F, Air Excavation Required, elevate 8' over proposed s/w

ADDRESS	SPECIES	LOCATION	DBH	RECOMMENDATIONS
2714	multi stem Holly	1F	14	F, Air Excavation Required, elevate 8' over proposed s/w
2714	multi stem Holly	2F	13	F, Air Excavation Required, elevate 8' over proposed s/w
2716	White Oak	1F-P	38	Remove private tree: proposed s/w construction would compromise health/structural stability of tree
				Note: Tree in poor condition; trunk decay, dieback
2722	Tulip Poplar	1F-P	43	Remove private tree: proposed s/w construction would compromise health/structural stability of tree
2724	multi stem crape myrtle	1F	2	Remove: proposed s/w construction would compromise health/structural stability of tree
2724	multi stem crape myrtle	2F	1	Remove: proposed s/w construction would compromise health/structural stability of tree
2724	Blackgum	1F-P	16	F, Air Excavation Required
2728	Serviceberry	1F	9	F
2730	Red Maple	1F	22	Remove: proposed s/w construction would compromise health/structural stability of tree
8103 Larry Pl	Tulip Poplar	1S-P	43	F, Air Excavation Required
8104 Larry Pl	Dogwood	1S	3.5	F, elevate 8' over proposed s/w
8104 Larry Pl	Pin Oak	2S	40	Remove: proposed s/w construction would compromise health/structural stability of tree
2806	Hemlock	1F	18.5	Remove: proposed s/w construction would compromise health/structural stability of tree
Grubb Rd				5' wide concrete sidewalk with 0'-3' greenspace unless specified otherwise below
8206	Pin Oak	1F	26	Remove: proposed s/w construction would compromise health/structural stability of tree
8208	multi stem crape myrtle	1F	16	Remove: proposed s/w construction would compromise health/structural stability of tree
Ellingson Dr				
2621 Washington Ave	stump	1S	22	remove stump
8105	Red Maple	1S	13.5	Remove: proposed s/w construction would compromise health/structural stability of tree
8201	Red Maple	1S	20.5	Remove: proposed s/w construction would compromise health/structural stability of tree
8201	Red Maple	1F	23.5	Remove: proposed s/w construction would compromise health/structural stability of tree
8207	Maple	1F	6.5	Remove: proposed s/w construction would compromise health/structural stability of tree
8207	stump	2F	27	remove stump
8206	Beech	1F-P	32	F, Air excavation required
				Note: Per Montgomery County Roadside Tree Protection Law, allocation of \$34,500.00 into the Street Tree Replacement Fund is required.
				1. Hand prune roots where noted above.
				2. Any roots 2" diameter or larger exposed by air excavation or by hand pruning activities, that require removal due to sidewalk construction, shall be inspected by ISA certified arborist with the Tree Maintenance Section, Montgomery County, prior to removal.
				3. An approved contractor certified in the State of Maryland for air excavation will be required to conduct all excavation where "Air Excavation required" is noted above.
				4. Arborist (Tree Maintenance Section, Division of Highway Services) shall be notified by Project Manager of root pruning and air excavation schedule prior to scheduled work.
				5. Root pruning shall be to the depth of excavation (no more than 6" depth)
				6. Excavation for proposed sidewalk shall be no more than 6"